

ETA-Danmark A/S Göteborg Plads 1 DK-2150 Nordhavn Tel. +45 72 24 59 00 Internet <u>www.etadanmark.dk</u> Authorised and notified according to Article 29 of the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011



European Technical Assessment ETA-21/0553 of 2021/06/16

I General Part

Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: ETA-Danmark A/S

Trade name of the construction product:	Bostik FP 312 Fire Retardant Coating
Product family to which the above construction product belongs:	Fire Stopping and Sealing Product:Penetration Seals
Manufacturer:	Bostik B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands
Manufacturing plant:	A/003
This European Technical Assessment contains:	39 pages including 1 annex which form an integral part of the document
This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis	EAD 350454-00-1104
This version replaces:	

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body. Any partial reproduction has to be identified as such.

Table of Contents

۱.	SPE	CIFIC PARTS OF THE EUROPEAN TECHNICAL ASSESSMENT	4
	1	Technical description of the product	4
	2	Specification of the intended uses of the product in accordance with the applicable European Assessment Document (Hereinafter EAD): ETAG 026-2	
	3	Performance of the product and references to the methods used for its assessment	6
	4	ASSESSMENT AND VERIFICATION OF CONSTANCY OF PERFORMANCE (HEREINAFTER AVCP) SYSTEM APPLIED, WITH REFERENCE TO TS LEGAL BASE	
	5	Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD	7
AN	NEX A	– Resistance to Fire Classification – Bostik FP 312 Fire Retardant Coating	8
	A.1	Rigid wall constructions according to 1.2.1 with wall thickness of minimum 150 mm	8
	A.1	.1 Cable penetration seal with 2x 60 mm thick Bostik FP 320 Fire Batt 2-S	8
	A.1	.2 Cable penetration seal with 1x 60 mm thick Bostik FP 320 Fire Batt 2-S	10
	A.1	.3 Pipe penetration seal with 2x 60 mm thick Bostik FP 320 Fire Batt 2-S	11
	A.1	.4 Pipe penetration seal with 1x 60 mm thick Bostik FP 320 Fire Batt 2-S	13
	A.1	.5 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S	16
	A.1	.6 Bostik FP 320 Fire Batt 60 mm 2-S penetration seal (protruding) blank and with cables, in rigid wall min. 150 mm thick	17
	A.1	.7 Bostik FP 320 Fire Batt 60 mm 2-S penetration seal (pattress) blank and with cables, in rigid wall min. 150 mm thick	18
	A.2	Rigid floor constructions according to 1.2.1 with floor thickness of minimum 150 mm	19
	A.2	.1 Cable penetration seal with 2x Bostik FP 320 Fire Batt 2-S	19
	A.2	.2 Cable penetration seal with 1x Bostik FP 320 Fire Batt 2-S	20
	A.2	.3 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 2-S	. 21
	A.2	.4 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S	23
	A.2	.5 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S	26
	A.2	.6 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S	27
	A.2	.7 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 2-S	. 28
	A.2	.8 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 2-S (back to back)	29
	A.3	Flexible wall constructions according to 1.2.1 with wall thickness of minimum 100 mm	31
	A.3	.1 Cable penetration seal with 2x Bostik FP 320 Fire Batt 1-S	31
	A.3	.2 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 1-S	32
	A.3	.3 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 1-S	34
	A.3	.4 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 1-S	37
	A.3	.5 Plastic pipe penetration seal with 2x Bostik FP 320 Fire Batt 1-S	39

I. SPECIFIC PARTS OF THE EUROPEAN TECHNICAL ASSESSMENT

1 <u>Technical description of the product</u>

- Bostik FP 312 Fire Retardant Coating is a sprayed coating product that is site applied to one or both faces of a stone wool, mineral fibre board, to form a penetration seal system referenced Bostik FP 320 Fire Batt. The intended use of Bostik FP 312 Fire Retardant Coating is to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration of single or multiple services.
- 2) The Bostik FP 320 Fire Batt system incorporates a coating of Bostik FP 312 Fire Retardant Coating on one face, referenced 1-S, or on both faces, referenced 2-S. The board or boards may be cut to allow the penetration of the required services and inserted into the aperture in the wall before spraying or may be pre-sprayed and then installed.
- 3) The Bostik FP 312 Fire Retardant Coating shall only be applied to Paroc Pyrotech Slab 160 / Paroc FPS 160 stone wool mineral fibre boards, with an even coating of minimum 1 litre per side of a 1200 x 600 mm board, to give a minimum 1 mm WFT. The WFT of the coating should be measured and verified at minimum 5 locations to ensure correct installation. The stone wool mineral fibre boards may be supplied by Bostik B.V. or may be sourced separately. Installation of the Bostik FP 312 Fire Retardant Coating / Bostik FP 320 Fire Batt system shall be in accordance with Bostik B.V. installation instructions.
- 4) Bostik FP 340 Pipe Wraps are required to be used in conjunction with Bostik FP 312 Fire Retardant Coating depending upon the required application and classification (see Annex A). Bostik FP 340 Pipe Wraps are the subject of ETA 21/0625.
- 5) The applicant has submitted a written declaration that Bostik FP 312 Fire Retardant Coating does not contain substances which have to be classified as dangerous according to Directive 67/548/EEC and Regulation (EC) No 1272/2008 and listed in the "Indicative list on dangerous substances" of the EGDS taking into account the installation conditions of the construction product and the release scenarios resulting from there.

In addition to the specific clauses relating to dangerous substances contained in this European technical Assessment, there may be other requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provisions of the Construction Products Regulation, these requirements need also to be complied with, when and where they apply.

6) The use catagory of Bostik FP 312 Fire Retardant Coating in relation to BWR 3 (Hygiene, health and environment) is IA1, S/W3

2 <u>Specification of the intended uses of the product in accordance with the applicable European Assessment</u> <u>Document (Hereinafter EAD): ETAG 026-2</u>

Detailed information and data is given in Annex A.

- 1) The intended use of Bostik FP 312 Fire Retardant Coating is to reinstate the fire resistance performance of flexible wall, rigid wall and floor constructions where they are penetrated by various cables, metallic pipes, composite pipes and plastic pipes.
- 2) The specific elements of construction that the system Bostik FP 320 Fire Batt may be used to provide a penetration seal in, are as follows:
 - a. Flexible walls: The wall must have a minimum thickness of 100 mm and comprise steel studs lined on both faces with minimum 2 layers of 12.5 mm thick boards.
 - b. Rigid walls: The wall must have a minimum thickness of 150 mm and comprise concrete, aerated concrete or masonry, with a minimum density of 650 kg/m³.
 - c. Rigid floors: The floor must have a minimum thickness of 150 mm and comprise aerated concrete or concrete with a minimum density of 650 kg/m³.

The supporting construction must be classified in accordance with EN 13501-2 for the required fire resistance period.

- The System Bostik FP 320 Fire Batt may be used to provide a penetration seal with cables, cable trays, metallic pipes, composite pipes and plastic pipes, with and without insulation (for details see Annex A).
- 4) The total amount of cross sections of services (including insulation) should not exceed 60% of the penetration area.
- 5) The system Bostik FP 320 Fire Batt may be used to seal apertures in the separating element up to 2400mm wide by 1200mm high in a wall, and 2400mm by 1200 mm in a floor. The minimum permitted separation between adjacent seals/apertures is 200mm. Services should be a minimum of 25mm from seal edges. Services within the system Bostik FP 320 Fire Batt seal do not require a minimum separation, except pipes where pipe insulation penetrates the seal and plastic pipe penetrations which should be a minimum of 100 mm from other services in the aperture.
- 6) Services in floors shall be supported at 250mm and 400mm from the top face. Services in walls shall be supported at 270mm and 470mm from both faces of the wall.
- 7) The provisions made in this European Technical Assessment are based on an assumed working life of the Bostik FP 312 Fire Retardant Coating of 10 years, provided that the conditions laid down in the product datasheet for the packaging/transport/ storage/installation/use/repair are met. The indications given on the working life cannot be interpreted as a guarantee given by the producer or the Technical Assessment Body but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.
- 8) Type Z₂: Intended for uses in internal conditions with humidity lower than 85 % RH excluding temperatures below 0°C, without exposure to rain or UV.

3 Performance of the product and references to the methods used for its assessment

Product-type: Coating	Intended use: Penetration Seal			
Essential characteristic	Performance			
BWR 1 Mechanical	resistance and stability			
-	-			
BWR 2 Safet	y in case of fire			
EN 13501-1	No performance assessed			
EN 13501-2	See annex A			
BWR 3 Hygiene, he	alth and environment			
Air permeability (material property)	No performance assessed			
Water permeability (material property)	No performance assessed			
Release of dangerous substances	Use categories: IA1, S/W3 Declaration of manufacturer			
BWR 4 Safety in use				
Mechanical resistance and stability No performance assessed				
Resistance to impact/movement	No performance assessed			
Adhesion	No performance assessed			
BWR 5 Protect	ion against noise			
Airborne sound insulation	No performance assessed			
BWR 6 Energy econo	omy and heat retention			
Thermal properties No performance assessed				
Water vapour permeability	No performance assessed			
General aspects rel	ating to fitness for use			
Durability and serviceability	Z ₂			
BWR 7 Sustainable u	ise of natural resources			
-	No performance assessed			

4 ASSESSMENT AND VERIFICATION OF CONSTANCY OF PERFORMANCE (HEREINAFTER AVCP) SYSTEM APPLIED, WITH REFERENCE TO ITS LEGAL BASE

According to the decision 1999/454/EC – Commission Decision of date 22nd June 1999 on on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards fire stopping, fire sealing and fire protective products, published in the Official Journal of the European Union (OJEU) L178/52 of 14/07/1999, see http://eur-lex.europa.eu/JOIndex.do) of the European Commission¹, as amended, the system(s) of assessment and verification of constancy of performance (see Annex V to Regulation (EU) No 305/2011) given in the following table(s) applies (apply).

Product(s)	Intended use(s)	Level(s) or class(es)	System(s)
Fire stopping and Fire Sealing Products	For fire compartmentation and/or fire protection or fire performance	Any	1

5 <u>Technical details necessary for the implementation of the AVCP system, as provided for in the applicable</u> <u>EAD</u>

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at ETA-Danmark A/S prior to CE marking

Issued in Copenhagen on 2021-06-16 by


Thomas Bruun Managing Director, ETA-Danmark

¹ Official Journal of the European Communities L178/52 of 14/7/1999

ANNEX A – Resistance to Fire Classification – Bostik FP 312 Fire Retardant Coating

A.1 Rigid wall constructions according to 1.2.1 with wall thickness of minimum 150 mm

A.1.1 Cable penetration seal with 2x 60 mm thick Bostik FP 320 Fire Batt 2-S




A.1.1.1 Double side penetration seal with cables

Services	Maximum aperture	Classification
None (blank) Single electrical cables up to 21 mm Ø	-	E 240, El 180
Single or bundled electrical cables up to 21 mm Ø, with or without trays	2400 mm	E 240, El 180
Electrical cables up to 80 mm Ø (single, bundled and on trays)	wide x 1200 mm high	E 180, El 60
Cables up to 21mm Ø in tied bundles up to 100mm Ø		E 180, El 120
Steel cable trays & ladders		E 180, El 60
PVC conduit up to 16 mm Ø		EI 180 C/U, EI 180 C/C

A.1.2 Cable penetration seal with 1x 60 mm thick Bostik FP 320 Fire Batt 2-S

Penetration Seal: Cables (single) fitted at any position within the aperture, with Bostik FP 320 Fire Batt 2-S positioned to either face of the wall (or anywhere in between).




A.1.2.1 Single side penetration seal with cables

Services	Maximum aperture	Classification
None (blank) Single electrical cables up to 21 mm Ø	2400 mm wide x 1200 mm high	E 240, El 90
Single A1 cable = $5 \times 1.5 \text{ mm}^2$ core HD603.3 electrical cable with PVC insulation, PVC sheath and 14 mm diameter	5	
Single A2 cable = $5 \times 1.5 \text{ mm}^2$ core HD22.4 electrical cable with EPR insulation, PO sheath and 11.2-14.4 mm diameter	70 x 70 mm	EI 240
Single A3 cable = $5 \times 1.5 \text{ mm}^2$ core HD604.5 electrical cable with XLPE insulation, EVA sheath and 13 mm diameter		

A.1.3 Pipe penetration seal with 2x 60 mm thick Bostik FP 320 Fire Batt 2-S

Penetration Seal: 1000 mm (min.) LI (Local Interrupted) or CI (Continuous Interrupted) insulated metallic pipes (single) fitted at any position within the aperture, with 60 mm Bostik FP 320 Fire Batt to both sides of the wall.




A.1.3.1 Double side penetration seal with pipes

Services	Maximum	Insulation	Classification
Mild or stainless steel pipe	aperture		
40 mm diameter/1.5-14.2 mm wall*	100 x 100 mm	20 mm Stone wool	EI 240 C/U
40 mm diameter/1.5-14.2 mm wall*		insulation 80 kg/m ³	E 240 C/U, EI 180 C/U
40 mm diameter/1.5-14.2 mm wall*			
50 mm diameter/1.7-14.2 mm wall*			
60 mm diameter/1.9-14.2 mm wall*			
75 mm diameter/2.2-14.2 mm wall*			
90 mm diameter/2.5-14.2 mm wall*			
100 mm diameter/2.7-14.2 mm wall*	2400 mm wide x	30 mm Stone wool	
115 mm diameter/3-14.2 mm wall*	1200 mm high	insulation 80 kg/m ³	E 240 C/U, EI 90 C/U
140 mm diameter/3.5-14.2 mm wall*			
165 mm diameter/ 3.9-14.2 mm wall*			
180 mm diameter/ 4.2-14.2 mm wall*			
200 mm diameter/ 4.6-14.2 mm wall*			
219 mm diameter/ 5.0-14.2 mm wall*			

* Typical pipe diameters shown, see below graph for intermediate sizes

Services	Maximum	Insulation	Classification
Alupex composite	aperture		
16 mm diameter/2.25 mm wall	75 x 75 mm	20 mm Stone wool	EI 240 U/C
16 mm diameter/2.25 mm wall	2400 x 1200 mm	insulation 80 kg/m ³	E 240 U/C El 180 U/C



Pipe diameter vs Wall thickness

A.1.4 Pipe penetration seal with 1x 60 mm thick Bostik FP 320 Fire Batt 2-S

Penetration Seal: 1000 mm (min.)* LI (Local Interrupted) or CI (Continuous Interrupted) insulated metallic and composite pipes (single) fitted at any position within the aperture, with 60 mm Bostik FP 320 Fire Batt to one side of the wall. Construction details:


* 600 mm long insulation required for Alupex pipes

A.1.4.1 Single side penetration seal with pipes

Services	Maximum Aperture	Insulation	Classification
Up to 12 mm diameter Copper pipe 0.9- 14.2 mm wall	70 x 70 mm	20 mm Stone wool	EI 240 C/U
Up to 54 mm diameter Copper pipe 0.9- 14.2 mm wall	115 x 115 mm	insulation 80 kg/m ³	E 240 C/U, EI 120 C/U
75 mm diameter Alupex composite pipe 7.5 mm diameter	200 x 200 mm	30 mm Stone wool insulation 80 kg/m ³	EI 120 C/C
Up to 54 mm diameter Copper pipe 0.9- 14.2 mm wall	2400 mm wide x	20 mm Stone wool insulation 80 kg/m ³	E 240 C/U, EI 90 C/U
Up to 75 mm diameter Alupex composite pipe 7.5 mm diameter	1200 mm high	30 mm Stone wool insulation 80 kg/m ³	E 120 C/C, EI 90 C/C

Maximum	Insulation	Classification
Aperture		
20 mm Stone wool		
	insulation 80 kg/m ³	
-		
280 x 280 mm	30 mm Stone wool	EI 240 C/U
	insulation 80 kg/m ³	
nm diameter/ 4.2-14.2 mm wall* nm diameter/ 4.6-14.2 mm wall*		
	20 mm Stone wool insulation 80 kg/m ³	
2400 mm wide by		E 240 C/U, EI 90 C/U
1200 mm high	30 mm Stone wool	240 0/0, 21 90 0/0
* * * *		
	Aperture 280 x 280 mm	Aperture20 mm Stone wool insulation 80 kg/m³280 x 280 mm30 mm Stone wool insulation 80 kg/m³280 x 280 mm30 mm Stone wool insulation 80 kg/m³280 x 280 mm30 mm Stone wool insulation 80 kg/m³


* Typical pipe diameters shown, see below graph for intermediate sizes



Pipe diameter vs Wall thickness

A.1.5 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S


Penetration Seal: CS (Continuous Sustained) insulated metallic pipes fitted at any position within the aperture, with 60 mm Bostik FP 320 Fire Batt 2-S to either side of the wall (or anywhere in between). Bostik FP 340 Pipe Wraps are required to be fitted around combustible pipe insulation. Maximum aperture size 2400 mm x 1200 mm



A.1.5.1 Single side penetration seal with pipes

Services	Wrap	Insulation	Classification
Mild or stainless steel pipe			
165 mm diameter/ 4.5-14.2 mm wall	50 x 1.8 mm Bostik FP 340 Pipe Wrap fitted centrally	9-25 mm Kaiflex ST/KK insulation	E 120 U/C, E 120 C/U, E 120 C/C, El 45 U/C, El 45 C/U, El 45 C/C
219 mm diameter/ 5-14.2 mm wall	Not required	30 mm stone wool 80 kg/m ³	E 240 U/C, E 240 C/U, E 240 C/C, EI 60 U/C, EI 60 C/U, EI 60 C/C


A.1.6 Bostik FP 320 Fire Batt 60 mm 2-S penetration seal (protruding) blank and with cables, in rigid wall min. 150 mm thick



A.1.6.1 Two side penetration seal with cables

Services	Maximum aperture	Classification
None (blank)		E 240, El 180
Single or bundled electrical cables up to 21 mm Ø, with or without trays		E 240, El 120
Electrical cables up to 80 mm Ø (single, bundled and on trays)	600 mm	E 240, El 60
Cables up to 21mm Ø in tied bundles up to 100mm Ø	wide x 600 mm high	EI 240
Steel cable trays & ladders	5	E 240, El 180
Non-Sheathed wires up to 17 mm Ø		E 240 , El 180
Non-Sheathed wires up to 24 mm Ø		E 240 , El 90

A.1.7 FR Board 60 mm 2-S penetration seal (pattress) blank and with cables, in rigid wall min. 150 mm thick




A.1.7.1 Two side penetration seal with cables

Services	Maximum aperture	Classification
None (blank)		E 240, El 180
Single or bundled electrical cables up to 50 mm Ø, with or without trays		E 240, El 90
Single or bundled electrical cables up to 80 mm \emptyset (single, bundled and on trays)	600 mm wide x 600	E 240, El 60
Cables up to 21mm Ø in tied bundles up to 100mm Ø	mm high	EI 240
Steel cable trays & ladders		E 240, El 180
Non-Sheathed wires up to 24 mm Ø		E 240 , El 120

A.2 Rigid floor constructions according to 1.2.1 with floor thickness of minimum 150 mm


A.2.1 Cable penetration seal with 2x Bostik FP 320 Fire Batt 2-S



A.2.1.1 Double side penetration seal with cables

Services	Maximum	Classification
	aperture	
None (blank)		E 180, El 120
Electrical cables up to 21 mm Ø (single, bundled and on trays)		EI 120
Electrical cables up to 80 mm Ø (single, bundled and on trays)		E 120, El 60
Cables up to 21mm Ø in tied bundles up to 100mm Ø	2400 mm x 1200 mm	EI 120
Steel cable trays & ladders	1200 1111	E 120, El 60
Non-sheathed wires up to 24 mm Ø		E 180, El 45
PVC conduit up to 16 mm Ø		E 120 C/U, E 120 C/C, El 90 C/U, El 90 C/C

A.2.2 Cable penetration seal with 1x Bostik FP 320 Fire Batt 2-S



A.2.2.1 Single side penetration seal with cables


Services	Maximum aperture	Classification
None (blank)	2400 mm x	E 120, El 90
Single * electrical cables up to 21 mm Ø	1200 mm	E 120, El 30
Single * electrical cables up to 21 mm Ø	600 mm x 1200 mm	E 240, El 30
Electrical cables up to 21 mm Ø (single, bundled and on trays)		E 90, El 45
Electrical cables up to 80 mm Ø (single, bundled and on trays)		E 90, El 30
Cables up to 21mm Ø in tied bundles up to 100mm Ø		EI 45
Steel cable trays & ladders	2400 mm x 1200 mm	EI 45
Non-sheathed wires up to 17 mm Ø		E 45, El 30
Non-sheathed wires up to 24 mm Ø		E 45, El 20
PVC conduit up to 16 mm Ø]	EI 45 C/U, EI 45 C/C
Steel or copper conduit up to 16 mm Ø		E 45 C/U, EI 15 C/U

A.2.3 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 2-5
Penetration Seal: 1000 mm (min.) LI (Local Interrupted) or CI (Continuous Interrupted) insulated metallic pipes (single) fitted at
any position within the aperture, with 2 layers of 60 mm Bostik FP 320 Fire Batt 2-5 together within the floor.
Construction details:

Services	Maximum	Insulation	Classification
Mild or stainless steel pipe	aperture		
40 mm diameter/1.5-14.2 mm wall*	280 x 280 mm	20 mm Stone wool	EI 240 C/U
40 mm diameter/1.5-14.2 mm wall*		insulation 80 kg/m ³	E 180 C/U, EI 120 C/U
40 mm diameter/1.5-14.2 mm wall*			
50 mm diameter/1.7-14.2 mm wall*			
60 mm diameter/1.8-14.2 mm wall*			
75 mm diameter/2.1-14.2 mm wall*			
90 mm diameter/2.3-14.2 mm wall*			
100 mm diameter/2.5-14.2 mm wall*	2400 x 1200 mm	30 mm Stone wool	
115 mm diameter/2.8-14.2 mm wall*	all* insulation 80 kg/m ³	E 180 C/U, EI 60 C/U	
140 mm diameter/3.2-14.2 mm wall*			
165 mm diameter/ 3.6-14.2 mm wall*			
180 mm diameter/ 3.9-14.2 mm wall*			
200 mm diameter/ 4.2-14.2 mm wall*			
219 mm diameter/ 4.5-14.2 mm wall*			


A.2.3.1 Two layer penetration seal with pipes

* Typical pipe diameters shown, see below graph for intermediate sizes



Pipe diameter vs Wall thickness

A.2.4 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S




A.2.4.1	Single side penetration seal with pipes
---------	---

Services	Maximum Aperture	Insulation	Classification
Up to 12 mm diameter Copper pipe 0.9- 14.2 mm wall	70 x 70 mm		E 240 C/U, EI 45 C/U
Up to 54 mm diameter Copper pipe 0.9-	115 x 115 mm	20 mm Stone wool insulation 80 kg/m ³	E 240 C/U
14.2 mm wall	2400 mm x 1200 mm		E 120 C/U
114 mm diameter mild or stainless steel	600 x 1200		E 240 C/C, EI 20 C/C
pipe 11-14.2 mm wall	2400 mm x 1200 mm	None	E 120 C/C, EI 20 C/C

Mild or stainless steel pipeAperture40 mm diameter/1.5-14.2 mm wall*20 mm Stone wool insulation 80 kg/m3E 240 C/U, EI 60 C/U40 mm diameter/1.5-14.2 mm wall*50 mm diameter/1.5-14.2 mm wall*50 mm diameter/1.5-14.2 mm wall*50 mm diameter/2.1-14.2 mm wall*90 mm diameter/2.1-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m3E 240 C/U, EI 90 C/U115 mm diameter/2.5-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m3E 240 C/U, EI 90 C/U140 mm diameter/3.5-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m3E 240 C/U, EI 90 C/U120 mm diameter/3.5-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m3E 240 C/U, EI 90 C/U140 mm diameter/3.5-14.2 mm wall*600 mm diameter/1.5-14.2 mm wall*80 mm diameter/1.5-14.2 mm wall*100 mm wide by 1200 mm wide by 1200 mm wide by 1200 mm diameter/2.5-14.2 mm wall*80 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 60 C/U90 mm diameter/2.5-14.2 mm wall*75 mm diameter/2.5-14.2 mm wall*75 mm diameter/2.5-14.2 mm wall*80 mm wide by 1200 mm wide by 1200 mm wide by 1200 mm high80 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 90 C/U115 mm diameter/2.5-14.2 mm wall*75 mm diameter/2.5-14.2 mm wall*80 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 90 C/U120 mm diameter/2.5-14.2 mm wall*1200 mm wide by 1200 mm high15 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 90 C/U120 mm diameter/3.5-14.2 mm wall*1200 mm migh 1200 mm high120 mm Stone wool insulation 80 kg/m	Services	Maximum	Insulation	Classification	
40 mm diameter/1.5-14.2 mm wall* insulation 80 kg/m³ E 240 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 600 x 1200 mm insulation 80 kg/m³ E 240 C/U, EI 60 C/U 90 mm diameter/2.3-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 600 x 1200 mm 30 mm Stone wool insulation 80 kg/m³ E 240 C/U, EI 90 C/U 115 mm diameter/3.5-14.2 mm wall* 600 x 1200 mm 30 mm Stone wool insulation 80 kg/m³ E 240 C/U, EI 90 C/U 120 mm diameter/3.5-14.2 mm wall* 600 x 1200 mm 20 mm Stone wool insulation 80 kg/m³ E 240 C/U, EI 90 C/U 40 mm diameter/1.5-14.2 mm wall* 600 x 1200 mm 20 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 200 mm stone wool insulation 80 kg/m³ E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 2400 mm wide by 30 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 60 C/U 40 mm diameter/2.5-14.2 mm wall* 2400 mm wide by 30 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 60 C/U 115 mm diameter/2.5-14.2 mm wall* 2400 mm wide by 30 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 115 mm diameter/3.5-14.2 mm wall* 1200 mm high 30 mm Stone	Mild or stainless steel pipe	Aperture			
40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.7-14.2 mm wall* 60 mm diameter/1.8-14.2 mm wall* 75 mm diameter/2.1-14.2 mm wall* 90 mm diameter/2.5-14.2 mm wall* 100 mm diameter/2.5-14.2 mm wall* 100 mm diameter/2.8-14.2 mm wall* 100 mm diameter/2.5-14.2 mm wall* 165 mm diameter/3.2-14.2 mm wall* 180 mm diameter/4.5-14.2 mm wall* 200 mm diameter/4.5-14.2 mm wall* 100 mm diameter/1.5-14.2 mm wall* 200 mm diameter/1.5-14.2 mm wall* 100 mm diameter/1.5-14.2 mm wall* 200 mm diameter/1.5-14.2 mm wall* 100 mm diameter/1.5-14.2 mm wall* 200 mm diameter/1.5-14.2 mm wall* 60 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.5-14.2 mm wall* 60 mm diameter/2.5-14.2 mm wall* 60 mm diameter/2.5-14.2 mm wall* 90 mm diameter/2.5-14.2 mm wall* 100 mm diameter/3.5-14.2 mm wall* 100 mm diameter/3.5-14.2 mm wall* 100 mm diameter/3.5-14.2 mm wall* 1200 mm high 135 mm	40 mm diameter/1.5-14.2 mm wall*			E 240 C/U, EI 60 C/U	
60 mm diameter/1.8-14.2 mm wall* 75 mm diameter/1.8-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 90 nm diameter/2.3-14.2 mm wall* 90 nm diameter/2.3-14.2 mm wall* 90 nm diameter/3.5-14.2 mm wall* 90 nm diameter/4.5-14.2 mm wall* 20 nm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 40 nm diameter/1.5-14.2 mm wall* 90 nm diameter/1.5-14.2 mm wall* 20 nm Stone wool insulation 80 kg/m³ E 120 C/U, EI 60 C/U 40 nm diameter/1.5-14.2 mm wall* 90 nm diameter/2.5-14.2 mm wall* 90 nm diameter/2.5-14.2 mm wall* 100 nm wide by 100 nm wide by 100 nm wide by 100 nm wide by 100 nm high 90 nm diameter/2.5-14.2 mm wall* 90 nm diameter/2.5-14.2 mm wall* 100 nm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 115 nm diameter/2.5-14.2 mm wall* 100 nm miameter/3.5-14.2 mm wall* 100 nm Miameter/3.5-14.2 mm wall* 100 nm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 115 nm diameter/3.5-14.2 mm wall* 100 nm diameter/3.5-14.2 mm wall* 100 nm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 100 nm diameter/3.5-1					
75 mm diameter/2.1-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m3600 x 1200 mm115 mm diameter/2.3-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m3600 x 1200 mm140 mm diameter/3.2-14.2 mm wall*600 x 1200 mm10 mm Stone wool insulation 80 kg/m3600 x 1200 mm180 mm diameter/3.2-14.2 mm wall*70 mm diameter/4.2-14.2 mm wall*10 mm diameter/4.2-14.2 mm wall*10 mm diameter/1.5-14.2 mm wall*200 mm diameter/1.5-14.2 mm wall*820 mm Stone wool insulation 80 kg/m3600 x 1200 mm40 mm diameter/1.5-14.2 mm wall*90 mm diameter/1.5-14.2 mm wall*100 mm wide by 1200 mm wide by 1200 mm migh100 mm Stone wool insulation 80 kg/m36120 C/U, EI 60 C/U15 mm diameter/2.5-14.2 mm wall*100 mm diameter/2.5-14.2 mm wall*100 mm wide by 1200 mm high30 mm Stone wool insulation 80 kg/m36120 C/U, EI 90 C/U165 mm diameter/3.5-14.2 mm wall*1200 mm wide by 1200 mm high30 mm Stone wool insulation 80 kg/m36120 C/U, EI 90 C/U165 mm diameter/3.5-14.2 mm wall*100 mm diameter/3.5-14.2 mm wall*100 mm wide by 1200 mm high115 mm Stone wool insulation 80 kg/m36120 C/U, EI 90 C/U165 mm diameter/3.5-14.2 mm wall*1200 mm wide by 1200 mm high115 mm Stone wool insulation 80 kg/m36120 C/U, EI 90 C/U165 mm diameter/3.5-14.2 mm wall*1200 mm wide by 1200 mm high1200 mm Stone wool insulation 80 kg/m36120 C/U, EI 90 C/U165 mm diameter/3.5-14.2 mm wall*120 mm diameter/3.5-14.2 mm wall*120 mm diameter/3.5-14.2 mm wall*120 mm d	50 mm diameter/1.7-14.2 mm wall*				
90 mm diameter/2.3-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m³F 240 C/U, EI 90 C/U115 mm diameter/2.8-14.2 mm wall*600 x 1200 mm30 mm Stone wool insulation 80 kg/m³F 240 C/U, EI 90 C/U165 mm diameter/3.2-14.2 mm wall*600 x 1200 mm80 mm Stone wool insulation 80 kg/m³F 240 C/U, EI 90 C/U180 mm diameter/3.9-14.2 mm wall*70 mm diameter/4.5-14.2 mm wall*70 mm diameter/1.5-14.2 mm wall*100 mm diameter/1.5-14.2 mm wall*100 mm diameter/1.5-14.2 mm wall*100 mm diameter/1.5-14.2 mm wall*75 mm diameter/2.1-14.2 mm wall*100 mm diameter/2.3-14.2 mm wall*100 mm wide by 1200 mm high100 mm Stone wool insulation 80 kg/m³F 120 C/U, EI 60 C/U100 mm diameter/2.3-14.2 mm wall*75 mm diameter/2.3-14.2 mm wall*1200 mm wide by 1200 mm high30 mm Stone wool insulation 80 kg/m³F 120 C/U, EI 90 C/U100 mm diameter/2.3-14.2 mm wall*1200 mm wide by 1200 mm high30 mm Stone wool insulation 80 kg/m³F 120 C/U, EI 90 C/U100 mm diameter/3.3-14.2 mm wall*100 mm diameter/3.3-14.2 mm wall*100 mm diameter/3.3-14.2 mm wall*F 120 C/U, EI 90 C/U100 mm diameter/3.3-14.2 mm wall*100 mm diameter/3.3-14.2 mm wall*100 mm diameter/3.3-14.2 mm wall*F 120 C/U, EI 90 C/U100 mm diameter/3.3-14.2 mm wall*100 mm diameter/3.3-14.2 mm wall* </td <td>60 mm diameter/1.8-14.2 mm wall*</td> <td></td> <td></td>	60 mm diameter/1.8-14.2 mm wall*				
100 mm diameter/2.5-14.2 mm wall* 115 mm diameter/2.8-14.2 mm wall* 140 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.9-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall* 219 mm diameter/4.5-14.2 mm wall* 40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.7-14.2 mm wall* 60 mm diameter/1.8-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 115 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* 100 mm diameter/3.2-14.2 mm wall* 115 mm diameter/3.2-14.2 mm wall* 120 mm diameter/3.2-1	75 mm diameter/2.1-14.2 mm wall*				
30 mm Stone wool insulation 80 kg/m3E 240 C/U, EI 90 C/U140 mm diameter/3.2-14.2 mm wall* 165 mm diameter/ 4.2-14.2 mm wall* 200 mm diameter/1.5-14.2 mm wall* 40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.5-14.2 mm wall* 60 mm diameter/1.5-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* 115 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* 100 mm diameter/3.2-14.2 mm wall* 115 mm diameter/3.2-14.2 mm wall* 120 mm di	90 mm diameter/2.3-14.2 mm wall*				
115 mm diameter/2.8-14.2 mm wall* insulation 80 kg/m³ F 240 C/U, EI 90 C/U 140 mm diameter/3.2-14.2 mm wall* insulation 80 kg/m³ F 240 C/U, EI 90 C/U 180 mm diameter/3.2-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall* E 120 C/U, EI 90 C/U 40 mm diameter/1.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 2400 mm wide by 1200 mm high 30 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 100 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* 30 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 115 mm diameter/3.2-14.2 mm wall* 1200 mm high 30 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 140 mm diameter/3.2-14.2 mm wall* 1200 mm high 30 mm Stone wool insulation 80 kg/m³ E 120 C/U, EI 90 C/U 180 mm diameter/3.9-14.2 mm wall* 180 mm diameter/3.9-14.2 mm wall* 40 mm diameter/3.2-14.2 mm wall* 40 mm diameter/3.2-14.2 mm wall* 1200 mm diameter/3.2-14.2 mm wall* 180 mm diameter/3.2-14.2 mm wall* 40 mm diameter/3.2-14.2 mm wall* 40 mm diameter/3.2-14.2 mm wall* 180 mm diameter/4.2-14.2 m	100 mm diameter/2.5-14.2 mm wall*	600 x 1200 mm	30 mm Stone wool		
165 mm diameter/ 3.6-14.2 mm wall* 180 mm diameter/ 3.9-14.2 mm wall* 200 mm diameter/ 4.2-14.2 mm wall* 219 mm diameter/ 4.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m ³ 40 mm diameter/1.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m ³ 50 mm diameter/1.5-14.2 mm wall* 8400 mm wide by 1200 mm wide by 1200 mm high 90 mm diameter/2.3-14.2 mm wall* 90 mm diameter/2.5-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* 90 mm diameter/3.6-14.2 mm wall* 100 mm diameter/3.6-14.2 mm wall* 30 mm Stone wool insulation 80 kg/m ³ 140 mm diameter/3.6-14.2 mm wall* 100 mm migh 165 mm diameter/3.6-14.2 mm wall* 1200 mm high 165 mm diameter/3.6-14.2 mm wall* 200 mm high 165 mm diameter/3.6-14.2 mm wall* 200 mm diameter/3.6-14.2 mm wall* 180 mm diameter/3.6-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall*	115 mm diameter/2.8-14.2 mm wall*			E 240 C/U, EI 90 C/U	
180 mm diameter/ 3.9-14.2 mm wall*200 mm diameter/ 4.2-14.2 mm wall*219 mm diameter/ 4.5-14.2 mm wall*20 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 60 C/U40 mm diameter/1.5-14.2 mm wall*20 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 60 C/U40 mm diameter/1.5-14.2 mm wall*50 mm diameter/1.7-14.2 mm wall*50 mm diameter/1.5-14.2 mm wall*F 120 C/U, EI 60 C/U60 mm diameter/1.5-14.2 mm wall*50 mm diameter/2.3-14.2 mm wall*140 mm diameter/2.3-14.2 mm wall*F 120 C/U, EI 60 C/U100 mm diameter/2.3-14.2 mm wall*120 mm wide by 1200 mm wide by 1200 mm highS0 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 90 C/U140 mm diameter/3.2-14.2 mm wall*165 mm diameter/3.2-14.2 mm wall*F 120 C/U, EI 90 C/UE 120 C/U, EI 90 C/U180 mm diameter/3.3-14.2 mm wall*200 mm diameter/3.2-14.2 mm wall*F 120 C/U, EI 90 C/U180 mm diameter/3.2-14.2 mm wall*F 120 C/U, EI 90 C/UF 120 C/U, EI 90 C/U180 mm diameter/3.2-14.2 mm wall*F 120 C/U, EI 90 C/UF 120 C/U, EI 90 C/U180 mm diameter/3.2-14.2 mm wall*F 120 C/U, EI 90 C/UF 120 C/U, EI 90 C/U180 mm diameter/3.2-14.2 mm wall*F 120 C/U, EI 90 C/UF 120 C/U180 mm diameter/3.2-14.2 mm wall*F 120 C/UF	140 mm diameter/3.2-14.2 mm wall*				
200 mm diameter/ 4.2-14.2 mm wall* 20 mm diameter/ 4.2-14.2 mm wall* 219 mm diameter/ 4.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m3 E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m3 E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.5-14.2 mm wall* F 120 C/U, EI 60 C/U 60 mm diameter/1.5-14.2 mm wall* 50 mm diameter/2.1-14.2 mm wall* F 120 C/U, EI 60 C/U 90 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* F 120 C/U, EI 90 C/U 115 mm diameter/3.2-14.2 mm wall* 1200 mm high 30 mm Stone wool insulation 80 kg/m3 165 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.3-14.2 mm wall* F 120 C/U, EI 90 C/U 180 mm diameter/3.3-14.2 mm wall* 200 mm diameter/3.2-14.2 mm wall* F 120 C/U, EI 90 C/U 180 mm diameter/3.2-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 180 mm diameter/3.2-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 180 mm diameter/3.2-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 180 mm diameter/3.2-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U 180 mm diameter/3.2-14.2 mm wall* F 120 C/U F 120 C/U 180 mm dia	165 mm diameter/ 3.6-14.2 mm wall*				
219 mm diameter/4.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m3 E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m3 E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.5-14.2 mm wall* F 120 C/U, EI 60 C/U 60 mm diameter/1.8-14.2 mm wall* 100 mm diameter/2.1-14.2 mm wall* F 120 C/U, EI 60 C/U 90 mm diameter/2.3-14.2 mm wall* 1200 mm wide by 1200 mm high 30 mm Stone wool insulation 80 kg/m3 F 120 C/U, EI 90 C/U 115 mm diameter/3.2-14.2 mm wall* 1200 mm high 30 mm Stone wool insulation 80 kg/m3 F 120 C/U, EI 90 C/U 165 mm diameter/3.6-14.2 mm wall* 165 mm diameter/3.6-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 180 mm diameter/3.9-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 180 mm diameter/3.9-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 180 mm diameter/3.9-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 180 mm diameter/3.9-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U F 120 C/U, EI 90 C/U 190 mm diameter/3.9-14.2 mm wall* F 120 C/U, EI 90 C/U F 120 C	180 mm diameter/ 3.9-14.2 mm wall*				
40 mm diameter/1.5-14.2 mm wall* 20 mm Stone wool insulation 80 kg/m ³ E 120 C/U, EI 60 C/U 40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.7-14.2 mm wall* 60 mm diameter/1.8-14.2 mm wall* 90 mm diameter/2.1-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 2400 mm wide by 1200 mm high 30 mm Stone wool insulation 80 kg/m ³ 115 mm diameter/2.8-14.2 mm wall* 2400 mm wide by 1200 mm high 30 mm Stone wool insulation 80 kg/m ³ E 120 C/U, EI 90 C/U EI 90 C/U 140 mm diameter/3.6-14.2 mm wall* 30 mm Stone wool insulation 80 kg/m ³ E 120 C/U, EI 90 C/U 165 mm diameter/3.6-14.2 mm wall* 180 mm diameter/3.9-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall* </td <td>200 mm diameter/ 4.2-14.2 mm wall*</td> <td></td> <td></td>	200 mm diameter/ 4.2-14.2 mm wall*				
40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.7-14.2 mm wall* 60 mm diameter/1.8-14.2 mm wall* 90 mm diameter/2.1-14.2 mm wall* 100 mm diameter/2.3-14.2 mm wall* 120 mm diameter/2.5-14.2 mm wall* 140 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.2-14.2 mm wall* 180 mm diameter/3.9-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall*	219 mm diameter/ 4.5-14.2 mm wall*				
40 mm diameter/1.5-14.2 mm wall* 50 mm diameter/1.7-14.2 mm wall* 60 mm diameter/1.8-14.2 mm wall* 75 mm diameter/2.1-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.5-14.2 mm wall* 115 mm diameter/2.8-14.2 mm wall* 140 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.6-14.2 mm wall* 180 mm diameter/3.9-14.2 mm wall* 200 mm diameter/3.9-14.2 mm wall*	40 mm diameter/1.5-14.2 mm wall*			E 120 C/U, EI 60 C/U	
60 mm diameter/1.8-14.2 mm wall* 75 mm diameter/2.1-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.5-14.2 mm wall* 100 mm diameter/2.8-14.2 mm wall* 140 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.6-14.2 mm wall* 180 mm diameter/3.9-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall*	40 mm diameter/1.5-14.2 mm wall*				
75 mm diameter/2.1-14.2 mm wall* 90 mm diameter/2.3-14.2 mm wall* 100 mm diameter/2.5-14.2 mm wall* 115 mm diameter/2.8-14.2 mm wall* 140 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.6-14.2 mm wall* 180 mm diameter/3.9-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall*	50 mm diameter/1.7-14.2 mm wall*				
90 mm diameter/2.3-14.2 mm wall* 2400 mm wide by 1200 mm high 30 mm Stone wool insulation 80 kg/m ³ E 120 C/U, EI 90 C/U 140 mm diameter/3.2-14.2 mm wall* 165 mm diameter/3.6-14.2 mm wall* Ferrore 180 mm diameter/3.9-14.2 mm wall* Ferrore Ferrore Ferrore 1200 mm diameter/4.2-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall* Ferrore Ferrore Ferrore	60 mm diameter/1.8-14.2 mm wall*				
100 mm diameter/2.5-14.2 mm wall*2400 mm wide by 1200 mm high30 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 90 C/U140 mm diameter/3.2-14.2 mm wall*165 mm diameter/3.6-14.2 mm wall*165 mm diameter/3.9-14.2 mm wall*	75 mm diameter/2.1-14.2 mm wall*				
100 mm diameter/2.3-14.2 mm wall1200 mm high30 mm Stone wool insulation 80 kg/m3E 120 C/U, EI 90 C/U140 mm diameter/3.2-14.2 mm wall*165 mm diameter/3.6-14.2 mm wall*180 mm diameter/3.9-14.2 mm wall*165 mm diameter/4.2-14.2 mm wall*100 mm high	90 mm diameter/2.3-14.2 mm wall*				
115 mm diameter/2.8-14.2 mm wall* insulation 80 kg/m³ E 120 C/U, EI 90 C/U 140 mm diameter/3.2-14.2 mm wall* insulation 80 kg/m³ E 120 C/U, EI 90 C/U 165 mm diameter/3.6-14.2 mm wall* 200 mm diameter/4.2-14.2 mm wall* Image: Comparison of the second seco	100 mm diameter/2.5-14.2 mm wall*		30 mm Stone wool		
165 mm diameter/ 3.6-14.2 mm wall* 180 mm diameter/ 3.9-14.2 mm wall* 200 mm diameter/ 4.2-14.2 mm wall*	115 mm diameter/2.8-14.2 mm wall*	1200		E 120 C/U, EI 90 C/U	
180 mm diameter/ 3.9-14.2 mm wall* 200 mm diameter/ 4.2-14.2 mm wall*	140 mm diameter/3.2-14.2 mm wall*				
200 mm diameter/ 4.2-14.2 mm wall*	165 mm diameter/ 3.6-14.2 mm wall*				
	180 mm diameter/ 3.9-14.2 mm wall*				
219 mm diameter/ 4.5-14.2 mm wall*	200 mm diameter/ 4.2-14.2 mm wall*				
	219 mm diameter/ 4.5-14.2 mm wall*				

* Typical pipe diameters shown, see below graph for intermediate sizes




Services	Maximum Aperture	Insulation	Classification
Geberit Mepla MLC (PE-		(minimum)	
Xb/Aluminium/PE-HD pipe)			
16 mm diameter/2.25 mm wall	75 x 75 mm		E 240 C/C, EI 180 C/C
16 mm diameter/2.25 mm wall			
20 mm diameter/2.5 mm wall			
26 mm diameter/3 mm wall			
32 mm diameter/3 mm wall	600 v 1200 mm		E 240 C/C, EI 90 C/C
40 mm diameter/3.5 mm wall	600 x 1200 mm		E 240 C/C, EI 90 C/C
50 mm diameter/4 mm wall			
63 mm diameter/4.5 mm wall		500 mm long, 20 mm	
75 mm diameter/4.7 mm wall	Stone wool insulation		
16 mm diameter/2.25 mm wall	80 kg/m ³	80 kg/m ³	
20 mm diameter/2.5 mm wall			
26 mm diameter/3 mm wall			
32 mm diameter/3 mm wall			
40 mm diameter/3.5 mm wall	2400 mm x 1200 mm		E 120 C/C, EI 90 C/C
50 mm diameter/4 mm wall			
63 mm diameter/4.5 mm wall			
75 mm diameter/4.7 mm wall			

Т

Pipe diameter vs Wall thickness

A.2.5 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S

Penetration Seal: Combustible pipes fitted at any position within the aperture, with 50 mm Bostik FP 320 Fire Batt 2-S at mid-depth of the floor. Bostik FP 340 Pipe Wraps are required to be fitted around combustible pipe insulation. Maximum aperture size 400 mm x 400 mm




A.2.5.1 Central penetration seal with pipes

Services	Wrap	Classification
PVC-U pipe according to EN 1329-1, EN 1452-1 and EN 1453-1* 110 mm diameter/ 3.4mm wall	50 x 3.6 mm Bostik FP 340 Pipe Wrap	EI 90 U/C, EI 90 C/C

A.2.6 Pipe penetration seal with 1x Bostik FP 320 Fire Batt 2-S


Penetration Seal: CS (Continuous Sustained) insulated metallic pipes fitted at any position within the aperture, with 60 mm Bostik FP 320 Fire Batt 2-S to either side of the floor (or anywhere in between). Bostik FP 340 Pipe Wraps are required to be fitted around combustible pipe insulation. Maximum aperture size 2400 mm x 1200 mm



A.2.6.1 Single side penetration seal with pipes

Services	Wrap	Insulation	Classification
Mild or stainless steel pipe			
	50 x 3.6 mm Bostik	13 mm Kaiflex ST	E 90 C/U, EI 45 C/U
	FP 340 Pipe Wrap	insulation	
165 mm diameter/ 4.5-14.2 mm	fitted at bottom of	19 mm Kaiflex ST	FL 00 C/U
wall	seal	insulation	EI 90 C/U
	Not required	25-40 mm stone wool 80 kg/m ³	E 90 C/U, EI 60 C/U

A.2.7 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 2-S




A.2.7.1 Double side penetration seal with pipes

Services	Wrap	Insulation	Classification
Mild or stainless steel pipe			
40 mm diameter/ 1-14.2 mm wall	50 x 1.8 mm Bostik FP 340 Pipe Wrap	13 mm Kaiflex ST insulation	E 180 C/U, EI 120 C/U



Penetration Seal: CS (Continuous Sustained) insulated metallic and composite pipes fitted at any position within the aperture, with two layers of 60 mm Bostik FP 320 Fire Batt 1-S installed together to either side of the floor (or anywhere in between). Bostik FP 340 Pipe Wraps are required to be fitted around combustible pipe insulation at the bottom of the seal. Maximum aperture size 2400 mm x 1200 mm




Services	Wrap	Insulation	Classification
Copper pipe			
12-54 mm diameter/1-1.2 mm wall	50 x 3.6 mm Bostik FP 340 Pipe Wrap	9-13 mm Kaiflex ST insulation	E240 C/C, EI 60 C/C
12-54 mm diameter/1-1.2 mm wall	fitted to both sides of the seal	13-25 mm Kaiflex ST insulation	E 180 C/C, EI 45 C/C
Geberit Mepla MLC (PE-Xb/Aluminium)	/PE-HD pipe)		
16 mm diameter/2.25 mm wall			
20 mm diameter/2.5 mm wall			
26 mm diameter/3 mm wall			
32 mm diameter/3 mm wall		9 mm Kaiflex ST	
40 mm diameter/3.5 mm wall		insulation	EI 120 C/C
50 mm diameter/4 mm wall			
63 mm diameter/4.5 mm wall			
75 mm diameter/4.7 mm wall	50 x 3.6 mm Bostik FP 340 Pipe Wrap		
16 mm diameter/2.25 mm wall	fitted to both sides of the seal		
20 mm diameter/2.5 mm wall	the sear		
26 mm diameter/3 mm wall			
32 mm diameter/3 mm wall		13-25 mm Kaiflex ST insulation	
40 mm diameter/3.5 mm wall			E 60 C/C, EI 45 C/C
50 mm diameter/4 mm wall			
63 mm diameter/4.5 mm wall			
75 mm diameter/4.7 mm wall			

A.2.8.1 Back to back penetration seal with pipes

A.3 Flexible wall constructions according to 1.2.1 with wall thickness of minimum 100 mm

A.3.1 Cable penetration seal with 2x Bostik FP 320 Fire Batt 1-S




Note: Insulated metal pipes may also be included within the same seal as cables subject to minimum 100 mm separation. See separate classification for pipes.

A.3.1.1 Double side penetration seal with ca
--

Services	Maximum aperture	Classification	
None (blank)		EI 120	
Single electrical cables up to 21 mm Ø		E 120, El 60	
Electrical cables up to 80 mm Ø (single, bundled and on trays)			
Cables up to 21mm Ø in tied bundles up to 100mm Ø	2400 mm	EI 60	
Steel cable trays & ladders	wide x 1200 mm high		
Steel conduit up to 16 mm Ø		EI 60 C/U	
copper conduit up to 16 mm Ø		E 60 C/U, EI 45 C/U	
Unsheathed wires up to 24 mm Ø		E 60, El 30	
PVC conduit up to 16 mm Ø		EI 60 C/U, EI 60 C/C	







A.3.2.1 Two layer penetration seal with pipes


Services	Wrap	Insulation	Classification
Mild or stainless steel pipe			
40 mm diameter/1-14.2 mm wall	50 x 1.8 mm Bostik FP 340 Pipe Wrap fitted centrally	13 mm Kaiflex ST insulation	EI 120 U/C, EI 120 U/U, EI 120 C/U, EI 120 C/C
40 mm diameter/1-14.2 mm wall*			
50 mm diameter/1.3-14.2 mm wall*			
60 mm diameter/1.6-14.2 mm wall*			
75 mm diameter/2-14.2 mm wall*	2 off 50 x 3.6 mm Bostik FP 340 Pipe	13 - 32mm	E 120 U/C, E 120 U/U,
90 mm diameter/2.4-14.2 mm wall*	Wrap, one fitted	Kaiflex ST	E 120 C/U, E 120 C/C, El 60 U/C, El 60 U/U,
100 mm diameter/2.7-14.2 mm wall*	flush to each face of seal	insulation	EI 60 C/U, EI 60 C/C
115 mm diameter/3.1-14.2 mm wall*			
140 mm diameter/3.8-14.2 mm wall*			
165 mm diameter/ 4.5-14.2 mm wall*			

* Typical pipe diameters shown, see below graph for intermediate sizes










* Minimum 600 mm long insulation required for Alupex pipe.

A.3.3.1	Two layer penetration seal with pipes
---------	---------------------------------------

Services	Insulation	Classification
Copper pipe up to 54 mm diameter/1-14.2 mm wall	20 mm stone wool 80 kg/m ³	EI 120 C/C
Alupex composite pipe 75 mm diameter/7.5 mm wall	600 mm length of 25 mm AES fibre ≥ 128kg/m3	EI 60 C/U
Mild or stainless steel pipe 114 mm diameter/11 mm wall	None	E 90 C/U, EI 20 C/U

Services	Insulation	Classification
Mild or stainless steel pipe		
40 mm diameter/1-14.2 mm wall	20 mm stone wool 80 kg/m ³	EI 120 C/U
40 mm diameter/1-14.2 mm wall*		
50 mm diameter/1.2-14.2 mm wall*		
60 mm diameter/1.4-14.2 mm wall*		
75 mm diameter/1.7-14.2 mm wall*		
90 mm diameter/2-14.2 mm wall*		
100 mm diameter/2.2-14.2 mm wall*		
115 mm diameter/2.5-14.2 mm wall*		E 120 C/U, EI 90 C/U
140 mm diameter/3-14.2 mm wall*		
165 mm diameter/3.5-14.2 mm wall*		
180 mm diameter/3.8-14.2 mm wall*		
200 mm diameter/4.2-14.2 mm wall*		
219 mm diameter/4.5-14.2 mm wall*		

* Typical pipe diameters shown, see below graph for intermediate sizes




Pipe diameter vs Wall thickness

Page 36 of 39 of European Technical Assessment ETA-21/0553 issued on 2021-06-16

Services	Insulation (minimum)	Classification
Geberit Mepla MLC (PE-Xb/Aluminium/PE-HD) pipe*	(initiation)	51 422 0 40
16 mm diameter/2.25 mm wall		EI 120 C/C
20 mm diameter/2.5 mm wall		
26 mm diameter/3 mm wall		
32 mm diameter/3 mm wall	20 mm stand we al 80 kg/m ³	
40 mm diameter/3.5 mm wall	20 mm stone wool 80 kg/m ³	EI 60 C/C
50 mm diameter/4 mm wall		
63 mm diameter/4.5 mm wall		
75 mm diameter/4.7 mm wall		

A.3.4 Pipe penetration seal with 2x Bostik FP 320 Fire Batt 1-S


Penetration Seal: LS (Local Sustained) or CS (Continuous Sustained) insulated metallic and composite pipes (single) fitted at any position within the aperture, with 50 mm Bostik FP 320 Fire Batt 1-S to both sides of the wall. Bostik FP 340 Pipe Wraps are required to be fitted around the pipe to both sides of the seal. Maximum aperture size 2400 mm x 1200 mm.



A.3.4.1 Two layer penetration seal with pipes

Services	Wrap	Insulation	Classification
Copper pipe			
12 mm diameter/1 mm wall		9 mm Kaiflex ST	EI 120 C/C
	50 x 3.6 mm Bostik	insulation	
12-54 mm diameter/1-1.2 mm wall	FP 340 Pipe Wrap	9-13 mm Kaiflex ST	E 120 C/C, EI 90 C/C
	fitted to both sides of	insulation	
12-54 mm diameter/1-1.2 mm wall	the seal	13-25 mm Kaiflex ST	E 120 C/C, EI 60 C/C
		insulation	2 120 0, 0, 1, 00 0, 0
Geberit Mepla MLC (PE-Xb/Aluminium	/PE-HD pipe)*		
16 mm diameter/2.25 mm wall			
20 mm diameter/2.5 mm wall			
26 mm diameter/3 mm wall			
32 mm diameter/3 mm wall	50 x 3.6 mm Bostik FP 340 Pipe Wrap 9-25 mm Kaiflex ST		FL 120 C/C
40 mm diameter/3.5 mm wall	fitted to both sides of the seal	insulation	EI 120 C/C
50 mm diameter/4 mm wall	the sear		
63 mm diameter/4.5 mm wall			
75 mm diameter/4.7 mm wall			

A.3.5 Plastic pipe penetration seal with 2x Bostik FP 320 Fire Batt 1-S



A.3.5.1 Two layer penetration seal with pipes

Services	Pipe Wrap	Classification
PVC-U pipe according to EN 1329-1, EN 1452-1 and EN 1453-1* 315 mm Ø/9.2 mm wall	Bostik FP 340 Pipe Wrap 75 x 18 mm fitted centrally around the pipe	EI 45 C/C

* In Germany the pipes have additionally to comply with DIN 19531-10