



# Tile and Stone Installation Products

**GROUTS, MORTARS, SEALANTS,  
WATERPROOFING AND ACCESSORIES**



# Bostik is innovating in all markets

- 1 Aerospace:** Polymers with exceptional properties for the extreme demands of aircraft interiors
- 2 Flexible Packaging:** Adhesives capable of withstanding the rigors of the flexible packaging industry
- 3 Non-Wovens:** Super-absorbent polymers & elastic adhesives, improving comfort and well-being
- 4 Automotive:** Ultra-high performance adhesives for composites used in modern vehicles
- 5 Resealable Adhesives:** Meeting the growing consumer demand for convenience and sustainability
- 6 Construction:** Adhesives, grouts, sealants and other construction products revolutionizing the industry
- 7 Window, Siding & Door:** The preferred choice of many window, siding & door manufacturers worldwide
- 8 Marine:** Offering a premium line of adhesives and sealants for the marine industry
- 9 Industrial Lamination:** Innovative bonding solutions that enhance the capabilities of customer's end product



## ARKEMA

INNOVATIVE CHEMISTRY

### Advanced by Arkema For the Ultimate Bond Between Art & Science

For decades, Bostik's products have created literal bonds between surfaces and building components, all while supporting distinctive design. Together, with our parent company, Arkema—a global leader in specialty chemicals and advanced materials—that bond is reinforced.


Bostik's promise to specifiers is backed by three hubs on three continents, thirteen R&D centers worldwide and the same culture of innovation that supports Kynar® fluoropolymer coatings, Rilsan® high-performance polyamides and Plexiglas® acrylic sheet and resin products. Looking ahead, you can rest assured that our bond is just as durable as our adhesives.

KYNARAQUATEC  
BY ARKEMA

RILSAN®  
FINE POWDERS  
BY ARKEMA

PLEXIGLAS®  
BY ARKEMA

# Table of Contents



<b>Selection Guide</b>		
Tile and Stone Installation Guide	4	
<b>Waterproofing Membranes</b>		
Ultra-Set® Advanced™	6	
GoldPlus™	6	
Black-Top™	6	
<b>Specialty Adhesive</b>		
Bosti-Set™	7	
<b>Mortars &amp; Thin Sets</b>		
Glass-Mate™	8	
Reflex®	8	
StoneWall™	8	
Big Tile & Stone™	8	
Single-Flex® FS	9	
Single-Flex®	9	
Large Format Floor™	9	
Bostik PM™	9	
Ditra-Set™	9	
Tile-Mate® Premium	9	
Tile-Mate® Floor & Wall	9	
Porcelain-Mate™	9	
Mud-In-A-Bag™	9	
<b>Admixtures</b>		
1900™	10	
425™	10	
Flex-A-Lastic®	10	
<b>Mastics</b>		
D-2001® Ultra-Premium™	11	
Multi-Purpose™	11	
Professional Grade™	11	
<b>Pre-Mixed Urethane Grouts</b>		
Dimension® RapidCure™	12	
TruColor® RapidCure™	13	
<b>Epoxy &amp; Mortar Grout</b>		
EzPoxy™ EzClean™	14	
<b>Portland Cement-Based Grouts</b>		
Hydroment® Vivid™	15	
Hydroment® Dry Tile Grout™ (Unsanded)	16	
Hydroment® Ceramic Tile Grout™ (Sanded)	17	
<b>Caulks, Sealants &amp; Specialty Products</b>		
Pure Silicone™	18	
Tub & Tile Caulk™	18	
Bostik 955-SL™	18	
Heavy Duty™	18	
Bostik 915FS™	18	
Grout Sealer & Colorant™	18	
Blaze®	18	
ULTIMATE™ Adhesive Remover	18	
Cartridge Guns	18	

## Smart System Warranties

### Bostik's comprehensive systems coverage

Bostik, CMP and XL Brands flooring installation products combine to offer some of the most comprehensive warranties in the industry.\* Install with confidence that you are backed by expanded warranties using the brands you have trusted for years.



SMART SYSTEMS WARRANTIES					
	Adhesives	Tile & Stone	Surface Prep	Moisture Vapor Barrier Coatings	Waterproofing
<b>Bostik</b>	X	X	X	X	X
<b>XL Brands</b>	X	--	--	X	--
<b>CMP</b>	--	--	X	X	--

\*For more information please visit [bostik.com/us/warranty](https://www.bostik.com/us/warranty) for the terms & conditions of the warranties for specific products and compatible systems.

# Tile and Stone Installation Guide

Selection Guide Key				
Tile Types		Substrates		
A. Non-Vitreous B. Semi-Vitreous C. Vitreous D. Impervious/Porcelain E. White Translucent Marble F. Granite, Stable Stones and Slate	G. Moisture Sensitive Stone (i.e. Russo LeVanto and Nero Marquina Marble or Green Marble and their Agglomerates) H. Large Ceramic Tile, Stable Stone & Granite I. Resin Backed Stone J. Glass Tiles K. Gauged Porcelain Tiles/Panels	1. Exterior Grade Plywood 2. Concrete 3. Gypsum Wallboard 4. Cementitious Backer Units 5. Properly Prepared Ceramic Tile	6. Properly Prepared Vinyl/VCT tile 7. Cutback Residue (interior, dry only) 8. Clean Steel 9. Approved Waterproofing Membranes	
Product Name	Description	Tile Types	Substrates	Specification
<b>Grouts</b>				
Dimension® RapidCure™	Glass-filled, pre-mixed, urethane grout	A, B, C, D, E, F, G, H, I, J, K	N/A	NA
TruColor® RapidCure™	Premium, pre-mixed urethane grout	A, B, C, D, E, F, G, H, I, J, K	N/A	NA
Hydroment® Vivid	Rapid curing high performance grout	A, B, C, D, E, F, G, H, I, J, K	N/A	A118.7
Hydroment® Ceramic Tile Grout™ (Sanded)	For use in grout joints from 1/8" to 1-1/2"	A, B, C, D, E, F, G, H, I, J, K	N/A	A118.6 & A118.7**
Hydroment® Dry Tile Grout™ (Unsanded)	For use in grout joints up to 1/8"	A, B, C, D, E, F, G, H, I, J, K	N/A	A118.6 & A118.7**
EzPoxy™ EzClean™	100% solids epoxy mortar & grout	A, B, C, D, E, F, G, H, I, K	1, 2, 4, 5, 6, 8, 9	A118.3
<b>Specialty Adhesive</b>				
Bosti-Set™	Thin porcelain tile panel adhesive & sound reduction membrane	K	1, 2, 3, 4, 5, 8, 9	NA
<b>Mortars &amp; Thin Sets</b>				
Glass-Mate™	Glass tile mortar	A, B, C, D, E, F, H, J	1, 2, 3, 4, 5, 7, 9	A118.4 & A118.11** A137.2-7**
Reflex®	Ultra-premium polymer-modified mortar	A, B, C, D, E, F, H, I, J, K	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
StoneWall™	High performance and non-sag mortar	A, B, C, D, E, F, H	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
Big Tile & Stone™	Polymer-modified large and heavy tile mortar	A, B, C, D, E, F, H, K	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
Single-Flex® FS	Fast-setting premium multi-purpose polymer-modified thin set mortar	A, B, C, D, E, F, H	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
Single-Flex®	Premium multi-purpose polymer-modified thin set mortar	A, B, C, D, E, F, H	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
Large Format Floor™	Polymer-modified mortar for large format ceramic floor tiles	A, B, C, D, E, F, H	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
Bostik PM™	Multi-purpose polymer-modified thin set mortar	A, B, C, D, E, F, H	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
Ditra-Set™	Portland cement thin set and large and heavy tile mortar for Schluter®-Ditra uncoupling membrane	A, B, C, D, E, F, H	2, 3, 4, (1, 5, 6)**	A118.1, (A118.4 & A118.11)*
Tile-Mate® Premium	Premium thin set mortar	A, B, C, D, E, F, H	2, 4, (1, 3, 5, 6, 7, 9)*	A118.1, (A118.4 & A118.11)*
Tile-Mate® Floor & Wall	Floor & wall thin set mortar	A, B, C, D, E, F, H	2, 4, (1, 3, 5, 6, 7, 9)*	A118.1, (A118.4 & A118.11)*
Porcelain-Mate™	Polymer-modified portland cement thin set mortar	A, B, C, D, E, F, H	2, 4, (1, 3, 5, 6, 7, 9)**	A118.4
<b>Admixtures</b>				
1900™	Epoxy modified grout & mortar admixture	A, B, C, D, E, F, G, H, I	1, 2, 3, 4, 5, 6, 7, 9	A118.8
425™	Multi-purpose acrylic latex admixture	A, B, C, D, E, F, H	1, 2, 3, 4, 5, 6, 7, 9	A118.4, A118.6, A118.7 & A118.11
Flex-A-Lastic®	Flexible, high solids, acrylic mortar admixture	A, B, C, D, E, F, H	1, 2, 3, 4, 5, 6, 7, 9	A118.4 & A118.11
<b>Mastics</b>				
D-2001® Ultra-Premium™	Superior performance ceramic tile mastic	A, B, C, D, F, H	1, 2, 3, 4, 5	A136.1 Type I & Type II
Multi-Purpose™	Floor & wall mastic	A, B, C, D, F	1, 2, 3, 4, 5	A136.1 Type I & Type II
Professional Grade™	Ceramic tile mastic	A, B, C, D, F	1, 2, 3, 4, 5	A136.1 Type I
<b>Waterproofing Membranes</b>				
Ultra-Set® Advanced™	Waterproofing, sound reducing and anti-fracture membrane	A, B, C, D, E, F, G, H	1, 2, 3, 4, 5, 6, 7, 8, 9	A118.10 & A118.12
GoldPlus™	Latex waterproofing and anti-fracture membrane	N/A	1, 2, 3, 4, 5, 9	A118.10 & A118.12
Black-Top™	Waterproofing and anti-fracture membrane	N/A	1, 2, 3, 4, 5, 6, 7, 9	A118.10 & A118.12

\*Mixed with 425™ or Flex-A-Lastic® admixtures, \*\* Mixed with 425™ admixture



# Bostik Pro Rewards™

## Contractor Loyalty Program

Now you can earn valuable reward points which can be redeemed for thousands of brand name items or travel rewards, all while growing your business!

To join the **Bostik Pro Rewards™** contractor loyalty program, visit: [www.awardlink.com/Bostik](http://www.awardlink.com/Bostik) where you'll be asked to create a user name and password for your account.

1. Register all eligible Bostik product purchases by submitting your invoices via our rewards program web portal.
2. All registered Bostik product purchases will automatically be deposited into your **Bostik Pro Rewards™** account.
3. Redeem the points you've earned for a wide variety of great rewards.



# JOIN NOW!

[www.awardlink.com/Bostik](http://www.awardlink.com/Bostik)

# Ultra-Set® Advanced™

## WATERPROOFING, SOUND REDUCING AND CRACK ISOLATION

Ultra-Set® Advanced™ is a tenacious, one-part, trowel applied, elastomeric waterproofing/crack/sound isolation membrane and setting adhesive. Use Ultra-Set® Advanced™ as a waterproofing, crack, and sound isolation membrane over properly prepared concrete; structurally-sound, exterior grade plywood (interior/dry use only); cementitious backer board; and existing, well-bonded vinyl/VCT or ceramic tile.



HIGH PERFORMANCE URETHANE FORMULA

BRIDGES CRACKS UP TO 1/8"

INTERIOR & EXTERIOR USE, HORIZONTAL & VERTICAL INSTALLS

# Black-Top™

## WATERPROOFING AND ANTI-FRACTURE MEMBRANE

Bostik Black-Top™ is a liquid rubber-based, fabric reinforced, cold roller applied, flexible waterproofing and anti-fracture membrane. Use Black-Top™ as a waterproofing and/or anti-fracture membrane over properly prepared concrete; structurally-sound, exterior grade plywood (interior use only); cementitious backer board; and existing, well-bonded ceramic tile or cement terrazzo prior to the installation of ceramic or stone tile.



ROLLER APPLIED

EXCEEDS ANSI A118.10 AND A118.12

EXCEEDS ASTM C-836-89

# GoldPlus™

## LATEX WATERPROOFING AND ANTI-FRACTURE MEMBRANE

GoldPlus™ is a ready-to-use, roller-applied, latex, waterproofing and anti-fracture membrane for use beneath thin set ceramic tile installations on vertical and horizontal surfaces. GoldPlus™ exceeds the requirements of ANSI A118.10 (specification for waterproof membranes beneath thin set tile and stone) and ANSI A118.12 specification for crack isolation membranes.

Use GoldPlus™ in commercial or residential applications. Apply over concrete, cement block walls, cement backer board, exterior grade plywood (interior, dry installations only) and mortar beds.



ROLLER-APPLIED FOR EASY APPLICATION

EXCEEDS ANSI A118.10 AND A118.12 FOR WATERPROOFING AND CRACK ISOLATION

1 HOUR DRYING TIME FOR FAST INSTALLATION

WATERPROOFING MEMBRANES			
Item No.	Size	Barcode	Case Code
<b>Ultra-Set® Advanced</b>			
30850803	5 gal	747224608055	--
30850804	2 gal	747224608024	--
30850152	12 x 20 oz/case*	747224602312	10747224602319
<b>Black-Top™</b>			
30853440	3' x 87' roll	747224604613	10747224304619
30853441	5 gal (208 ft/unit)**	747224604651	10747224304657
30853442	4 x 6" x 87' roll*	747224604620	10747224304626
<b>GoldPlus™</b>			
30850798	3.5 gal	747224077011	--
30850797	4x1 gal*	747224077004	10747224077001

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
<b>Ultra-Set® Advanced</b>			
5 gal pail	55 lbs	27	1,545 lbs
2 gal pail	22 lbs	64	1,468 lbs
12 x 20 oz sausage*	24 lbs/case*	100	2,430 lbs
<b>Black-Top™</b>			
3' x 87' roll	4 lbs	144	636 lbs
5 gal (208 ft unit)**	46 lbs	36	1,716 lbs
4 x 6" x 87' roll	3 lbs	150	510 lbs
<b>GoldPlus™</b>			
3.5 gal pail	40 lbs	27	1,140 lbs
4x1 gal*	44 lbs	20	940 lbs

\*Sold in full cases only  
\*\*Liquid and fabric sold separately



Watch for the **video icon**, indicating an informative product video is available!

# Bosti-Set™



## THIN PORCELAIN TILE PANEL ADHESIVE & SOUND REDUCTION MEMBRANE

Bosti-Set™ is a one-component, non-sag, easy to trowel adhesive that is specifically formulated for the installation of thin (gauged) porcelain tile panels on interior vertical surfaces or counter tops. Bostik's patent pending Tenirex™ Polymer Technology used in this product is a revolutionary, proprietary formulation found only in Bosti-Set™. Tenirex™ Polymer Technology provides the adhesive remarkable instant grab and holding power, enabling panels to be rapidly set on walls and repositioned for up to 30 minutes with no slip or sag. Bosti-Set™ requires only a single coat in application for faster and easier installation than a conventional mortar installation and holds thin porcelain tiles as large as 1/4" x 5' x 10' (6mm x 1.5m x 3m).



- NON-SAG, SINGLE-COAT ADHESIVE
- NO WATER OR MIXING
- THICKNESS CONTROL™ SPACER TECHNOLOGY

TILE, ADHÉRENCE- TUILE



BOSTI-SET™				
Item No.	Color	Size	Barcode	Case Code
30854603	Beige w/black specs	4 gal	747224605177	---
Package Size	Weight/Unit	Units/Pallet	Weight/Pallet	
4 gal pail	53.2 lbs	36	1,990 lbs	

Now Available

# Bostik's Smart App!

iOS & Android Device Compatible



The **Bostik Construction USA** app is available on your iOS or Android device, or visit: [bit.ly/BostikUSApp](http://bit.ly/BostikUSApp) (case sensitive)



TRADITIONAL  
MORTARS & THIN SETS



## Glass-Mate™

### GLASS TILE MORTAR

Bostik Glass-Mate™ is a premium, polymer-modified, thin set mortar that exhibits superior bond strength, durability, non-sag properties and workability. Its bright white color and high polymer content make it ideal for setting individual glass tiles, sheet mounted glass tile, and most types of tile or natural stone in thin set applications over cement-based or masonry substrates.



## Reflex®

### ULTRA-PREMIUM POLYMER-MODIFIED MORTAR

Bostik Reflex® Ultra-Premium Polymer-Modified Mortar is for interior or exterior installations to set all types of porcelain, saltillo, ceramic, glass, granite, slate, marble, limestone, thin porcelain tiles, large porcelain panels and dimensional stone tiles. Reflex® has excellent mixing and application properties. Use over properly prepared concrete; structurally-sound, exterior grade plywood (interior/dry use only); cementitious backer board; Bostik Ultra-Set® Advanced™, Bostik Black-Top™, Bostik GoldPlus™; existing, well-bonded vinyl/VCT or ceramic tile and cutback adhesive residue (dry only).



## StoneWall™

### HIGH PERFORMANCE AND NON-SAG MORTAR

Bostik StoneWall™ is for interior or exterior, commercial or residential installations to set all types of porcelain, saltillo, ceramic, granite, slate, marble, limestone and dimensional stone tiles. StoneWall™ is formulated to prevent large bodied ceramic, porcelain and stone tiles from slipping in vertical applications. Bostik StoneWall™ is also suitable for installing floor tiles. Use over properly prepared concrete; structurally sound, exterior grade plywood (interior/dry use only); cementitious backer board; Bostik Ultra-Set® Advanced™; Bostik BlackTop™; Bostik GoldPlus™; existing, well-bonded vinyl composition tile (VCT) or ceramic tile; and cutback adhesive residue (dry only).



## Big Tile & Stone™

### POLYMER-MODIFIED LARGE AND HEAVY TILE MORTAR

Bostik Big Tile & Stone™ is a polymer-modified, large & heavy tile mortar used for interior or exterior installations to set all large sized ceramic, porcelain, granite, slate, marble, limestone, thin porcelain tiles, large porcelain panels and dimensional stone tiles. Bostik Big Tile & Stone™ may also be used for vertical applications. Use over structurally-sound: properly prepared concrete, exterior grade plywood (interior/dry use only), cementitious backer board, Bostik Ultra-Set® Advanced™, Bostik Black-Top™, Bostik GoldPlus™ and existing, well-bonded vinyl composition tile (VCT) or ceramic tile. Big Tile & Stone™ may be used for uneven tile and stone thicknesses; or to minimize lippage. Big Tile & Stone™ white formulation is approved for non-sag applications for tiles up to 12" x 24".

#### MORTARS & THIN SETS

Item No.	Color	Size	Barcode	Case Code
<b>Glass-Mate™</b>				
30850788	White	25 lb	747224601223	--
30850789	White	4 x 9 lb*	747224601599	10747224601596
<b>Reflex®</b>				
30850739	White	50 lb	747224007186	--
30850877	Gray	50 lb	747224009180	--
<b>StoneWall™</b>				
30850752	White	50 lb	747224007377	--
<b>Big Tile &amp; Stone™</b>				
30850784	White	50 lb	747224009142	--
30850792	Gray	50 lb	747224009623	--
<b>Single-Flex® FS</b>				
30850783	White	50 lb	747224265241	--
30850794	Gray	50 lb	747224262240	--
<b>Single-Flex®</b>				
30850737	White	50 lb	747224254245	--
30850785	Gray	50 lb	747224257246	--
<b>Large Format Floor™</b>				
30850754	White	50 lb	747224604644	--
30850791	Gray	50 lb	747224604637	--

#### MORTARS & THIN SETS

Item No.	Color	Size	Barcode	Case Code
<b>Bostik PM™</b>				
30850738	White	50 lb	747224273246	--
30850786	Gray	50 lb	747224240347	--
<b>Ditra-Set™</b>				
30850787	White	50 lb	747224009197	--
30850790	Gray	50 lb	747224602305	--
<b>Tile-Mate® Premium</b>				
30850735	White	50 lb	747224007100	--
30850755	Gray	50 lb	747224250247	--
<b>Tile-Mate® Floor &amp; Wall</b>				
30850736	White	50 lb	747224167347	--
30850758	Gray	50 lb	747224267344	--
<b>Porcelain-Mate™</b>				
30850763	White	50 lb	747224007698	--
30850793	Gray	50 lb	747224009692	--
<b>Package Size</b>		<b>Weight/Unit</b>	<b>Units/Pallet</b>	<b>Weight/Pallet</b>
50 lb bag		50 lbs	48	2,460 lbs
25 lb bag		25 lbs	96	2,460 lbs
4 x 9lb box		36 lbs	36	1,356 lbs

\*Sold in full cases only





### Single-Flex® FS

**FAST SETTING PREMIUM MULTI-PURPOSE POLYMER-MODIFIED THIN SET MORTAR**

Bostik Single-Flex® FS Fast Setting Premium Multi-Purpose Polymer-Modified Thin Set Mortar is for interior or exterior installations to set all types of ceramic, porcelain, granite, slate, marble, limestone, and dimensional stone tiles. Use over properly prepared concrete; structurally-sound, exterior grade plywood (interior/dry use only); cementitious backer board; Bostik Ultra-Set® Advanced™, Bostik Black-Top™ and Bostik GoldPlus™; and existing, well-bonded vinyl composition tile (VCT) or ceramic tile.



### Single-Flex®

**PREMIUM MULTI-PURPOSE POLYMER-MODIFIED THIN SET MORTAR**

Bostik Single-Flex® Premium Multi-Purpose Polymer-Modified Thin Set Mortar is for interior or exterior installations to set all types of ceramic, porcelain, granite, slate, marble, limestone and dimensional stone. Use over properly prepared concrete; structurally-sound, exterior grade plywood (interior/dry use only); cementitious backer board; Bostik Ultra-Set® Advanced™, Bostik Black-Top™ and Bostik GoldPlus™; and existing, well-bonded vinyl composition tile (VCT) or ceramic tile.



### Large Format Floor™

**POLYMER-MODIFIED MORTAR FOR LARGE FORMAT CERAMIC FLOOR TILES**

Bostik Large Format Floor™ is a polymer-modified mortar designed for floor installations of natural stone, granite, slate, marble, porcelain tiles and large format ceramic tiles. Use over properly prepared, structurally sound-concrete, exterior grade plywood (interior/dry use only); cementitious backer board and existing ceramic tile.



### Bostik PM™

**MULTI-PURPOSE POLYMER-MODIFIED THIN SET MORTAR**

Bostik PM™ Multi-Purpose Polymer-Modified Thin Set Mortar is for interior or exterior installations to set all types of ceramic, porcelain, granite, slate, marble, limestone, and dimensional stone tiles. Use over properly prepared concrete; structurally-sound, exterior grade plywood (interior/dry use only); cementitious backer board; Bostik Ultra-Set® Advanced™, Bostik Black-Top™ and Bostik GoldPlus™; and existing, well-bonded vinyl composition tile (VCT) or ceramic tile.



### Ditra-Set™

**PORTLAND CEMENT AND LARGE AND HEAVY TILE MORTAR FOR SCHLUTER®-DITRA® SCHLUTER®-KERDI® AND UNCOUPLING AND WATERPROOFING MEMBRANES**

Bostik Ditra-Set™ is composed of select, proprietary chemicals, carefully graded aggregates and purified cements. It provides outstanding workability, excellent durability, significant leveling characteristics and superior bond strengths in interior and exterior applications when used in conjunction with the Schluter®-DITRA® uncoupling membrane and Schluter®-KERDI® waterproofing membrane. Use Bostik Ditra-Set™ to install the membranes over substrates approved by Schluter®-Systems and to set ceramic, porcelain, and stone tile over Schluter®-DITRA® and Schluter®-KERDI®.



### Tile-Mate® Premium

**THIN SET MORTAR**

Bostik Tile-Mate® Premium Thin Set Mortar is composed of select, proprietary chemicals, carefully graded aggregates and Portland cement. Bostik Tile-Mate® Premium Thin Set Mortar is pre-blended and ready to use. It provides superior bond strengths, excellent durability and outstanding workability. Bostik Tile-Mate® Premium Thin Set Mortar is for interior or exterior applications to set all types of ceramic, porcelain, granite, slate, marble, limestone, and dimensional stone tiles. Use over properly prepared concrete; structurally sound, exterior grade plywood\* (interior/dry use only); cementitious backer board; Bostik Ultra-Set® Advanced™, Bostik Black-Top™, Bostik GoldPlus™ and existing, well-bonded vinyl composition tile (VCT)\* or ceramic tile\*.



### Tile-Mate® Floor & Wall

**THIN SET MORTAR**

Bostik Tile-Mate® Floor & Wall Thin Set Mortar is for interior or exterior installations to set all types of ceramic, porcelain\*, granite, slate, marble, limestone and dimensional stone tiles. Use over properly prepared concrete; structurally-sound, exterior grade plywood\* (interior/dry use only); cementitious backer board; Bostik Ultra-Set® Advanced™, Bostik Black-Top™, Bostik GoldPlus™ and existing, well-bonded vinyl/VCT\* or ceramic tile\*.



### Porcelain-Mate™

**POLYMER-MODIFIED PORTLAND CEMENT THIN SET MORTAR**

Bostik Porcelain-Mate™ is for interior or exterior\*\* installations to set all types of ceramic, porcelain, granite, slate, marble, limestone and dimensional stone tiles. Use over properly prepared concrete, cement backer board, cured mortar beds, brick, cement block, and Bostik GoldPlus™.



### Mud-In-A-Bag™

**PRE-BLENDED FLOOR MUD**

Bostik Mud-In-A-Bag™ is a pre-blended mixture of 4 parts sand to 1 part Portland cement for use in mortar beds from 3/4" to 4" thick. May be used as a mortar bed on floors and shower receptors. Use Bostik Mud-In-A-Bag™ wherever a traditional "mud bed" installation is desired on floors, countertops, showers, tubs, fountains, spas or decks.

For more information on **Bostik Mortars & Thin Sets**, scan this code:

\*Mixed with 425™ or Flex-A-Lastic® admixtures \*\* Mixed with 425™ admixture

# 1900™

## EPOXY MODIFIED GROUT & MORTAR ADMIXTURE

Bostik 1900™ Epoxy Modified Grout and Mortar Admixture, when mixed with Bostik Hydroment® Ceramic Tile Grout™ (sanded only), is for interior and exterior installations to set and/or grout all ceramic, porcelain, quarry, granite, slate, marble, limestone and dimensional stone tiles. Exceeds ANSI A118.8.



EXCELLENT WORKABILITY

EASY CLEAN-UP

SUPERIOR CHEMICAL RESISTANCE

# 425™

## MULTI-PURPOSE ACRYLIC LATEX ADMIXTURE

Bostik 425™ Multi-Purpose Acrylic Latex Admixture is a high solids acrylic emulsion designed to improve the performance of Bostik Tile-Mate®, Hydroment® Ceramic Tile Grout™, Hydroment® Dry Tile Grout™, Single-Flex® FS, UltraFinish™ Pro and UltraRamp™, mortar and jobsite prepared mortar beds.



MORTAR ADMIXTURE & GROUT ADDITIVE

MINIMIZES CRACKING & REDUCES STAINING

USE INSTEAD OF WATER TO IMPROVE WATER RESISTANCE & DURABILITY

# Flex-A-Lastic®

## FLEXIBLE, HIGH SOLIDS, ACRYLIC MORTAR ADMIXTURE

Bostik Flex-A-Lastic® Admixture is a premium grade, high solids acrylic mortar admixture. When mixed with Bostik Tile-Mate® Thin Set Mortars, it becomes a flexible, high strength, freeze/thaw resistant mortar system for the interior and exterior setting of ceramic tile, porcelain tile, marble, granite and large dimensional stone. Flex-A-Lastic® is an ideal choice for installations requiring high bond strength and flexibility over conventional and unconventional substrates. It also provides tenacious grab making it ideal for vertical applications.



PROVIDES HIGH BOND STRENGTHS AND FLEXIBILITY

MEETS OR EXCEEDS ANSI A118.4 AND ANSI A118.11\*\*

EXTREMELY TACKY CONSISTENCY- EXCELLENT FOR PORCELAIN TILES

ADMIXTURES			
Item No.	Size	Barcode	Case Code
<b>1900™</b>			
30850796	Regular Unit Mix with 25 lb Ceramic Tile Grout™ Sanded	747224019004	--
<b>425™</b>			
30850686	5 gal	747224425249	--
30850685	4x1 gal/case*	747224425065	1074722425062
<b>Flex-A-Lastic®</b>			
30850687	5 gal	747224447340	--

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
5 gal	45 lb	36	1,680 lbs
4 x 1 gal/case*	39 lb	36	1,464 lbs

\*Sold in full cases only

\*\*When mixed with Tile Mate™ thin set mortar

# D-2001® Ultra-Premium™

## SUPERIOR PERFORMANCE CERAMIC TILE MASTIC

Bostik D-2001® Ultra-Premium™ Mastic is a high performance adhesive for the interior installation of all types of ceramic and stone tile (except moisture sensitive marble). Bostik D-2001® Ultra-Premium™ Mastic is ready to use for a fast, professional installation and provides excellent vertical grab for large bodied tiles. Bostik D-2001® Ultra-Premium™ Mastic exceeds the requirements of ANSI A136.1 Type I and II.



EXCEEDS ANSI A136.1, TYPE I & TYPE II

FAST, PROFESSIONAL INSTALLATION

EXCELLENT FOR LARGE FORMAT CERAMIC TILES ON FLOORS & WALLS

# Multi-Purpose™

## FLOOR & WALL MASTIC

Bostik Multi-Purpose™ Mastic is a high performance adhesive for the interior installation of most types of ceramic and stone tile (except moisture sensitive marble). Bostik Multi-Purpose™ Mastic is ready to use for a fast, professional installation and provides excellent vertical grab for large bodied tiles. Bostik Multi-Purpose™ Mastic exceeds the requirements of ANSI A136.1 Type I and II.



EXCEEDS ANSI A136.1, TYPE I & TYPE II

EXCELLENT GRAB

EASY TO SPREAD

# Professional Grade™

## CERAMIC TILE MASTIC

Professional Grade™ Mastic is a high performance adhesive for the interior installation of most types of ceramic and stone tile (except moisture sensitive marble). Bostik Professional Grade™ Mastic is ready to use for a fast, professional installation and provides excellent vertical grab for large bodied tiles.



EXCEEDS ANSI A136.1, TYPE I

EASY INSTALLATION

EXCELLENT VERTICAL GRAB FOR MOST WALL TILES

MASTICS

MASTICS			
Item No.	Size	Barcode	Case Code
<b>D-2001® Ultra Premium™</b>			
30850622	3.5 gal	747224329257	--
30850623	4x1 gal/case*	747224329219	10747224329216
<b>Multi-Purpose™</b>			
30850620	3.5 gal	747224398536	--
<b>Professional Grade™</b>			
30850621	3.5 gal	747224399250	--

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
3.5 gal pail	42 lb	48	2,076 lb
3.5 gal pail (Professional Grade)	54 lb	48	2,652 lb
4 x 1 gal*	53 lb	30	1,650 lb

\*Sold in full cases only

**COVERAGE RATES**

Tile Size	18 LB. UNIT (FT <sup>2</sup> )						9 LB. UNIT (FT <sup>2</sup> )					
	1/8"	1/4"	3/8"	1/2"	5/8"	3/4"	1/8"	1/4"	3/8"	1/2"	5/8"	3/4"
1" x 1" x 1/4"	67	36	--	--	--	--	33	18	--	--	--	--
2" x 2" x 1/4"	128	67	--	--	--	--	64	33	--	--	--	--
3" x 6" x 5/16"	200	102	70	54	--	--	100	51	35	27	--	--
4" x 4" x 5/16"	200	102	70	53	--	--	100	51	35	27	--	--
4 1/4" x 4 1/4" x 5/16"	212	108	74	56	39	31	106	54	37	28	20	15
4" x 8" x 1/2"	166	84	57	44	30	23	83	42	29	22	15	12
6" x 6" x 1/2"	186	94	64	49	33	26	93	47	32	24	17	13
8" x 8" x 3/8"	329	166	112	85	58	45	165	83	56	43	29	22
12" x 12" x 1/4"	737	372	250	189	128	97	369	186	125	94	64	49
12" x 12" x 3/8"	492	248	166	126	85	65	246	124	83	63	43	32
13" x 13" x 3/8"	532	268	180	136	92	70	266	134	90	68	46	35
16" x 16" x 3/8"	654	329	221	166	112	85	327	165	110	83	56	43
18" x 18" x 1/4"	1103	555	372	280	189	143	552	277	186	140	94	72
18" x 18" x 3/8"	736	370	248	187	126	95	368	185	124	93	63	48
12" x 24" x 1/4"	1963	988	662	500	337	256	982	494	331	250	169	128
12" x 24" x 1/2"	982	494	331	250	169	128	491	247	166	125	84	64
24" x 24" x 3/8"	979	492	329	248	166	126	490	246	165	124	83	63

Average coverage per container - coverage will vary based on tile size, joint width and depth.



**BLENDS NATURALLY WITH TILE**

**NO SEALING REQUIRED**

**3 DAY WATER EXPOSURE**

# Dimension<sup>®</sup> RapidCure<sup>™</sup>



## GLASS FILLED, PRE-MIXED, URETHANE GROUT

Dimension<sup>®</sup> RapidCure<sup>™</sup> is a pre-mixed, water based, urethane grout offering the ultimate in color accuracy, water resistance and stain/crack protection. This grout contains Bostik's HXD<sup>™</sup> Technology resin system, and is the world's first glass-based, pre-mixed grout.

Dimension<sup>®</sup> RapidCure<sup>™</sup> is ideally suited for glass, metal, natural stone and even porcelain tile installations where the subtle sparkle of reflective light brings an elegant sophistication to the tile selection. It is a simple to install grout, designed to bring long lasting beauty and protection to grout joints with an easy installation experience. Simply stir, apply and clean as you go.

Dimension<sup>®</sup> RapidCure<sup>™</sup> is approved for intermittent water exposure after only 3 days of cure. It can be used in horizontal (floor) grout joint widths from 1/16" to 1/2" and vertical (wall) grout joints from 1/16" to 1/4".



### DIMENSION<sup>®</sup> RAPIDCURE<sup>™</sup>

Item No.	Color	Code	Size	Barcode
30851149	Amber	H621	18 lb	747224600936
30607706	Amber	H621	9 lb	747224601087
30851159	Aquamarine	H660	18 lb	747224600981
30606345	Aquamarine	H660	9 lb	747224601131
30851151	Aventurine	H622	18 lb	747224600943
30606404	Aventurine	H622	9 lb	747224601094
30851170	Bronze	H710	18 lb	747224601032
30607705	Bronze	H710	9 lb	747224601186
30851155	Citrine	H640	18 lb	747224600967
30606402	Citrine	H640	9 lb	747224601117
30851172	Copper	H720	18 lb	747224601049
30606346	Copper	H720	9 lb	747224601193
30851143	Diamond	H600	18 lb	747224600905
30606347	Diamond	H600	9 lb	747224601056
30851163	Hematite	H671	18 lb	747224601001
30607698	Hematite	H671	9 lb	747224601155
30851157	Jade	H650	18 lb	747224600974
30606348	Jade	H650	9 lb	747224601124
30851161	Moonstone	H670	18 lb	747224600998
30606401	Moonstone	H670	9 lb	747224601148
30851165	Onyx	H680	18 lb	747224601018
30606349	Onyx	H680	9 lb	747224601162
30851145	Opal	H610	18 lb	747224600912
30607697	Opal	H610	9 lb	747224601063
30611089	Polar White	H691	18 lb	747224605511
30611110	Polar White	H691	9 lb	747224605528
30851168	Silver	H700	18 lb	747224601025
30606350	Silver	H700	9 lb	747224601179
30851166	Snowflake	H690	18 lb	747224605030
30851199	Snowflake	H690	9 lb	747224605023
30851147	Topaz	H620	18 lb	747224600929
30606403	Topaz	H620	9 lb	747224601070

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
18 lb pail	18 lbs	80	1,500 lbs
9 lb pail	9 lbs	120	1,140 lbs



**CONSISTENT COLOR EVERY TIME**

**NO SEALING REQUIRED**

**SUBMERSIBLE**



# TruColor® RapidCure™



## PREMIUM, PRE-MIXED, URETHANE GROUT

TruColor® RapidCure™ Premium, Pre-Mixed, Urethane Grout is a water-based grout offering the ultimate in color accuracy, water resistance, and stain and crack protection.

This grout also contains Bostik's **HXD™** Technology resin system. **HXD™** technology enables only Bostik to offer the highest performance resin system of any pre-mixed grout available. The resin system is the most important factor in grout performance. This breakthrough in polymer chemistry enables Bostik premium, pre-mixed grouts to offer unmatched toughness, water and stain resistance. It's no surprise that Bostik is the most specified pre-mixed grout in the architect and design community today.

Suitable applications include interior & exterior installations in dry to intermittent wet or submerged applications. It can be used in horizontal (floor) grout joint widths from 1/16" to 1/2" and vertical (wall) grout joints from 1/16" to 1/4".



### TRUCOLOR® RAPIDCURE™

Item No.	Color	Code	Size	Barcode
30800982	Alabaster	H189	18 lb	747224600677
30607710	Alabaster	H189	9 lb	747224600875
30800980	Almond	H153	18 lb	747224600615
30607141	Almond	H153	9 lb	747224600813
30800981	Antique White	H135	18 lb	747224600509
30607255	Antique White	H135	9 lb	747224600707
30800985	Champagne	H138	18 lb	747224600516
30607151	Champagne	H138	9 lb	747224600714
30800993	Char Black	H139	18 lb	747224600523
30801001	Char Black	H139	9 lb	747224600721
30800988	Classic Bone	H158	18 lb	747224600622
30800860	Classic Bone	H158	9 lb	747224600820
30800987	Delorean Gray	H160	18 lb	747224600639
30607915	Delorean Gray	H160	9 lb	747224600837
30850956	Flash Walnut	H141	18 lb	747224604378
30850957	Flash Walnut	H141	9 lb	747224604385
30800984	French Gray	H142	18 lb	747224600530
30607709	French Gray	H142	9 lb	747224600738
30611160	Hemp	H283	18 lb	747224606099
30611156	Hemp	H283	9 lb	747224606082
30800986	Jamoca	H162	18 lb	747224600646
30607916	Jamoca	H162	9 lb	747224600844
30801243	Kahlua Cream	H143	18 lb	747224600547
30800997	Kahlua Cream	H143	9 lb	747224600745
30850885	Latte	H192	18 lb	747224600684
30800998	Latte	H192	9 lb	747224600882
30800979	Linen	H163	18 lb	747224600653
30607254	Linen	H163	9 lb	747224600851
30611158	Lunar	H196	18 lb	747224605252
30611153	Lunar	H196	9 lb	747224605337
30800992	Misty Gray	H144	18 lb	747224600554
30800999	Misty Gray	H144	9 lb	747224600752
30850933	Mobe Pearl	H145	18 lb	747224600561
30800994	Mobe Pearl	H145	9 lb	747224600769
30611159	Mushroom	H224	18 lb	747224606068
30611155	Mushroom	H224	9 lb	747224606075
30800983	Natural	H146	18 lb	747224600578
30607708	Natural	H146	9 lb	747224600776
30850937	Portabella	H184	18 lb	747224600660
30800995	Portabella	H184	9 lb	747224600868
30800991	Sand Beige	H148	18 lb	747224600585
30801002	Sand Beige	H148	9 lb	747224600783
30850925	Shadow	H195	18 lb	747224600691
30801000	Shadow	H195	9 lb	747224600899
30854945	Silver Bullet	H168	18 lb	747224605207
30854944	Silver Bullet	H168	9 lb	747224605283
30854943	Steel	H200	18 lb	747224605214
30854942	Steel	H200	9 lb	747224605290
30854941	Storm	H198	18 lb	747224605221
30854940	Storm	H198	9 lb	747224605306
30850949	Summer Wheat	H150	18 lb	747224600592
30800996	Summer Wheat	H150	9 lb	747224600790
30854937	Timber	H199	18 lb	747224605245
30854936	Timber	H199	9 lb	747224605320
30854939	Taupe	H151	18 lb	747224605238
30854938	Taupe	H151	9 lb	747224605313
30800990	White	H152	18 lb	747224600608
30607150	White	H152	9 lb	747224600806

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
18 lb pail	18 lbs	50	960 lbs
9 lb pail	9 lbs	100	960 lbs

**GROUTS**



EXCELLENT CLEANABILITY

SUPERIOR CHEMICAL RESISTANCE

MEETS ANSI A118.3 SPECIFICATION

# EzPoxy™ EzClean™

## 100% SOLIDS EPOXY MORTAR & GROUT

Bostik EzPoxy™ EzClean™ is a 100% Solids Epoxy Mortar & Grout with outstanding application and clean-up properties. This easy to use epoxy offers uniform color, exceptional durability, stain and sag resistance and never needs to be sealed. It is ideal for use in commercial and residential kitchens, lobbies, bathrooms, fast food restaurants, factories, shopping malls, steam rooms, swimming pools and fountains.

**As a mortar:** EzPoxy™ EzClean™ is a suitable bonding mortar for interior applications only. Use to set all ceramic, quarry, porcelain, granite, slate, pre-cast Terrazzo, dimensional stone tiles, and moisture sensitive stone.

**As a grout:** Use to grout all ceramic, quarry, porcelain, granite, slate, and pre-cast Terrazzo, dimensional stone tiles, for use in grout joints from 1/16" to 1/2" wide.

### EZPOXY™ EZCLEAN™ - RESIN KIT

Item No.	Color/Part	Code	Size	Barcode
30850997	Resin Kit	--	Part A: 48 fl oz Part B: 15.5 fl oz	747224603852

### EZPOXY™ EZCLEAN™ - SAND/COLORANT

Item No.	Color	Code	Size	Barcode
30851000	Alabaster	H189	1 pack*	747224603906
30851002	Almond	H153	1 pack*	747224603920
30851003	Antique White	H135	1 pack*	747224603937
30851024	Brick	H136	1 pack*	747224604156
30613225	Buff	H188	1 pack*	747224606662
30613224	Cashmere	H178	1 pack*	747224606655
30851004	Champagne	H138	1 pack*	747224603944
30851014	Char Black	H139	1 pack*	747224604040
30850999	Classic Bone	H158	1 pack*	747224603890
30851016	Clay	H197	1 pack*	747224604064
30851012	Delorean Gray	H160	1 pack*	747224604026
30851009	Flash Walnut	H141	1 pack*	747224603999
30851013	French Gray	H142	1 pack*	747224604033
30613071	Hemp	H283	1 pack*	747224606624
30613226	Heron Blue	H171	1 pack*	747224606631
30851006	Jamoca	H162	1 pack*	747224603968
30613218	Kahlua Cream	H143	1 pack*	747224606648
30851005	Latte	H192	1 pack*	747224603951
30851001	Linen	H163	1 pack*	747224603913
30851020	Lunar	H196	1 pack*	747224604101
30851011	Misty Gray	H144	1 pack*	747224604019
30851010	Mobe Pearl	H145	1 pack*	747224604002
30613223	Mushroom	H224	1 pack*	747224606679
30613215	Natural	H146	1 pack*	747224606617
30613216	Peaches & Cream	H147	1 pack*	747224606594
30851015	Portabella	H184	1 pack*	747224604057
30851008	Sand Biege	H148	1 pack*	747224603982
30613217	Shadow	H195	1 pack*	747224606600
30851018	Silver Bullet	H168	1 pack*	747224604088
30851019	Steel	H200	1 pack*	747224604095
30851021	Storm	H198	1 pack*	747224604118
30851007	Summer Wheat	H150	1 pack*	747224603975
30851022	Taupe	H151	1 pack*	747224604132
30851017	Timber	H199	1 pack*	747224604071
30850998	White	H152	1 pack*	747224603883

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
Resin kit: Part A - 48 fl oz Part B - 15.5 fl oz	6.8 lbs	60	468 lbs
Sand/colorant	11.4 lbs	144	1,701 lbs

\*1 pack of sand/colorant must be ordered with EzPoxy™ EzClean™ Resin Kit (Part A+B)

GROUTS





**SUPERIOR COLOR CONSISTENCY**

**FIBER REINFORCED DURABILITY**

**EXCELLENT STAIN RESISTANCE**



# Hydroment® Vivid™



## RAPID CURING HIGH PERFORMANCE GROUT

Hydroment® Vivid™ is a rapid curing, premium grade, cement-based grout for demanding commercial and residential projects. Hydroment® Vivid™ offers consistent color technology with enhanced stain and efflorescence protection. It is both fiber reinforced and rapid curing, which offers early strength development for demanding, high performance installations. Hydroment® Vivid™ exceeds requirements of ANSI A118.7 and contains Bostik's Blockade™ Antimicrobial Protection. For use in grout joints from 1/16" to 1/2" wide.



HyDrix™ Technology allows Bostik to precisely control the curing process and the

development of the internal matrix of the Hydroment® Vivid™ grout.



HYDROMENT® VIVID™				
Item No.	Color	Code	Size	Barcode
30853195	Alabaster	H189	25 lb	747224603555
30853234	Almond	H153	25 lb	747224603777
30850780	Antique White	H135	25 lb	747224604415
30853237	Brick	H136	25 lb	747224605092
30853222	Buff	H188	25 lb	747224603456
30853223	Cashmere	H178	25 lb	747224603470
30853233	Champagne	H138	25 lb	747224603753
30853220	Char Black	H139	25 lb	747224603418
30853198	Classic Bone	H158	25 lb	747224603814
30853217	Clay	H197	25 lb	747224603357
30853226	Delorean Gray	H160	25 lb	747224603579
30850778	Flash Walnut	H141	25 lb	747224604392
30853227	French Gray	H142	25 lb	747224603593
30612854	Hemp	H283	25 lb	747224606570
30853224	Heron Blue	H171	25 lb	747224603517
30853218	Jamoca	H162	25 lb	747224603371
30853219	Kahlua Cream	H143	25 lb	747224603395
30853235	Latte	H192	25 lb	747224603791
30850782	Linen	H163	25 lb	747224604439
30853215	Lunar	H196	25 lb	747224603319
30853225	Misty Gray	H144	25 lb	747224603531
30853230	Mobe Pearl	H145	25 lb	747224603678
30612853	Mushroom	H224	25 lb	747224606501
30853231	Natural	H146	25 lb	747224603715
30853194	Peaches & Cream	H147	25 lb	747224603494
30853221	Portabella	H184	25 lb	747224603432
30853229	Sand Beige	H148	25 lb	747224603654
30853236	Shadow	H195	25 lb	747224603838
30853211	Silver Bullet	H168	25 lb	747224603234
30853216	Steel	H200	25 lb	747224603333
30853213	Storm	H198	25 lb	747224603272
30853228	Summer Wheat	H150	25 lb	747224603616
30853232	Taupe	H151	25 lb	747224603739
30853214	Timber	H199	25 lb	747224603296
30853196	White	H152	25 lb	747224603630
Package Size	Weight/Unit	Units/Pallet	Weight/Pallet	
25 lb bag	25 lbs	48	1,200 lbs	

**GROUTS**



# Hydroment<sup>®</sup> Dry Tile Grout<sup>™</sup> UNSANDED

**FOR USE IN GROUT JOINTS UP TO 1/8"**

Bostik Hydroment<sup>®</sup> Dry Tile Grout<sup>™</sup> (Unsanded) is formulated from select grades of ground quartz, Portland cement, colorfast pigments and other special proprietary ingredients. It provides superior strength and durability with a wide variety of tiles. Exceeds ANSI A118.6 when mixed with water and A118.7 when mixed with Bostik 425<sup>™</sup> Multi-Purpose Acrylic Latex Admixture. For use in grout joints up to 1/8".

GROUTS

## HYDROMENT<sup>®</sup> DRY TILE GROUT<sup>™</sup> (UNSANDED)

Item No.	Color	Code	Size	Barcode	Case Code
30851079	Alabaster	H189	25 lb	747224759177	--
30851080	Alabaster	H189	6 x 5 lb*	747224227591	10747224227598
30851064	Almond	H153	25 lb	747224604538	--
30851065	Almond	H153	6 x 5 lb*	747224265227	10747224265224
30850764	Antique White	H135	25 lb	747224770172	--
30850765	Antique White	H135	6 x 5 lb*	747224770226	10747224770223
30850753	Brick	H136	6 x 5 lb*	747224601230	10747224601237
30851053	Buff	H188	6 x 5 lb*	747224221162	10747224221169
30850747	Cashmere	H178	6 x 5 lb*	747224227249	10747224227246
30850766	Champagne	H138	25 lb	747224772176	--
30850767	Champagne	H138	6 x 5 lb*	747224772220	10747224772227
30850775	Char Black	H139	25 lb	747224784179	--
30850776	Char Black	H139	6 x 5 lb*	747224784223	10747224784220
30851049	Classic Bone	H158	25 lb	747224114174	--
30851050	Classic Bone	H158	6 x 5 lb*	747224114228	10747224114225
30851062	Clay	H197	25 lb	747224604347	--
30851063	Clay	H197	6 x 5 lb*	747224604354	10747224604351
30851070	Delorean Gray	H160	25 lb	747224635174	--
30851071	Delorean Gray	H160	6 x 5 lb*	747224635228	10747224635225
30850750	Flash Walnut	H141	25 lb	747224604460	--
30850751	Flash Walnut	H141	6 x 5 lb*	747224727220	10747224727227
30850761	French Gray	H142	25 lb	747224604477	--
30850762	French Gray	H142	6 x 5 lb*	747224768223	10747224768220
30612868	Hemp	H283	25 lb	747224606587	--
30612865	Hemp	H283	6 x 5 lb*	747224606549	10747224606546
30851069	Heron Blue	H171	6 x 5 lb*	747224522221	10747224522228
30851066	Jamoca	H162	25 lb	747224604545	--
30851067	Jamoca	H162	6 x 5 lb*	747224284228	10747224284225
30850772	Kahlua Cream	H143	6 x 5 lb*	747224776228	10747224776225
30850745	Latte	H192	25 lb	747224177223	--
30850746	Latte	H192	6 x 5 lb*	747224227225	10747224227222
30851074	Linen	H163	25 lb	747224741172	--
30851075	Linen	H163	6 x 5 lb*	747224741226	10747224741223
30851060	Lunar	H196	25 lb	747224604323	--
30851061	Lunar	H196	6 x 5 lb*	747224604330	10747224604337
30850756	Misty Gray	H144	25 lb	747224761170	--
30850757	Misty Gray	H144	6 x 5 lb*	747224761224	10747224761221
30850768	Mobe Pearl	H145	25 lb	747224773173	--
30850769	Mobe Pearl	H145	6 x 5 lb*	747224773227	10747224773224
30612864	Mushroom	H224	25 lb	747224606518	--
30612866	Mushroom	H224	6 x 5 lb*	747224606525	10747224606522
30612867	Natural	H146	25 lb	747224606709	--
30612855	Natural	H146	6 x 5 lb*	747224606693	10747224606690
30850773	Peaches & Cream	H147	25 lb	747224777171	--
30850774	Peaches & Cream	H147	6 x 5 lb*	747224777225	10747224777222
30851068	Portabella	H184	6 x 5 lb*	747224222893	10747224222890
30850748	Sand Beige	H148	25 lb	747224604491	--
30850749	Sand Beige	H148	6 x 5 lb*	747224725226	10747224725223
30850759	Shadow	H195	25 lb	747224604521	--
30850760	Shadow	H195	6 x 5 lb*	747224227669	10747224227666
30851072	Silver Bullet	H168	25 lb	747224604484	--
30851073	Silver Bullet	H168	6 x 5 lb*	747224648228	10747224648225
30851058	Steel	H200	25 lb	747224604309	--
30851059	Steel	H200	6 x 5 lb*	747224604316	10747224604313
30851056	Storm	H198	25 lb	747224604286	--
30851057	Storm	H198	6 x 5 lb*	747224604293	10747224604290
30850743	Summer Wheat	H150	25 lb	747224604507	--
30850744	Summer Wheat	H150	6 x 5 lb*	747224721228	10747224721225
30850770	Taupe	H151	25 lb	747224604514	--
30850771	Taupe	H151	6 x 5 lb*	747224775221	10747224775228
30851054	Timber	H199	25 lb	747224604262	--
30851055	Timber	H199	6 x 5 lb*	747224604279	10747224604276
30850741	White	H152	25 lb	747224719171	--
30850742	White	H152	6 x 5 lb*	747224719225	10747224719222

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
25 lb bag	25 lbs	96	2,460 lbs
6 x 5 lb bag*	30 lbs	36	1,140 lbs

\*Sold in full cases only







**EXCEEDS ANSI A118.6 AND A118.7 REQUIREMENTS**

**CONTAINS BOSTIK'S BLOCKADE™ ANTIMICROBIAL PROTECTION**

**INTERIOR AND EXTERIOR, FLOORS, WALLS AND CEILING INSTALLATIONS**

# Hydroment<sup>®</sup> **SAANDED** Ceramic Tile Grout™

**FOR USE IN GROUT JOINTS FROM 1/8" TO 1-1/2"**

Hydroment<sup>®</sup> Ceramic Tile Grout™ (Sanded) is a proven blend of carefully graded quartz aggregates, Portland cement, colorfast pigments and other special proprietary ingredients. It provides superior strength and durability with a wide variety of tiles. Hydroment<sup>®</sup> Ceramic Tile Grout™ is a polymer-modified grout that exceeds the requirements of ANSI A118.6 when mixed with water, and ANSI A118.7 mixed with Bostik 425™ Multi-Purpose Acrylic Latex Admixture. Meets ANSI A118.8 when mixed with Bostik 1900™ Modified Epoxy.



HYDROMENT <sup>®</sup> CERAMIC TILE GROUT™ (SANDED)					
Item No.	Color	Code	Size	Barcode	Case Code
30851047	Alabaster	H189	25 lb	747224157591	--
30851048	Alabaster	H189	4 x 9 lb*	747224357595	10747224357592
30851031	Almond	H153	25 lb	747224265159	--
30851032	Almond	H153	4 x 9 lb*	747224265357	10747224265354
30850711	Antique White	H135	25 lb	747224670151	--
30850712	Antique White	H135	4 x 9 lb*	747224670359	10747224670356
30850700	Brick	H136	25 lb	747224641151	--
30850701	Brick	H136	4 x 9 lb*	747224641359	10747224641356
30851029	Buff	H188	25 lb	747224151162	--
30851030	Buff	H188	4 x 9 lb*	747224351166	10747224351163
30850694	Cashmere	H178	25 lb	747224166241	--
30850695	Cashmere	H178	4 x 9 lb*	747224356246	10747224356243
30850713	Champagne	H138	25 lb	747224672155	--
30850714	Champagne	H138	4 x 9 lb*	747224672353	10747224672350
30850727	Char Black	H139	25 lb	747224684158	--
30850728	Char Black	H139	4 x 9 lb*	747224684356	10747224684353
30851025	Classic Bone	H158	25 lb	747224114150	--
30851026	Classic Bone	H158	4 x 9 lb*	747224114358	10747224114355
30850729	Clay	H197	25 lb	747224604200	--
30850730	Clay	H197	4 x 9 lb*	747224604217	10747224604214
30851039	Delorean Gray	H160	25 lb	747224635150	--
30851040	Delorean Gray	H160	4 x 9 lb*	747224635358	10747224635355
30850698	Flash Walnut	H141	25 lb	747224627155	--
30850699	Flash Walnut	H141	4 x 9 lb*	747224627353	10747224627350
30850709	French Gray	H142	25 lb	747224668158	--
30850710	French Gray	H142	4 x 9 lb*	747224668356	10747224668353
30612863	Hemp	H283	25 lb	747224606563	--
30612840	Hemp	H283	4 x 9 lb*	747224606556	10747224606553
30851037	Heron Blue	H171	25 lb	747224522153	--
30851038	Heron Blue	H171	4 x 9 lb*	747224522351	10747224522358
30851033	Jamoca	H162	25 lb	747224284150	--
30851034	Jamoca	H162	4 x 9 lb*	747224284358	10747224284355
30850719	Kahlua Cream	H143	25 lb	747224676153	--
30850720	Kahlua Cream	H143	4 x 9 lb*	747224676351	10747224676358
30850692	Latte	H192	25 lb	747224166227	--
30850693	Latte	H192	4 x 9 lb*	747224356222	10747224356229
30851043	Linen	H163	25 lb	747224411587	--
30851044	Linen	H163	4 x 9 lb*	747224741356	10747224741353
30850725	Lunar	H196	25 lb	747224604187	--
30850726	Lunar	H196	4 x 9 lb*	747224604194	10747224604191
30850702	Misty Gray	H144	25 lb	747224661159	--
30850703	Misty Gray	H144	4 x 9 lb*	747224661357	10747224661354
30850715	Mobe Pearl	H145	25 lb	747224673152	--
30850716	Mobe Pearl	H145	4 x 9 lb*	747224673350	10747224673357
30612856	Mushroom	H224	25 lb	747224606495	--
30612852	Mushroom	H224	4 x 9 lb*	747224606532	10747224606539
30850704	Natural	H146	25 lb	747224664150	--
30850705	Natural	H146	4 x 9 lb*	747224664358	10747224664355
30850721	Peaches & Cream	H147	25 lb	747224677150	--
30850722	Peaches & Cream	H147	4 x 9 lb*	747224677358	10747224677355
30851035	Portabella	H184	25 lb	747224152893	--
30851036	Portabella	H184	4 x 9 lb*	747224352897	10747224352894
30850696	Sand Beige	H148	25 lb	747224625151	--
30850697	Sand Beige	H148	4 x 9 lb*	747224625359	10747224625356
30850706	Shadow	H195	25 lb	747224166661	--
30850707	Shadow	H195	4 x 9 lb*	747224356666	10747224356663
30851041	Silver Bullet	H168	25 lb	747224648150	--
30851042	Silver Bullet	H168	4 x 9 lb*	747224648358	10747224648355
30850731	Steel	H200	25 lb	747224604224	--
30850732	Steel	H200	4 x 9 lb*	747224604231	10747224604238
30850733	Storm	H198	25 lb	747224604248	--
30850734	Storm	H198	4 x 9 lb*	747224604255	10747224604252
30850690	Summer Wheat	H150	25 lb	747224621153	--
30850691	Summer Wheat	H150	4 x 9 lb*	747224621351	10747224621358
30850717	Taupe	H151	25 lb	747224675156	--
30850718	Taupe	H151	4 x 9 lb*	747224675354	10747224675351
30850723	Timber	H199	25 lb	747224604163	--
30850724	Timber	H199	4 x 9 lb*	747224604170	10747224604177
30850688	White	H152	25 lb	747224611154	--
30850689	White	H152	4 x 9 lb*	747224356116	10747224356113
Package Size	Weight/Unit	Units/Pallet	Weight/Pallet		
25 lb bag	25 lbs	96	2,460 lbs		
4 x 9 lb bag*	36 lbs	36	1,356 lbs		

\*Sold in full cases only

**GROUTS**

## Pure Silicone™

### 100% SILICONE SEALANT

Pure Silicone™ sealant is a specially formulated, 100% neutral cure silicone sealant for a variety of substrates such as ceramic tile, slate, wood, metal, glass, fiberglass, laminate and plastic. For use as a flexible barrier between horizontal and vertical surfaces or any other change in plane such as expansion joints in non-traffic areas, fixtures, tub surrounds, sinks, toilets, vanities, electrical plumbing penetrations, floors, walls and ceilings.



## Tub & Tile Caulk™

### SILICONIZED ACRYLIC CAULK

Tub & Tile Caulk™ is siliconized acrylic caulk provides a flexible seal that bonds to most common household surfaces. Ideal for filling joints where tiles abut dissimilar surfaces. Tub and Tile Caulk™ is available in sanded and unsanded versions, to match the color and texture of Bostik grout colors. Use around bathtub, showers, countertops, basins and many other interior areas a sealant is needed. Meets or exceed ASTM C834, standard specification for latex sealants.



## 955-SL™

### SELF-LEVELING SEALANT

955-SL™ sealant is a traffic grade polyurethane, self-leveling sealant capable of dynamic joint movement totaling 70% (+/-35%) of original joint geometry. The sealant has a pourable consistency that cures to a tough, flexible rubber when exposed to moisture present in the atmosphere. Its physical properties will remain relatively stable over time, in varying weather conditions.



## Heavy Duty™

### PREMIUM CONSTRUCTION ADHESIVE

Heavy Duty™ Construction Adhesive (HDCA) is a premium grade polyurethane adhesive, that is specifically formulated for subfloor and floor joist assemblies, from site erected structures to factory constructed modular and mobile homes. Heavy Duty™ is specially formulated to bond to wet and frozen lumber.



## 915FS™

### FAST-SETTING SEALANT & ADHESIVE

915FS™ is a smooth, fast-setting polyurethane sealant and adhesive capable of dynamic joint movement totaling 70% (+/-35%) of original joint geometry. It cures to a tough, flexible rubber when exposed to moisture present in the atmosphere and has physical properties that will remain relatively stable over time in varying weather conditions.



## Grout Sealer & Colorant™

### SEALS & RESTORES OR CHANGES THE COLOR OF GROUT

Grout Sealer & Colorant™ is ideal for changing or restoring your grout color, and offers enhanced stain resistance. It may be applied to sanded to unsanded cement grout, and is available in 35 colors to match the Bostik color lineup.



## Blaze®

### URETHANE GROUT HAZE CLEANER

Blaze® is an effective way to clean tile surfaces after installing urethane based grouts. It can be used to remove haze which may remain after urethane grout installation. While urethane grout is typically easy to clean off the surface of most tiles, more difficult surfaces to clean will benefit from the use of Blaze®.



## Ultimate™

### ADHESIVE REMOVER

Ultimate™ Adhesive Remover is a readily biodegradable, low odor, water rinseable solution. Use Ultimate™ to remove wet and cured urethane adhesive from the surface of pre-finished (non-wax) wood flooring.



## Cartridge Guns

### CARTRIDGE DISPENSING GUNS

High quality cartridge guns designed to last and make your job easier. Our standard 7:1 drive is perfect for lower viscosity products, while our deluxe 26:1 drive is perfect for the higher viscosity hardwood adhesives and construction sealants.



## CAULKS, SEALANTS & ADHESIVES

Item No.	Color	Code	Size	Barcode	Case Code
<b>Pure Silicone™</b>					
30850967	Alabaster	H189	6 x 10.1oz/case*	747224602725	10747224602722
30850969	Almond	H153	6 x 10.1oz/case*	747224602749	10747224602746
30850970	Antique White	H135	6 x 10.1oz/case*	747224602756	10747224602753
30610736	Brick	H136	6 x 10.1oz/case*	747224605382	10747224605389
30610737	Bright White	H177	6 x 10.1oz/case*	747224605399	10747224605396
30611142	Buff	H188	6 x 10.1oz/case*	747224605405	10747224605402
30610738	Cashmere	H178	6 x 10.1oz/case*	747224605412	10747224605419
30850971	Champagne	138	6 x 10.1oz/case*	747224602763	10747224602760
30850982	Char Black	H139	6 x 10.1oz/case*	747224602879	10747224602876
30850966	Classic Bone	H158	6 x 10.1oz/case*	747224602718	10747224602715
30850983	Clay	H197	6 x 10.1oz/case*	747224602886	10747224602883
30850964	Clear	--	6 x 10.1oz/case*	747224604361	10747224604368
30850979	Delorean Gray	H160	6 x 10.1oz/case*	747224602848	10747224602845
30850976	Flash Walnut	H141	6 x 10.1oz/case*	747224602817	10747224602814
30850981	French Gray	H142	6 x 10.1oz/case*	747224602862	10747224602869
30611354	Hemp	H283	6 x 10.1oz/case*	747224606259	10747224606256
30611143	Heron Blue	H171	6 x 10.1oz/case*	747224605429	10747224605426
30850973	Jamoca	H162	6 x 10.1oz/case*	747224602787	10747224602784
30610749	Kahlua Cream	H143	6 x 10.1oz/case*	747224605436	10747224605433
30850972	Latte	H192	6 x 10.1oz/case*	747224602770	10747224602777
30850968	Linen	H163	6 x 10.1oz/case*	747224602732	10747224602739
30850987	Lunar	H196	6 x 10.1oz/case*	747224602923	10747224602920
30850978	Misty Gray	H144	6 x 10.1oz/case*	747224602831	10747224602838
30850977	Mobe Pearl	H145	6 x 10.1oz/case*	747224602824	10747224602821
30611353	Mushroom	H224	6 x 10.1oz/case*	747224606266	10747224606263
30610750	Natural	H146	6 x 10.1oz/case*	747224605443	10747224605440
30610751	Peaches & Cream	H147	6 x 10.1oz/case*	747224605450	10747224605457
30610752	Portabella	H184	6 x 10.1oz/case*	747224605467	10747224605464
30850975	Sand Beige	H148	6 x 10.1oz/case*	747224602800	10747224602807
30850980	Shadow	H195	6 x 10.1oz/case*	747224602855	10747224602852
30850985	Silver Bullet	H168	6 x 10.1oz/case*	747224602909	10747224602906
30850986	Steel	H200	6 x 10.1oz/case*	747224602916	10747224602913
30850988	Storm	H198	6 x 10.1oz/case*	747224602930	10747224602937
30850974	Summer Wheat	H150	6 x 10.1oz/case*	747224602794	10747224602791
30850989	Taupe	H151	6 x 10.1oz/case*	747224602947	10747224602944
30850984	Timber	H199	6 x 10.1oz/case*	747224602893	10747224602890
30850965	White	H152	6 x 10.1oz/case*	747224602701	10747224602708

\*Sold in full cases only

**CAULKS, SEALANTS & ADHESIVES (CONTINUED)**

Item No.	Color	Code	Size	Barcode	Case Code
<b>Tub &amp; Tile Caulk™ (Sanded)</b>					
30851107	Alabaster	H189	6 x 10.1oz/case*	747224987594	10747224987591
30851084	Almond	H153	6 x 10.1oz/case*	747224982650	10747224982657
30851099	Antique White	H135	6 x 10.1oz/case*	747224986702	10747224986709
30610760	Brick	H136	6 x 10.1oz/case*	747224605474	10747224605563
30851082	Bright White	H177	6 x 10.1oz/case*	747224981158	10747224981155
30851083	Buff	H188	6 x 10.1oz/case*	747224981165	10747224981162
30851091	Cashmere	H178	6 x 10.1oz/case*	747224986245	10747224986242
30851100	Champagne	138	6 x 10.1oz/case*	747224986726	10747224986723
30851104	Char Black	H139	6 x 10.1oz/case*	747224986849	10747224986846
30851081	Classic Bone	H158	6 x 10.1oz/case*	747224981141	10747224981148
30851113	Clay	H197	6 x 10.1oz/case*	747224604569	10747224604566
30851094	Delorean Gray	H160	6 x 10.1oz/case*	747224986351	10747224986358
30851093	Flash Walnut	H141	6 x 10.1oz/case*	747224986276	10747224986273
30851098	French Gray	H142	6 x 10.1oz/case*	747224986689	10747224986686
30611412	Hemp	H283	6 x 10.1oz/case*	747224606235	10747224606232
30611232	Heron Blue	H171	6 x 10.1oz/case*	747224605481	10747224605570
30851085	Jamoca	H162	6 x 10.1oz/case*	747224982841	10747224982848
30851103	Kahlua Cream	H143	6 x 10.1oz/case*	747224986764	10747224986761
30851090	Latte	H192	6 x 10.1oz/case*	747224986221	10747224986228
30851105	Linen	H163	6 x 10.1oz/case*	747224987419	10747224987416
30851112	Lunar	H196	6 x 10.1oz/case*	747224604590	10747224604597
30851096	Misty Gray	H144	6 x 10.1oz/case*	747224986610	10747224986617
30851101	Mobe Pearl	H145	6 x 10.1oz/case*	747224986733	10747224986730
30611411	Mushroom	H224	6 x 10.1oz/case*	747224606242	10747224606249
30610761	Natural	H146	6 x 10.1oz/case*	747224605498	10747224605587
30610764	Peaches & Cream	H147	6 x 10.1oz/case*	747224605504	10747224605594
30851086	Portabella	H184	6 x 10.1oz/case*	747224982896	10747224982893
30851092	Sand Beige	H148	6 x 10.1oz/case*	747224986252	10747224986259
30851097	Shadow	H195	6 x 10.1oz/case*	747224986665	10747224986662
30851095	Silver Bullet	H168	6 x 10.1oz/case*	747224986481	10747224986488
30851111	Steel	H200	6 x 10.1oz/case*	747224604583	10747224604580
30851109	Storm	H198	6 x 10.1oz/case*	747224604606	10747224604603
30851089	Summer Wheat	H150	6 x 10.1oz/case*	747224986214	10747224986211
30851102	Taupe	H151	6 x 10.1oz/case*	747224986757	10747224986754
30851110	Timber	H199	6 x 10.1oz/case*	747224604576	10747224604573
30851088	White	H152	6 x 10.1oz/case*	747224986115	10747224986112
Package Size	Weight/Unit	Units/Pallet	Weight/Pallet		
6 x 10.1 oz cartridge*	6 lbs/case	145	870 lbs		

\*Sold in full cases only

**Tub & Tile Caulk™** is also available in an unsanded formulation. Contact customer service for more information:  
**1-800-726-7845**



**CAULKS, SEALANTS & ADHESIVES (CONTINUED)**

Item No.	Color	Code	Size	Barcode	Case Code
<b>915FS™ (Continued)</b>					
30850253	White	--	24 x 10.1oz /case*	747224900012	10747224900019
30850273	Light Gray	--	24 x 10.1oz /case*	747224900036	10747224900033
30850269	Aluminum Gray	--	24 x 10.1oz /case*	747224900050	10747224900057
30850271	Limestone	--	24 x 10.1oz /case*	747224900067	10747224900064
30850255	Capitol Tan	--	24 x 10.1oz /case*	747224900074	10747224900071
30850257	Black	--	24 x 10.1oz /case*	747224900104	10747224900101
30850275	White	--	12 x 20 oz /case*	747224900128	10747224900125
30850282	Light Gray	--	12 x 20 oz /case*	747224900142	10747224900149
30850280	Aluminum Gray	--	12 x 20 oz /case*	747224900166	10747224900163
30850281	Limestone	--	12 x 20 oz /case*	747224900173	10747224900170
30850277	Black	--	12 x 20 oz /case*	747224900210	10747224900217

**955-SL™**

30850206	Limestone		12 x 28 oz /case*	747224710109	10747224710106
----------	-----------	--	-------------------	--------------	----------------

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
6 x 10.1 oz cartridge*	6 lbs/case	145	870 lbs
12 x 28 oz cartridge*	26 lbs/case	60	1,335 lbs
24 x 10.1 oz cartridge*	24 lbs/case	80	1,950 lbs
12 x 20 oz sausage*	24 lbs/case	100	2,430 lbs

\*Sold in full cases only

**SPECIALTY PRODUCTS**

Item No.	Size	Barcode	Case Code
<b>Grout Sealer &amp; Colorant™</b>			
See order form	16 x 8 oz bottles/case	Contact customer service for colors	

**Blaze®**

30852119	4 x 1 gal/case*	747224151261	1074722415126
30852120	12 x 24 oz/case*	747224251268	1074722425126

**Ultimate™**

30850831	6 tubs/case*	747224656018	10747224656015
30850832	12 quarts/case*	747224656094	10747224656091

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
3 lb net, 4 lb gross / 16 oz can	4 lbs	N/A	N/A

\*Sold in full cases only

**Adhesive**

Item No.	Color	Size	Barcode	Case Code
<b>Heavy Duty™ Construction Adhesive</b>				
30854485	Natural	12 x 10.1 oz /case*	747224699107	10747224699104
30850203	Natural	12 x 28 oz /case*	747224699206	10747224699203

Package Size	Weight/Unit	Units/Pallet	Weight/Pallet
10.1 oz cartridge*	15 lbs/case	96	805 lbs
28 oz cartridge*	26 lbs/case	60	1,335 lbs

\*Sold in full cases only

**Cartridge Guns**

Item No.	Type	Size, per case	Drive	Barcode
30852242	Manual	10 oz cartridge gun, 12 per case	7:1	--
30852243	Manual	10 oz cartridge gun, 12 per case	26:1	--
30850385	Manual	20 oz sausage gun, 10 per case	12:1	--
30852244	Manual	28 oz (1 qt) tube gun, 12 per case	26:1	--

**CAULKS, SEALANTS, ADHESIVES & SPECIALTY**

## Quick Links:

[bit.ly/BostikUSAYoutube](https://bit.ly/BostikUSAYoutube)

[bit.ly/AxiosTechnology](https://bit.ly/AxiosTechnology)

[bit.ly/DimensionGrout](https://bit.ly/DimensionGrout)

[bit.ly/GroutCalculator](https://bit.ly/GroutCalculator)

[bit.ly/BostikBinders](https://bit.ly/BostikBinders)

[bit.ly/BostikMSDS](https://bit.ly/BostikMSDS)

[bit.ly/Bosti-Set](https://bit.ly/Bosti-Set)



**Smart help:  
1-800-726-7845**

### **Bostik, Inc.**

11320 W. Watertown Plank Road

Wauwatosa, WI 53226

[www.bostik.com/us](http://www.bostik.com/us)

