



# Woodworking/ Joinery

DISTRIBUTOR CATALOGUE





## ABOUT US


For more than a century, Bostik has been developing innovative adhesive solutions. As the world evolves so do we. Continuous innovation is a priority for Bostik. Bostik has more than 400 chemists and technicians worldwide who are constantly focused on designing cost-effective solutions to help our customers improve the performance of their products and the productivity of their processes, while maintaining priority on easy and safe handling as well as minimising cost and environmental impact.

Our strong local development team has the backing of the global organisation. With this dual strength, Bostik is at the forefront of adhesive technology, and has the ability to quickly deliver innovative solutions.

The Bostik New Zealand production team is committed to producing adhesives and sealants economically, safely and of consistently high quality. Our manufacturing process and site is fully certified to International Quality Management Standard AS/NZS ISO 9001:2008.

If you have any queries regarding the products featured in this catalogue, please contact Bostik NZ Ltd.

## Worldwide presence



## GENERAL CONSTRUCTION



BOSTIK TUF AS NAILS GP	COLOUR	SIZE
Designed for bonding all common building materials. Ideal for bonding steel, aluminium and other materials to hardboard, plasterboard, cement sheet, timber or concrete.		375ml

BOSTIK TUF AS NAILS ORIGINAL	COLOUR	SIZE
Designed for bonding all common building materials. Ideal for bonding steel, aluminium and other materials to hardboard, plasterboard, cement sheet, timber or concrete. Also excellent for bonding solvent-sensitive surfaces such as mirror backings. *Available in Cartridge and Sausage		375ml 600ml

BOSTIK TUF AS NAILS WB	COLOUR	SIZE
Water-based adhesive, designed for bonding all common building materials. Ideal for bonding steel, aluminium and other materials to hardboard, plasterboard, cement sheet, timber or concrete. *Available in Cartridge and Sausage		375ml 600ml

MS SAFE FIX	COLOUR	SIZE
Ms Safe Fix is a general purpose odour-free isocyanate-free and solvent-free flexible construction adhesive. High strength grab adhesive. MS technology gives high performance indoors and outdoors.	WHITE	430g



SIMSON 70-05	COLOUR	SIZE
Elastic sealant/adhesive with high strength and medium stiffness. Typical uses are for bus, truck, caravan, trailer and train fabrication where high strength and stiffness are required. 70-05 is capable of providing high strength, structural bonds of metal and polyester panels without the use of mechanical fixing. *Available in Cartridge and Sausage	GREY / OAK AND WHITE	290ml 600ml

## PRODUCT CATALOGUE



### BOSTIK HANDY WIPES

#### COLOUR

#### SIZE

Handy Wipes are for tough, dirty clean-up. It loosens and dissolves tough grime on tools, wipes up oily spills, cleans hands and skin. It has two sides, a scrub side for removing tough grime and a soft side for gentle wiping away. It is gentle on hands and skin, and won't scratch or mark.

70pc



### BOSTIK ALPHA GRIP

#### COLOUR

#### SIZE

A solvent-free, quick setting (1 hour cure) moisture curing PU adhesive. Fully cured, Alpha Grip has an extremely strong bond with excellent resistance to water, weathering, aging and marine conditions. Certified to EN204 D4, Alpha Grip is suitable for bonding porous to non-porous substrates.

310ml

## AEROSOL



### BOSTIK SUPERTAK HIGH PERFORMANCE

#### COLOUR

#### SIZE

High Performance aerosol adhesive is used for attaching insulation, carpet or fabrics to wood or metal surfaces in vehicles or marine interior cabin construction or conversions, transportation or marine interiors, bonding swimming pool liners, or wherever strong, permanent bonds between porous and non-porous surfaces are needed. Special adjustable nozzle valve allows for applying in a narrow-to-wide, low-to-high volume fan spray web pattern.

CLEAR

300ml



### BOSTIK BLADECOTE

#### COLOUR

#### SIZE

Helps achieve cleaner, truer cuts from any blade or bits. It forms a clear, tough, micro-thin coating that greatly reduces friction and extends overall blade life. BladeCote prevents resin and pitch build-up to save time and money on blade cleaning and re-sharpening, while increasing overall yield. Use BladeCote on saw blades, drills and router bits for cleaner, straighter cuts. It forms a tough coating on metal surfaces to reduce cutting friction and prevents resin and pitch build-up. More than doubles the time between re-sharpening. Contains no silicone.

CLEAR

300ml

## PRODUCT CATALOGUE



### BOSTIK GLIDECOTE

GlideCote features a unique fluoropolymer technology that dramatically reduces sliding friction on table saws while it repels dust, dirt and moisture and prevents corrosion. Its dry formula contains no silicone or petroleum and will never stain wood or interfere with glues or finishes. GlideCote forms a durable, water-repelling dry film on the saw tables and tool surfaces to reduce the sliding friction and eliminate surface 'hang-ups'.

#### COLOUR

CLEAR

#### SIZE

300ml

## LAMINATING



### BOSTIK TRIPLE 5

Triple 5 BSR adhesive is a high quality, high strength laminating adhesive which can be applied by brush, roller or spray. It features a high, immediate bond strength and good heat resistance after full curing.

#### COLOUR

NATURAL  
RED

#### SIZE

4L  
20L  
210L



### BOSTIK 1456

A sprayable adhesive used for bonding decorative laminates such as Formica, Laminex etc to particleboard surfaces. It features a high immediate bond strength when heat - activated for postforming of roll edge bench tops. A high resistant bond up to 190°C (peak maximum) results after full curing.

#### COLOUR

NATURAL  
RED

#### SIZE

20L  
210L

## PVA



### BOSTIK LINKBOND III

A one-part PVA glue developed as a non-staining wood-to-wood adhesive with good water resistance. The bonds produced meet the German specification DIN 68-602 and BS EN204 exposure group D3. Linkbond III does not fume, smell or give off any harmful or unpleasant vapours. It is ideally suited for exterior laminating work, window frames and all joinery. The viscosity is high enough to prevent wicking into lightweight veneers and to prevent excessive squeeze-out when pressed.

#### COLOUR

CLEAR

#### SIZE

21Kg  
210Kg  
1100Kg

# Selection Guide

(GUIDE ONLY – USER TO TEST FIRST)

				SPECIAL REQUIREMENTS							
		Type	Interior	Exterior	Acoustic Rated	Control Joints	Fire Rated	Low VOC	Food Safety Approval	Paintable	Potable Water
GRAB ADHESIVES											
Alpha Grip		Polyurethane	✓	✓							
Multi Bond		Rubber/Solvent	✓	✓							
MS Safe Fix		MS	✓	✓				✓			
Stik-N-Seal		Rubber/Solvent	✓	✓							
Tuf As Nails General Purpose		Rubber/Solvent	✓								
Tuf As Nails Original		Rubber/Solvent	✓								
Tuf As Nails Water Based		Acrylic	✓					✓			
Wallboard Gold		Rubber/Solvent	✓	✓							
Wallboard Gold Ultra		Acrylic	✓					✓			
Shower Grip		Rubber/Solvent	✓								
SEALANTS											
Coolroom Sealant		Silicone	✓	✓				✓	✓		
Fireban One		Polyurethane	✓	✓	✓	✓	✓	✓		✓	✓
Industrial Grade Neutral Cure		Silicone	✓	✓				✓			
Roof & Gutter Neutral Cure		Silicone	✓	✓							
Kitchen & Bathroom NC		Silicone	✓								
MS Safe Seal		MS	✓	✓		✓		✓		✓	
Seal-N-Flex 1		Polyurethane	✓	✓		✓		✓	✓	✓	✓
Seal-N-Flex FC		Polyurethane	✓	✓		✓		✓		✓	✓
Fire Caulk		Acrylic	✓		✓		✓			✓	
FILLERS											
Fill-A-Gap		Acrylic	✓	✓				✓		✓	

Note: Primers may be required in some instances. Due to the wide variety of substrates available it is recommended that testing be carried out first.

[illegible]



Smart help  
0508 222 272

Auckland  
PO Box 112191  
Penrose 1642  
148 Pavilion Drive  
Auckland Airport, New Zealand  
(09) 257 5847  
Freephone 0508 222 272

Wellington  
PO Box 35093  
Naenae  
19 Eastern Hutt Road  
Wellington, New Zealand  
(04) 567 5119  
Freephone 0508 222 777

**ARKEMA**  
INNOVATIVE CHEMISTRY

JUNE 2017

**bostik.co.nz**