

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: 18-Mar-2020

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1. Product Identifier**

Product Name H550 S&B ALL-IN-ONE
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants.
Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name
Bostik (Shanghai) Management Co., Ltd
Building 1, No.968 Guanghua Road, Minhang District
Shanghai, China
Tel: 021-60763101
Fax: 021-60763133

Manufacturer
Bostik Espana par Compositor Stravinsky, 12-18
Poligone Industrial Can Jordi
08191 Rubi (Barcelona), Spain
Tel: +34 93 586 02 00
Fax: +34 93 586 02 01

See section 16 for more information.

1.4. Emergency telephone number

Emergency Telephone 0532-8388 9090 (China only)
E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture**

Skin sensitization	Category 1A
--------------------	-------------

2.2. Label Elements

Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction

Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: No information available

2.3. Other Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2. Mixtures

Chemical name	CAS No.	Weight-%
Trimethoxyvinylsilane	2768-02-7	1 - 5
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0.1 - 1
Dioctyltinbis(acetylacetonate)	54068-28-9	0.1 - 1
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]-	3069-29-2	0.1 - 1

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).
Self-protection of the first aider	First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: No information available

Large fire When a large quantity of this material is involved in a major fire, consider an initial evacuation distance of 300 meters (1000 feet) in all directions.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO₂). Halogenated hydrocarbons. Nitrogen oxides (NO_x).

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing. Do not touch or walk through spilled material.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Fire prevention measures. No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Storage Conditions Keep away from food, drink and animal feeding stuffs. Protect from moisture. Keep/store only in original container. Protect from sunlight. Store in a well-ventilated place. Keep at temperatures between 41 and 95 °F.

Incompatible materials Water

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: No information available

7.3. Specific end use(s)

Specific Use(s) Sealant. Adhesives and/or sealants.
Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS
Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

OTHER INFORMATION Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Eye/face protection Wear safety glasses with side shields (or goggles).
Skin and body protection Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory protection No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Paste
Color White
Odor Characteristic
Odor threshold No information available

Property	Values	Remarks • Method
pH	Not applicable .	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available °C	
Flash point	> 60 °C	
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids .	

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: No information available

Flammability Limit in Air

Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Water solubility	Immiscible in water
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	> 21 mm ² /s
Dynamic viscosity	No data available
Explosive properties	No information available
Oxidizing properties	No information available

9.2. Other information

Softening Point	No information available
Molecular weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Density	1.58 g/cm ³
Bulk density	No information available
VOC Content (%)	?.? g/L / .? %

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

Hazardous polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture. Keep away from heat, sparks and flames.

10.5. Incompatible materials

Incompatible materials Water.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: No information available

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 µL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
N-(3-(trimethoxysilyl)propyl)ethylen ediamine 1760-24-3	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Diocetylbinbis(acetylacetonate) 54068-28-9	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	-
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- 3069-29-2	=200 - 2000 mg/Kg (Rattus) (OECD 401)	>5000 mg/Kg (Oryctolagus cuniculus) (OECD 402)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Eyes, Lungs, retina, Skin.
Aspiration hazard	Not applicable.
Carcinogenicity	No information available.

IARC (International Agency for Research on Cancer) *Group 2B - Possibly Carcinogenic to Humans*

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

None known.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	EC50(48hr) 168.7mg/l (Daphnia magna)
N-(3-(trimethoxysilyl)propyl)ethylen ediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	EC50 (48h) =81mg/L Daphnia magna Static
Diocetylbinbis(acetylacetonate) 54068-28-9	-	LC50 (96h) =86 mg/L (Static)	EC50 (48h) =58.6 mg/L (Daphnia magna)

12.2. Persistence and degradability

No information available.

Component Information

Trimethoxyvinylsilane (2768-02-7)

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: No information available

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F)	28 days	BOD	51 % Not readily biodegradable

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane 2768-02-7	1.1	-
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3	-

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane 2768-02-7	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	The substance is not PBT / vPvB
Diocetylbinbis(acetylacetonate) 54068-28-9	The substance is not PBT / vPvB
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- 3069-29-2	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

Endocrine Disruptor Information

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

IATA Not regulated

ADR Not regulated

Section 15: REGULATORY INFORMATION

X - Present

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE
Revision Number 1

Revision date 18-Mar-2020
Supersedes Date: No information available

National Regulations

China

Not applicable

Japan

Not applicable

Korea

Chemicals Control Act (CCA)

This product does not contain phase-in substances subject to registration, toxic substances, substances subject to authorization, restricted substances, prohibited substances, substances requiring preparation for accidents regulated under the Chemicals Control Law

Industrial Safety and Health Law

Safety Control of Dangerous Substances Act

Korea - MOE - Waste Control Act - Hazardous Substances in Controlled Waste

Not applicable

International Regulations

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Local Contacts

Bostik Korea, Ltd.

6F, 21

Gukhoe-daero 62-gil Yeongdeungpo-gu

Seoul, 07236

Korea

Tel: +82-02-3703-6870

Fax: +82-02-3703-6850

Bostik-Nitta Co., Ltd

2-22, Futamata

Yao-City, Osaka, 581-0024

Japan

Tel: +81-72-948-8272

Fax: +81-72-948-5988

Bostik India Private Ltd

124/1 & 124/2A

Kachanayakanahalli

Behind Bommasandra Indl. Area

Off Hosur Road, Hennagara Post,

Anekal Taluk

Bangalore - 562106, Karnataka,

INDIA

Tel: 0091-80-27833520

Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

SAFETY DATA SHEET

H550 S&B ALL-IN-ONE

Revision Number 1

Revision date 18-Mar-2020

Supersedes Date: No information available

Bostik Findley (Malaysia) Sdn. Bhd
Lot 112 & 113,
Kawasan Perindustrian senawang,
seremban, negeri sembilan, Malaysia
Tel: 606-6789788
Fax: 606-6789766

Bostik Asia Pacific
1 Science Park Road, #04-01/05
West Wing, The Capricorn,
Singapore Science Park II, Singapore
117528
Tel: +65-6419-9161
Fax: +65-6419-9150

Bostik (Thailand) Co., Ltd
1/32 Bang-na Thani
Tower 16th A Floor.
Soi Bangna-Trad 34,
Bangna-Trad rd.
Bang-na, Bangkok
Tel: 02-361 6460-7
Fax: 02-361 6469

Bostik Phillippines, Inc.
35/F Raffles Corporate Center,
F. Ortigas Jr. Road
Ortigas Business Center,
Pasig city, Phillippines
Tel: 632-900-5656
Fax: 632-900-5622
Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria
Australia
Tel: 613 9279-9333
Fax: 613 9279-9342

Bostik Indonesia
Setiabudi Atrium Building,
Level 2, Suite 203 A
Jl. HR Rasuna Said
Jakarta Indonesia 12920
Tel: 62 21 521 0404
Fax: 62 21 521 0554
Jiangsu Bostik Adhesive Co.,Ltd
No.15-9, Xinggang Road, Changshu
Enconomic Development Zone
Jiangsu Province 215536
Tel: 0086-512-52266000
Fax: 0086-512-52266020

Bostik Vietnam Company Limited
10 Doc Lap Avenue,
VSIP 1. Thuan An District,
BinhDuong Province. Viet Nam.
Tel: 84 650 3765105
Fax: 84 650 3765109

Bostik Findley (China) Co.,Ltd
No.75, Xin Zhuang 2 Road, Yong He
District, GETDD
Guangzhou, 511356, China
TEL: 020 -32226211
FAX: 020 -32226261

ABN: 79 003 893 838

Bostik New Zealand Limited
19 Eastern Hutt Road Wingate,
Lower Hutt, New Zealand
Tel: 04-567 5119
Fax: 04-567 5412

Chronic Hazard Star Legend

* = *Chronic Health Hazard*

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA (time-weighted average)
STEL (Short Term Exposure Limit)
LD50 (lethal dose)
EC50 (effective concentration)

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 18-Mar-2020

Revision note Not applicable.

Training Advice When working with hazardous materials, regular training of operators is required by law

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet