



Sealing & Bonding Smart Range

A COMPLETE RANGE FOR THE PROFESSIONAL USER





BOSTIK, SMART ADHESIVES

The new logo and the new house style with the characteristic green gecko is more than just a visual appearance. “Smart Adhesives” is a reflection of our positioning with regard to the development of smart and innovative sealing and bonding solutions that are safe, flexible and efficient.

We develop innovative sealing and bonding solutions that, whatever is constructed, connected or built, are smarter and can adjust better to the forces and challenges in our daily life.

THE GECKO - INSPIRING ADHESION

For centuries, scientists have been inspired by geckos because of their unique bonding mechanism. They can stick to almost any surface, can climb super-fast against smooth polished glass and can easily carry their entire body weight with just one toe.

The Bostik gecko is flexible, easy to adapt to environments, is open to new situations and is courageous. It symbolizes Bostik’s smart and innovative sealing and bonding solutions for the challenges which today’s market faces.

1. Introduction

At the forefront

Bostik is one of the largest and leading adhesive and sealant companies. Worldwide, we employ 6,000 people in more than 50 countries across all continents. Our smart adhesive and sealing systems are used globally in the construction of new buildings and refurbishment projects. Bostik is rightfully the market leader and can be seen at the forefront of bonding and sealing solutions with a complete portfolio of 'smart' products. In the architectural world the façade of a building is often the most important aspect of its design. 'Façade' comes from the French, which in turn comes from the Italian facciata, from faccia meaning face or front; and ultimately from the post-classical Latin facia.

The earliest usage of the word recorded by the Oxford English Dictionary was in 1656. From an engineering perspective, the façade is also of great importance to the building due to its impact on energy efficiency. Luckily a lot of improvements and developments have taken place since 1656 and Bostik offers a portfolio of smart products that are fully adaptable and in line with building specifications and requirements. What hasn't changed over the centuries is the movement of building materials due to temperature differences and mechanical loads. Bostik offers a comprehensive portfolio of high-end sealants for movement and expansion joints.





Contents

1.	Construction & Façade	Page 05
2.	Grabs & adhesives	Page 15
3.	Decoration & Paint	Page 25
4.	General Purpose	Page 33
5.	Sanitary	Page 39
6.	Glazing	Page 45
7.	Polyurethane Foam	Page 51
8.	Passive Fire protection	Page 59
9.	Paneltack	Page 68

1. Construction & Façade



Application areas



BOSTIK P590 SEAL'N'FLEX ONE PLUS
Low modulus, highly elastic polyurethane sealant

See page 12 for more details.



BOSTIK P360 SEAL'N'FLEX MULTI PURPOSE
High modulus universal polyurethane sealant for construction and expansion joints

See page 12 for more details.



BOSTIK S320 SEAL'N'FLEX PERIMETER
Universal low modulus perimeter silicone sealant

See page 11 for more details.



BOSTIK H725 SEAL'N'FLEX FACADE
Premium flexible sealant for facade and perimeter joints


See page 15 for more details.



BOSTIK S340 SEAL'N'FLEX UNIVERSAL
Universal low modulus window & door frame sealant

See page 10 for more details.





**BOSTIK S741
SEAL'N'FLEX PREMIUM**

Flexible sealant for facade joints and curtain walls

See page 9 for more details.



**BOSTIK S735 SEAL'N'FLEX
CURTAIN WALL**

Premium low modulus silicone sealant

See page 10 for more details.



**BOSTIK P795
SEAL'N'FLEX PREMIUM**

Advanced, durable, flexible nonbubbling building and construction sealant

See page 11 for more details.



**BOSTIK S955 SEAL'N'FLEX
NON STAINING**

Premium low modulus silicone sealant

See page 9 for more details.

Portfolio



BOSTIK S955 SEAL'N'FLEX NON STAINING

Premium low modulus all-round silicone sealant

Product description

BOSTIK S955 SEAL'N'FLEX NON-STAINING is a plasticizer free neutral silicone sealant for sealing all type of joints in sanitary, glazing, facades and even in natural stone without the risk of edge soiling and staining on the substrates.

Most important characteristics

- Non-staining, suitable for natural stone applications
- Neutral curing
- Applicable to a wide range of building materials
- Almost odourless
- Perfect adhesion without primer to most substrates
- UV, water, moisture and weather resistant
- Colourfast

Certificates

- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-2: G-CC 25LM
- ISEGA
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	anthracite, black, concrete grey, ivory, mid grey, transparant, white



BOSTIK S741 SEAL'N'FLEX CONSTRUCT

Flexible sealant for façade joints and curtain walls

Product description

Bostik S741 SEAL'N'FLEX CONSTRUCT is a versatile neutral curing flexible sealant for façade expansion and dilatation joints as well as for curtain wall applications.

Most important characteristics

- Neutral curing silicone
- Semi matt finish
- Durable, permanent soft elastic
- Excellent resistance to UV, water and weather
- Good adhesion to a wide range of substrates
- Non corrosive towards metals

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white, ivory, concrete grey, mid grey, anthracite, black





BOSTIK S735 SEAL'N'FLEX CURTAIN WALL

Premium low modulus silicone sealant

Product description

BOSTIK S735 SEAL'N'FLEX CURTAIN WALL is a high quality professional low modulus silicone sealant for curtain wall constructions, glazing applications and construction and dilatation joints.

Most important characteristics

- Neutral curing oxime-free silicone
- Suitable for BREEAM applications
- Low modulus
- Durable, permanent soft elastic
- Excellent resistance to UV, water and weather
- Good adhesion to glass, painted wood, ceramic, enamelled, stainless steel and many plastics

Certificates

- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-2: G-CC 25LM
- Emicode® EC1 Plus
- SNJF FG25E
- BREEAM International Compliant
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 290 ml	12 pieces per box	anthracite, black, concrete grey, ivory, mid grey, white
foil pack of 600 ml	12 pieces per box	anthracite, black, concrete grey, ivory, mid grey, white



BOSTIK S340 SEAL'N'FLEX UNIVERSAL

Universal low modulus window & door frame sealant

Product description

Bostik S340 SEAL'N'FLEX UNIVERSAL is neutral cure versatile silicone which can be used for sealing most building, construction and glazing joints. This silicone is almost odorless and cures with atmospheric moisture to form a durable rubber seal.

Most important characteristics

- Versatile sealant
- Mould resistant
- UV, water and weather resistant

Certificates

- EN 15651-1: F-EXT-INT-CC
- EN 15651-2: G-CC
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	transparent, black, white, grey

BOSTIK S320 SEAL'N'FLEX PERIMETER

Universal low modulus perimeter silicone sealant

Product description

BOSTIK S320 SEAL'N'FLEX PERIMETER is a versatile acetoxy silicone sealant for expansion and construction joints which cures by reacting to moisture to form a durable elastic rubber seal. The product is UV and weather resistant.

Most important characteristics

- Excellent resistance to UV, water and weather
- Perfect adhesion to glass, painted wood, ceramic and enamelled substrates
- Permanently elastic

Certificates

- EN 15651-1: F-EXT-INT-CC
- EN 15651-2: G-CC
- A+ French VOC Regulation



Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	transparent, black, white, grey

BOSTIK P795 SEAL'N'FLEX PREMIUM

Advanced durable flexible building and construction sealant

Product description

BOSTIK P795 SEAL'N'FLEX PREMIUM is a New Generation one component user friendly low MDI-free and low monomeric isocyanate containing. BOSTIK P795 SEAL'N'FLEX PREMIUM will not form bubbles during its curing process.

Most important characteristics

- Bubble-free curing
- Primer-free
- Sag-free, suitable for vertical applications
- Ultimate UV resistant
- Label-free
- Low-odeur
- Non-Corrosive

Certificates

- EN 15651-1: F-EXT-INT-CC 25HM
- EN 15651-4: PW-EXT-INT-CC 25HM
- ASTM C-1248
- ASTM C-920
- SNJF F25E
- ISEGA
- A+ French VOC Regulation



Packaging	Packed per	Colours
cartridge of 290 ml	12 pieces per box	white, mid grey, light grey, black, dark grey, off-white
foil pack of 600 ml	12 pieces per box	white, mid grey, light grey, black, dark grey, off-white



BOSTIK P590 SEAL'N'FLEX ONE PLUS

Low modulus elastic polyurethane sealant

Product description

Bostik P590 SEAL'N'FLEX is a New Generation one component low modulus professional high quality and durable polyurethane sealant which cures under influence of humidity to form a durable elastic bubble free seal.

Most important characteristics

- Extremely Elastic, >1000% Elongation at Break
- Bubble-free curing
- Primer-free
- Sag-free, suitable for vertical applications
- Low odour
- Ultimate UV resistant
- Label-Free
- Non-Corrosive
- Can be painted over with water-based

Certificates

- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-4: PW-EXT-INT-CC 25LM
- ASTM C-920
- SNJF F25E
- ISEGA
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white, mid grey, light grey, black, dark grey, off-white
sausage of 600 ml	12 pieces per box	white, mid grey, light grey, black, dark grey, off-white



BOSTIK P360 SEAL'N'FLEX MULTI PURPOSE

High modulus universal polyurethane sealant for construction and expansion joints

Product description

BOSTIK P360 SEAL'N'FLEX MULTI PURPOSE is a professional quality high modulus polyurethane sealant for construction and dilatation joints.

Most important characteristics

- Excellent adhesion without primer on most, even damp, surfaces
- High mechanical performances
- Permanently elastic

Certificates

- EN 15651-1: F-EXT-INT-CC 25HM
- SNJF F25E
- ASTM C-920
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 290 ml	12 pieces per box	white, concrete grey, dark grey, black
foil pack of 600 ml	12 pieces per box	white, concrete grey, dark grey, black

BOSTIK H725 SEAL'N'FLEX FACADE

Premium low modulus flexible construction sealant

Product description

BOSTIK H725 SEAL'N'FLEX FACADE is a professional quality sealant for construction and dilatation joints

Most important characteristics

- Bubble free curing
- Excellent toolability
- Low modulus
- No isocyanates and solvents
- Permanently elastic
- Resistance to moisture and weather influences
- Adheres perfectly without primer on most, even damp, surfaces

Certificates

- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-4: PW-EXT-INT-CC 25LM
- Ecode® EC1 Plus
- ASTM C1248 non-staining
- ASTM C-920
- SNJF F25E
- A+ French VOC Regulation



Packaging	Packed per	Colours
cartridge of 290 ml	12 pieces per box	Anthracite, black, concrete grey, dark grey, ivory, mid grey, white
foil pack of 600 ml	12 pieces per box	Anthracite, black, concrete grey, dark grey, ivory, mid grey, white





2. Grabs & Adhesives




Application areas



BOSTIK H980
HIGH TACK PREMIUM
Non-staining instant grab
adhesives with extreme
strength

See page 19 for more details.



BOSTIK H780
SUPERGRIP INVISIBLE
Universal crystal clear
adhesive for interior use

See page 22 for more details.



BOSTIK H960
SUPERGRIP MIRROR
Direct tack and strong
mirror adhesive

See page 19 for more details.



**BOSTIK P580
SUPERGRIP XTRA POWER**
Water resistant power adhesive

See page 20 for more details.



**BOSTIK H385
SUPERGRIP EASY FIX**
Strong universal grab adhesive

See page 23 for more details.




**BOSTIK H785
HIGH TACK**
Ultra-strong instant grab adhesive

See page 22 for more details.



**BOSTIK N305
SUPERGRIP FAST SET XTRA**
Multi-purpose instant grab adhesive

See page 20 for more details.



Portfolio



BOSTIK H980 HIGH TACK PREMIUM

Non-staining instant grab adhesives with extreme strength

Product description

BOSTIK H980 HIGH TACK PREMIUM surpasses the original HIGH TACK formulation. Bostik offers the highest initial tack performances and powerful strength, but includes now the stain free application on expensive natural stone and very porous surfaces as well.

Most important characteristics

- Non-staining, suitable for natural stone
- Extreme high initial tack, time saving
- Free of isocyanates and solvents
- Durable elastic
- Non corrosive to metals
- Good resistant to weather and moisture
- Adheres perfectly without primer on most, even damp, surfaces

Certificates

- EMICODE EC1 Plus – very low emission
- Finnish M1
- BREEAM International Compliant
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	white, black



BOSTIK H960 SUPERGRIP MIRROR

Direct tack and strong mirror adhesive

Product description

BOSTIK H960 SUPERGRIP MIRROR is a high initial professional hybrid mirror adhesive.

Most important characteristics

- Specifically for bonding mirrors
- Compatible with most common silver backing coatings
- Time saving
- Extremely high initial tack
- Excellent tensile strength
- Free of isocyanates and solvents
- Neutral curing, almost odourless

Certificates

- EMICODE EC1 Plus – very low emission
- Finnish M1
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	white





BOSTIK N305 SUPERGRIP FAST SET XTRA

Multi-purpose instant grab adhesive

Product description

BOSTIK N305 SUPERGRIP FAST SET XTRA is a fast setting multi-purpose adhesive providing an instant tack and high bond strength.

Most important characteristics

- Universal grab adhesive
- Exterior and interior use
- Instant tack

Packaging	Packed per	Colour
300 ml cartridge	12 cartridges per box	beige



BOSTIK P580 SUPERGRIP XTRA POWER

Water resistant power adhesive

Product description

BOSTIK P580 SUPERGRIP XTRA POWER is a solvent free D4 water resistant extreme high strength polyurethane power adhesive for a wide range of applications.

Most important characteristics

- Mega power – up to 12 N/mm²
- Water resistant (EN 204/205 D4)
- Excellent adhesion without primer to most, even damp, surfaces
- For heavy duty building materials, plastics and insulations materials such as XPS and EPS and glass wool
- Suitable for building materials, plastics and insulations materials such as XPS and EPS and mineral wool

Certifications

- EN 204/205 D4
- A+ French VOC Regulation

Packaging	Packed per	Colour
300 ml cartridge	12 cartridges per box	beige





BOSTIK H785 HIGH TACK

Ultra-strong instant grab adhesive

Product description

BOSTIK H785 HIGH TACK is a high quality professional hybrid adhesive with an extremely high initial tack.

Most important characteristics

- Direct tack, no support required
- Suitable for BREEAM applications
- High strength
- No isocyanates, solvents and silicones
- Permanently elastic
- Neutral curing
- No shrinkage
- Resistant to moisture and weather influences
- Adheres perfectly without primer on most, even damp, surfaces

Certificates

- Ecodec EC1 Plus
- Finnish M1
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	white



BOSTIK H780 SUPERGRIP INVISIBLE

Universal crystal clear adhesive

Product description

BOSTIK H780 SUPERGRIP INVISIBLE is a universal high strength crystal clear hybrid adhesive.

Most important characteristics

- Universal crystal clear adhesive
- Free of isocyanates and solvents
- No shrinkage, bubble free curing
- Adheres perfectly without primer to most surfaces
- Neutral curing, almost odourless
- Non corrosive towards metals
- High mechanical resistance strength and E-modulus

Certificates

- ISEGA
- EMICODE EC2
- En 15651-1:F-INT
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	transparent

BOSTIK H385 SUPERGRIP EASY FIX

Strong universal instant grab adhesive

Product description

BOSTIK SUPERGRIP EASY FIX is a professional quality easy gunable hybrid based universal adhesive with instant grab properties assuring a powerful bond once cured under the influence of humidity.

Most important characteristics

- Instant hold properties, ideal for bonding lightweight building materials
- Easy to gun and apply
- Universal bonding for interior and exterior use
- Adheres perfectly without primer on most, even damp, surfaces
- Low emission
- Neutral curing, almost odourless

Certifications

- Ecodec EC1 Plus
- Finnish M1
- A+ French VOC Regulation



Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	white





KANALFLEX Spezialkleber GIB-DIN-13180 x-DIN-CN-520-12.5 mm HERAKL 2000 x 1250 mm 04.29.41 y1 04.13

3. Decoration and paint



Application areas



**BOSTIK A545
DECO ADHESIVE**
Strong water based decorators adhesive.

See page 31 for more details.



**BOSTIK A785
HIGH GRIP DECO**
Powerful instant grab acrylic adhesive for decorators.

See page 29 for more details.



**BOSTIK A750
EXTERIOR ACRYLIC**
A high quality early rain resistant acrylic sealant

See page 30 for more details.



**BOSTIK A585
PAINTERS ACRYLIC**
High quality paintable sealant

See page 30 for more details.



**BOSTIK A325
UNIVERSAL ACRYLIC**
A versatile sealant based on acrylic dispersion

See page 31 for more details.



**BOSTIK A980
INSTANTLY PAINTABLE**
Decorators sealant immediately overpaintable after application

See page 29 for more details.

Portfolio



Bostik
smart adhesives

INSTANTLY PAINTABLE A980

FASTLY OVER PAINTABLE DECORATORS GRADE
RÉPONDRE RAPIDEMENT À LA PEINTURE DÉCORATIVE
التمسك الفوري على الدهانات عالية الجودة

DECORATION & PAINT

SAVES TIME
GAIN DE TEMPS
توفير الوقت

Icons: Home, Hammer, Paintbrush, Adhesive, Sealant, Solvent Free

Bostik
smart adhesives

HIGH GRIP DECO A785

HIGH INITIAL GRAB
FORTE ADHÉRENCE INITIALE
تثبيت أولي قاتل

DECORATION & PAINT

Icons: Home, Hammer, Paintbrush, Adhesive, Sealant, Solvent Free

Bostik
smart adhesives

EXTERIOR ACRYLIC A750

EARLY RAIN RESISTANT
ACRYLIC SEALANT

DECORATION & PAINT

EARLY RAIN RESISTANT
HIGHLY FLEXIBLE
PERFECT ADHESION

Icons: Home, Hammer, Paintbrush, Adhesive, Sealant, Solvent Free

Bostik
smart adhesives

PAINTERS ACRYLIC A585

HIGH QUALITY PAINTABLE SEALANT
PROTECTOR À PEINDRE DE HAUTE QUALITÉ
مطامح سميت قاتل للطلاء عالي الجودة

DECORATION & PAINT

FLEXIBLE GAP FILLER
REBOUCHAGE SOUPLE
مادة تغطية لملء الفجوات

Icons: Home, Hammer, Paintbrush, Adhesive, Sealant, Solvent Free

Bostik
smart adhesives

DECO ADHESIVE A545

STRONG WATER BASED
DECORATORS ADHESIVE

DECORATION & PAINT

MULTI-USE
SUITABLE FOR EPS & XPS
SOLVENT FREE

Icons: Home, Hammer, Paintbrush, Adhesive, Sealant, Solvent Free

Bostik
smart adhesives

UNIVERSAL ACRYLIC A325

ADHESIVE FOR SEALING AND GROUT
PRODIGE POUR SCÉLÉMENT ET JOINTS
مادة التثبيت لسد الشقوق أو ملء المفاصل

DECORATION & PAINT

PAINTABLE
PEUT ÊTRE PEINT
قابل للتلوين

Icons: Home, Hammer, Paintbrush, Adhesive, Sealant, Solvent Free

BOSTIK A980 INSTANTLY PAINTABLE

Decorators sealant immediately overpaintable after application

Product description

Bostik A980 INSTANTLY PAINTABLE is a high quality acrylic sealant specifically developed to be painted over immediately after application. For sealing and filling connection joints, seams, holes and cracks.

Most important characteristics

- Sustainable, low VOC and phthalate free
- Paintable immediately after application with water based and synthetic paints
- No discolouration of the paint
- Minimal risk of craze and linear cracking
- Perfect adhesion without use of primer on most substrates
- Easy to apply and clean
- UCA®: Perfectly paintable, developed in close relation with leading paint industry

Certificates

- Ecodec EC1 Plus
- EN 15651-1: F-INT
- Finnish M1
- Blauer Engel
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white



BOSTIK A785 HIGH GRIP DECO

Powerful instant grab acrylic decorators adhesive

Product description

Bostik A785 HIGH GRIP DECO is a versatile adhesive based on acrylic dispersion with direct grip for decorative and insulating boards for interior use. The adhesive cures by evaporation of water and forms a strong and durable bond.

Most important characteristics

- Direct grip
- Sustainable, low VOC, Solvent free
- Also suitable for bonding EPS and XPS ornaments
- Perfect adhesion without the use of a primer, even on slightly damp substrates
- Versatile adhesive
- Paintable
- Almost odourless

Certificates

- Ecodec® EC1 Plus
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white





BOSTIK A750 EXTERIOR ACRYLIC

Early rain resistant high quality acrylic sealant

Product description

Bostik A750 EXTERIOR ACRYLIC is a high quality acrylic caulk which is rain resistant after application. After application the product cures to a plastic-elastic rubber due to the evaporation of the water from the sealant.

Most important characteristics

- Rain resistant after application
- Interior and exterior applications
- Easy toolable
- Excellent adhesion
- Flexible
- Paintable with water based and synthetic paints
- Non corrosive towards metals

Certificates

- Emicode® EC1 Plus
- EN 15651-1: F-EXT-INT 12.5P
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white



BOSTIK A585 PAINTERS ACRYLIC

High quality water based paintable sealant

Product description

Bostik A585 PAINTERS ACRYLIC is the preferred quality painters sealant based on acrylic dispersion. After application the product cures to a soft plasto-elastic rubber due to the evaporation of the water from the sealant.

Most important characteristics

- Paintable with water based and synthetic paints
- Perfect adhesion without use of a primer on most substrates
- Interior and exterior applications
- Easy to apply and clean
- Almost odourless

Certificates

- EN 15651-1: F-EXT-INT 12.5P
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white

BOSTIK A545 DECO ADHESIVE

Strong water based decorators adhesive

Product description

Bostik A545 DECO ADHESIVE is a versatile high grip dispersion based adhesive for decorative and insulating boards for interior use. The adhesive cures by evaporation of water and forms a strong and durable bond.

Most important characteristics

- Sustainable, solvent free
- For lightweight bonding
- Also suitable for bonding EPS and XPS ornaments
- Paintable with water based- and synthetic paints
- Perfect adhesion without the use of a primer, even on slightly damp substrates

Certificates

- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	White



BOSTIK A325 UNIVERSAL ACRYLIC

Acrylic sealant for sealing and gap filling

Product description

Bostik A325 UNIVERSAL ACRYLIC is a versatile sealant based on acrylic dispersion. After application the product forms a soft plasto elastic rubber by evaporation of water from the sealant.

Most important characteristics

- Paintable with water based and synthetic paints
- Perfect adhesion without use of a primer on most, even slightly damp substrates
- Versatile economic acrylic sealant
- Almost odourless
- Easy to apply and clean

Certificates

- EN 15651-1: F-EXT-INT 7.5P
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 280 ml	12 pieces per box	white, grey, brown, black





4. General purpose



Application areas



BOSTIK H505
SEAL'N'BOND CRYSTAL
Universal transparent
hybrid sealant and adhesive

See page 37 for more details.



**BOSTIK H550
SEAL'N'BOND ALL-IN-ONE**
High quality universal hybrid
sealant and adhesive

See page 37 for more details.



**BOSTIK H750
SEAL'N'BOND PREMIUM**
Non-staining premium quality
all-round hybrid sealant and
adhesive

See page 38 for more details.



**BOSTIK P350
SEAL'N'BOND CONSTRUCT**
High modulus polyurethane
sealant and adhesive

See page 38 for more details.



Portfolio



BOSTIK H550 SEAL'N'BOND ALL-IN-ONE

High quality universal hybrid sealant and adhesive

Product description

BOSTIK H550 SEAL'N'BOND ALL-IN-ONE is a high quality professional all-in-one hybrid sealant and adhesive with a high strength.

Most important characteristics

- Universal bonding and sealing for interior and exterior use
- Permanently elastic
- Free of isocyanates and solvents
- Adheres perfectly without primer on most, even damp, surfaces
- High mechanical resistance, end strength and E-modulus

Certificates

- EN 15651-1: F-EXT-INT-CC 25HM
- EN 15651-3: S XS3
- EN 15651-4: PW-EXT-INT-CC 25HM
- Ecodec EC1 Plus
- Finnish M1
- ISEGA
- LEED
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	white, grey and black



BOSTIK H505 SEAL'N'BOND CRYSTAL

Universal transparent hybrid sealant and adhesive

Product description

BOSTIK H505 SEAL'N'BOND CRYSTAL is a high quality professional phthalate, tin and solvent free crystal clear universal sealant and adhesive.

Most important characteristics

- Crystal clear
- Phthalate-free, tin-free and solvent free
- High UV resistance
- Multi-functional sealant and adhesive
- Suitable for internal and external use*

* With prolonged exposure to UV radiation, products can discolour and become less UV stable)

Certificates

- EN 15651-1: F-EXT-INT-CC 20LM
- Ecodec EC1 Plus
- ISEGA
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	transparent





BOSTIK P350 SEAL'N'BOND CONSTRUCT

High modulus polyurethane sealant and adhesive

Product description

BOSTIK P350 SEAL'N'BOND CONSTRUCT is a high quality universal polyurethane sealant and adhesive.

Most important characteristics

- Universal bonding and sealing for interior and exterior use
- Permanently elastic
- Adheres perfectly without primer on most, even damp, surfaces

Certificates

- EN 15651-1: F-EXT-INT-CC 25HM
- EN 15651-4: PW-EXT-INT-CC 20HM
- NF P 85-610
- A+ French VOC Regulation

Packaging	Packed per	Colour
300 ml alu cartridge	12 cartridges per box	white, grey and black



BOSTIK H750 SEAL'N'BOND PREMIUM

Non-staining premium quality all-round hybrid sealant and adhesive

Product description

BOSTIK H750 SEAL'N'BOND PREMIUM is a professional non-staining all-round sealant and adhesive with high strength.

Most important characteristics

- Sustainable, phthalate free
- All-round premium sealant and adhesive
- Non-staining formulation, applicable on natural stone
- Solvent and isocyanate free
- Perfect adhesion bonding without primer on most substrates
- Permanently elastic
- Food safe contact

Certificates

- EN 15651-1: F-EXT-INT-CC 20HM
- EN 15651-2: G-CC 20HM
- EN 15651-3: S XS2
- Emicode® EC1 Plus
- M1
- ISEGA
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	black, grey, white

5. Sanitary




Application areas



BOSTIK S765 SILICONE PREMIUM N
Premium neutral silicone sealant for sanitary application.

See page 44 for more details.



BOSTIK S520 SILICONE BATH & KITCHEN A
Low modulus acetoxy silicone for sanitary and kitchen applications.

See page 43 for more details.



**BOSTIK S945 SILICONE
FOOD SAFE**
Neutral premium silicone
sealant for food contact.

See page 44 for more details.



**BOSTIK S300 SILICONE
MULTI PURPOSE**
Low modulus acetoxy silicone
sealant for sanitary applications.

See page 43 for more details.

Portfolio



Bostik
SILICONE
FOOD SAFE
S945
SANITARY
MOULD RESISTANT
RESISTANCE AUX MOISSISSURES
مقاوم للعفن

Bostik
SILICONE
PREMIUM N
S765
SANITARY
MOULD RESISTANT
RESISTANT AUX MOISSISSURES
مقاوم للعفن

Bostik
SILICONE
BATH & KITCHEN
S520
SANITARY
DURABLE FLEXIBLE
ROUBLE ET DURABLE
مستقر ومرن

Bostik
SILICONE
MULTI PURPOSE
S300
SANITARY
MULTI-PURPOSE
POLYVALENT
متعدد الاستخدامات

BOSTIK S520 SILICONE BATH & KITCHEN A

Low modulus acetoxy silicone for sanitary and kitchen applications

Product description

BOSTIK S520 SILICONE BATH & KITCHEN A is a versatile acetoxy silicone sealant for sanitary joints, which cures under the influence of humidity to form a durable elastic rubber.

Most important characteristics

- Excellent resistance to water
- Mould resistant
- Colourfast
- Excellent adhesion to glass, painted wood, ceramic, enameled substrates
- For interior and exterior use

Certificates

- EN 15651-1: F-EXT-INT-CC
- EN 15651-3: S1
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	black, brown, concrete grey, transparent, white



BOSTIK S300 SILICONE MULTI PURPOSE

Low modulus acetoxy silicone sealant for sanitary applications

Product description

BOSTIK S300 SILICONE MULTI PURPOSE is a versatile acetoxy silicone sealant for sanitary and kitchen applications which cures by reacting to moisture to form a durable elastic rubber seal. The product is UV and weather resistant.

Most important characteristics

- Perfect adhesion to glass, painted wood, ceramic and enamelled substrates
- Colourfast
- Mould resistant

Certificates

- EN 15651-1: F-EXT-INT-CC
- EN 15651-3: S1
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	black, concrete grey, transparent, white





BOSTIK S945 SILICONE FOOD SAFE

Neutral premium silicone sealant for food contact

Product description

BOSTIK S945 SILICONE FOOD SAFE is a dedicated premium quality silicone sealant for use in areas with food contact. BOSTIK S945 SILICONE FOOD SAFE is ISEGA certified.

Most important characteristics

- ISEGA food contact approval: suitable for use in the food industry
- Excellent resistance to UV, water and weather
- Perfect adhesion
- Permanently elastic
- Neutral curing
- Highly mould resistant
- Wide colour availability

Certificates

- ISEGA
- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-3: XS1
- ASTM C-920
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white, crème, transparent, transparent grey, silver grey, grey, manhattan grey, aluminium, anthracite, black



BOSTIK S765 SILICONE PREMIUM N

Premium neutral silicone sealant for sanitary applications

Product description

BOSTIK S765 SILICONE PREMIUM N is a versatile neutral silicone sealant for sanitary joints, which cures under the influence of humidity to form a durable elastic rubber.

Most important characteristics

- Neutral curing, almost odourless
- Perfect adhesion to most common building substrates
- Excellent resistance to UV, water and weather
- Highly mould resistant
- Non corrosive towards metals
- Wide adhesion spectrum
- Wide colour availability

Certificates

- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-3: XS1
- Finnish M1
- BREEM International Compliant
- ISEGA
- SNJF FG25E
- A+ French VOC Regulation

Packaging	Packed per	Colours
cartridge of 300 ml	12 pieces per box	white, crème, transparent, transparent grey, silver grey, grey, manhattan grey, aluminium, brown, anthracite, black

6. Glazing



Application areas




BOSTIK H775
GLASS'N'SEAL PREMIUM
PAINTABLE
High quality glazing &
facade sealant

See page 49 for more details.



BOSTIK S570
GLASS'N'SEAL
SILICONE A
Low modulus
glazing sealant

See page 50 for more details.



**BOSTIK S740
GLASS'N'SEAL SILICONE N**
Premium matt silicone
sealant for glazing
and facade joints

See page 50 for more details.

**S740
GLASS'N'SEAL SILICONE A**
Premium matt silicone
sealant for glazing
and facade joints

See page 50 for more details.

Portfolio



Bostik
GLASS'N'SEAL
PREMIUM PAINTABLE
H775
HIGH QUALITY
GLAZING & FACADE
SEALANT
GLAZING
UNIVERSALLY PAINTABLE
UV & WEATHER RESISTANT
NO SHRINKAGE

Bostik
GLASS'N'SEAL
SILICONE A
S570
LOW MODULUS
ACETOXY
GLAZING SEALANT
GLAZING
DURABLE FLEXIBLE
PERFECT TOOLABILITY
COLOURFAST

Bostik
GLASS'N'SEAL
SILICONE N
S740
PREMIUM MATT SILICONE SEALANT
FOR GLAZING
AND FACADE JOINTS
GLAZING
NEUTRAL CURING
HIGHLY ELASTIC
LOW MODULUS

BOSTIK H775 GLASS'N'SEAL PREMIUM PAINTABLE

High quality paintable glazing and facade sealant

Product description

BOSTIK H775 GLASS'N'SEAL PREMIUM PAINTABLE is the perfect paintable solution for glazing joints for interior and exterior. BOSTIK H775 GLASS'N'SEAL PREMIUM PAINTABLE is an all-round applicable sealant in connection joints as well as dilatation joints.

Most important characteristics

- For universal use, interior and exterior
- Fully paintable with synthetic and water based paints
- Ideal sealant for glazing
- Isocyanate and solvent free
- Bubble free curing and shrinkage free
- High weather, water and UV resistance
- Long lasting elastic effect

Certifications

- EN 15651-1: F-EXT-INT-CC 25HM
- EN 15651-2: G-CC 25HM
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	white, black and anthracite





BOSTIK S740 GLASS'N'SEAL SILICONE N

Premium matt silicone sealant for glazing and facade joints

Product description

BOSTIK S740 GLASS'N'SEAL SILICONE N is a versatile, highly certified neutral silicone sealant for glazing and facade joints.

Most important characteristics

- 100% Meko-free
- Neutral curing, almost odourless
- BREEAM International Compliant
- Perfect bonding without primer on most substrates
- Excellent resistance to UV, water and weather
- Non corrosive towards metals
- Good adhesion to glass, painted wood, ceramic, enamelled, stainless steel and many plastics

Certificates

- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-2: G-CC 25LM
- EMICODE EC1 Plus – very low emission
- BREEAM International Compliant
- Indoor Air Comfort Gold®
- Blue Angel (RAL UZ 123)
- E1 EN 717-1S
- A+ French VOC Regulation

Packaging	Packed per	Colour
300 ml cartridge	12 cartridges per box	white, grey and black
600 ml foil pack	12 foil packs per box	white, grey and black



BOSTIK S570 GLASS'N'SEAL SILICONE A

Low modulus glazing and all-round acetoxy silicone sealant

Product description

BOSTIK S570 GLASS'N'SEAL SILICONE A is a versatile acetoxy silicone sealant for glazing joints, which cures under influence of humidity to form a durable elastic rubber. BOSTIK S570 GLASS'N'SEAL SILICONE A fulfils BREEAM specifications mentioned in chapter 'Health and Wellbeing', Hea 02 Indoor Air Quality, regarding volatile organic compound (VOC) emission levels (products).

Most important characteristics

- Perfect toolability
- Suitable for BREEAM applications
- Perfect adhesion without primer to glass, painted wood, ceramic and enameled substrates
- Excellent resistance to UV, water and weather
- Permanently elastic

Certifications

- EN 15651-1: F-EXT-INT-CC 25HM
- EN 15651-2: G-CC 25HM
- EMICODE EC1 Plus – very low emission
- A+ French VOC Regulation

Packaging	Packed per	Colour
300 ml cartridge	12 cartridges per box	transparent, white, silver grey and black

7. Polyurethane Foam



Application areas



**BOSTIK P535
FOAM'N'FIX STONE PRO B3**
High quality ready-to-use
powerful stone adhesive

See page 55 for more details.



**BOSTIK P925
FOAM'N'FILL TURBO
MULTI-USE**
B1 polyurethane foam


See page 57 for more details.



**BOSTIK P300
FOAM'N'FILL B3**
B3 polyurethane foam

See page 56 for more details.





BOSTIK P100
FOAM'N'CLEAN POWER
Powerful polyurethane foam cleaner

See page 56 for more details.



BOSTIK P530
FOAM'N'FIX STONE B3 EN
High quality ready-to-use powerful stone adhesive

See page 55 for more details.

Portfolio



BOSTIK P535 FOAM'N'FIX STONE PRO B3

High quality ready-to-use powerful stone adhesive

Product description

BOSTIK P535 FOAM'N'FIX STONE PRO B3 is a high quality ready to use polyurethane adhesive for bonding various types of stone. It is the adhesive to use when no water and/or electricity is available and one needs to work in a fast, clean and efficient manner. BOSTIK P535 FOAM'N'FIX STONE PRO B3 fulfils BREEAM specifications mentioned in chapter 'Health and Wellbeing', Hea 02 Indoor Air Quality, regarding volatile organic compound (VOC) emission levels (products).

Most important characteristics

- Quick & clean application (no mixing required)
- Stronger bond, tensile strength after one day > 7 N/mm²
- For use on multiple surfaces
- Simple, modern and labour friendly (lighter) application
- Lower adhesive consumption due to thin bonding thickness

Certificates

- EC1 Plus
- A+ French VOC Regulation

Packaging	Packed per	Colour
can of 750 ml	can of 750 ml	yellow



BOSTIK P530 FOAM'N'FIX STONE B3

High quality ready-to-use powerful stone adhesive

Product description

BOSTIK P530 FOAM'N'FIX STONE B3 is a high quality ready to use polyurethane adhesive for bonding various types of stone. It is the adhesive to use when no water and/or electricity is available and one needs to work in a fast, clean and efficient manner. BOSTIK P530 FOAM'N'FIX STONE B3 fulfils BREEAM specifications mentioned in chapter 'Health and Wellbeing', Hea 02 Indoor Air Quality, regarding volatile organic compound (VOC) emission levels (products).

Most important characteristics

- Stronger bond, tensile strength after one day > 7 N/mm²
- For use on multiple surfaces
- Labour friendly
- Cost reduction
- Lighter than traditional mortars

Certificates

- A+ French VOC Regulation

Packaging	Packed per	Colour
can of 750 ml	12 pieces	yellow





BOSTIK P300 FOAM'N'FILL B3

B3 polyurethane foam

Product description

BOSTIK P300 FOAM'N'FILL B3 is a 1-component professional polyurethane based 100% CFC free B3 expanding foam for general construction and home improvement applications. BOSTIK P300 FOAM'N'FILL B3 fulfils BREEAM specifications mentioned in chapter 'Health and Wellbeing', Hea 02 Indoor Air Quality, regarding volatile organic compound (VOC) emission levels (products).

Most important characteristics

- High contribution to noise reduction
- High thermal insulation
- EC1 Plus and A+ certified

Certificates

- EC1 Plus
- DIN 12354-3 Joint Sound Insulation
- A+ French VOC Regulation

Packaging	Packed per	Colour
can of 750 ml	12 pieces	yellow



BOSTIK P100 FOAM'N'CLEAN POWER

Powerful polyurethane foam cleaner

Product description

BOSTIK P100 FOAM'N'CLEAN POWER is a professional and powerful cleaner of stains and residues from both 1 and 2 component fresh polyurethane foam from basket, valve and surfaces.

Most important characteristics

- Powerful cleaner
- Fast working
- Easy to apply, can be connected to can and comes with spray nozzle

Packaging	Packed per	Colour
can of 500 ml	12 pieces	transparent

BOSTIK P925 FOAM'N'FIX TURBO MULTI-USE

Fast track and quick universal foam adhesive

Product description

Bostik P925 FOAM'N'FIX TURBO MULTI-USE is a multipurpose construction adhesive providing an excellent adhesion to a wide range of substrates, such as dry walls but also stony and concrete type of surfaces and decorative elements. Bostik P925 FOAM'N'FIX TURBO MULTI-USE can also be used for insulating and gap filling purposes in joints around door and window frames and in walls.

Most important characteristics

- Fast curing and quick setting foam adhesive
- Maximum open time of 2.5 minutes
- Saves time & money
- High shear and tensile strength
- All seasons formulation, -10°C to +40°C
- For bonding and filling purposes
- Provides added thermal insulation

Certificates

- A+ French VOC Regulation

Packaging	Packed per	Colour
can of 750 ml	12 pieces	yellow





8. Passive Fire protection




Application areas



**BOSTIK FP 402
FIRESEAL SILICONE**
A fire resistant, neutral curing silicone sealant.

See page 63 for more details.




**BOSTIK FP 403
FIRESEAL
HYBRID**
A 1-component, fire resistant hybrid based sealant.

See page 64 for more details.



**BOSTIK FP 401
FIRESEAL ACRYLIC**
A 1-component fire
resistant sealant based on
acrylic dispersion.

See page 63 for more details.



**BOSTIK FP 404
FIRE RETARDANT PU GUNFOAM**
A modified, 1-component, fire
resistant polyurethane foam.

See page 65 for more details.



**BOSTIK FP 404
FIRE RETARDANT PU FOAM**
A modified, 1-component, fire
resistant polyurethane foam.

See page 65 for more details.

Portfolio



BOSTIK FP 401 FIRESEAL ACRYLIC

Product description

Bostik FP401 FIRESEAL ACRYLIC is a 1-component fire resistant sealant based on acrylic dispersion. Bostik FP401 FIRESEAL ACRYLIC is a plasto elastic sealant which is slightly intumescent above +120°C and is suitable for up to 4 hours of fire resistant sealing of linear joints.

Most important characteristics

- Tested according to EN 1366-4
- Up to 4 hours fire resistance
- Can be applied separately in joints up to 20 mm wide
- Can be combined with FP404 PU Gun Foam up to 30 mm wide
- Paintable with most water based and synthetic paints
- Easy to apply and clean
- Joint movement up to 7,5%
- Non corrosive towards metals

Certificates

- EN 15651-1: F-EXT-INT 7.5P
- Ecodec EC1 Plus
- A+ French VOC Regulation

Article number	EAN code	Colour	Packaging	Packed per
30612846	8713572041365	white	cartridge 310ml	12 pieces in a box

BOSTIK FP 402 FIRESEAL SILICONE

Product description

Bostik FP402 FIRESEAL SILICONE is a fire retardant, elastic, neutrally curing silicone sealant. Bostik FP402 FIRESEAL SILICONE is fire resistant for up to 4 hours in linear (movement) joints. Absorbs up to 25% of movement.

Most important characteristics

- Tested according to EN 1366-4
- Up to 4 hours of fire resistance
- Can be applied in joints up to 30 mm wide
- In combination with FP404 PU GUN FOAM in joints up to 40 mm wide
- Excellent processing, does not slump
- Joint movement up to 25%
- UV, water and weather resistant
- Airtight sealing
- For internal and external use
- B1 fire behaviour

Certificates

- EN 15651-1: F-EXT-INT-CC 25LM
- EN 15651-2: G-CC 25LM
- EMICODE EC1 Plus – very low emission
- DIN 4102-1 Reaction to fire
- A+ French VOC Regulation

Article number	EAN code	Colour	Packaging	Packed per
30612844	8713572041372	white	cartridge 310ml	12 pieces in a box
30612849	8713572041396	grey	cartridge 310ml	12 pieces in a box
30612845	8713572041389	black	cartridge 310ml	12 pieces in a box
30615921	8713572042867	white	600 ml sausage	12 pieces in a box
30615382	8713572042508	grey	600 ml sausage	12 pieces in a box
30615925	8713572042881	black	600 ml sausage	12 pieces in a box





BOSTIK FP 403 FIRESEAL HYBRID

Product description

Bostik FP403 FIRESEAL HYBRID is a fire retardant, elastic and paintable hybrid sealant. Bostik FP403 FIRESEAL HYBRID is fire resistant for up to 4 hours in linear (movement) joints. Absorbs up to 25% of movement.

Most important characteristics

- Tested according to EN 1366-4
- Up to 4 hours of fire resistance
- Also suitable for wall/ceiling and wall/floor connections
- Suitable for joints up to 30 mm wide
- Certified for steel/wooden frames
- Certified for all metal-stud connections
- Excellent processing and easy toolability
- Joint movement up to 25%
- Paintable with most water based and synthetic paints
- Non corrosive towards metals
- Resistant to UV, water and weather

Certificates

- EN 15651-1: F-EXT-INT-CC - Class 25HM
- EN 15651-2: G-CC - Class 25HM
- Emicode EC1 Plus
- A+ French VOC Regulation

Article number	EAN code	Colour	Packaging	Packed per
30612887	8713572041419	white	cartridge 290ml	12 pieces in a box
30612851	8713572041402	grey	cartridge 290ml	12 pieces in a box



BOSTIK FP 404 FIRE RETARDANT PU GUNFOAM

Product description

Bostik FP404 FIRE RETARDANT PU GUN FOAM is a 1-component fire resistant polyurethane foam which offers a fire resistance of up to 120 minutes. In combination with other Bostik FireProtect® products Bostik FP404 FIRE RETARDANT PU GUN FOAM reaches up to 240 minutes of fire resistance! Professional polyurethane fills and fixes foam with a structure of fine cells. High thermal and acoustic insulation.

Most important characteristics

- Tested according to EN 1366-4
- For use in joints from 5 mm to 30 mm wide
- Combined with Bostik FP402 FIRESEAL SILICONE in joints from 5 mm to 40 mm wide
- Separately applied, fire resistant up to 2 hours, combined with other Bostik FireProtect® products up to 4 hours
- Fire behaviour B1
- Fast processing
- Tack free after 8 to 12 minutes

Certificates

- EN 13501-2 Classification of fire resistance
- DIN 4102-1 Reaction to fire
- VOC emissions ISO 16000
- Emission EC1 Plus
- A+ French VOC Regulation

Article number	EAN code	Colour	Packaging	Packed per
30612850	8713572041426	pink	cannister 750 ml gungrade	12 pieces in a box



BOSTIK FP 404 FIRE RETARDANT PU FOAM

Product description

Bostik FP404 FIRE RETARDANT PU FOAM is a 1-component fire resistant polyurethane foam which offers a fire resistance of up to 120 minutes. In combination with other Bostik FireProtect® products Bostik FP404 FIRE RETARDANT PU FOAM reaches up to 240 minutes of fire resistance! Professional polyurethane fills and fixes foam with a structure of fine cells. High thermal and acoustic insulation.

Most important characteristics

- Tested according to EN 1366-4
- For use in joints from 5 mm to 30 mm wide
- Combined with Bostik FP 402 Fireseal Silicone in joints from 5 mm to 40 mm wide Separately applied, fire resistant up to 2 hours, combined with other Bostik FireProtect® products up to 4 hours
- Fire behaviour B1
- Fast processing
- Tack free after 8 to 12 minutes

Certificates

- EN 1366-4
- EN 13501-2 Classification of fire resistance
- DIN 4102-1 Reaction to fire
- VOC emissions ISO 16000
- Emission EC1 Plus
- A+ French VOC Regulation

Article number	EAN code	Colour	Packaging	Packed per
30612888	8713572041433	pink	cannister 750 ml handheld	12 pieces in a box





9. Paneltack



Portfolio



BOSTIK H970 PANELTACK MM

Product description

H970 paneltack MM is a professional moisture-curing, high-elastic adhesive for bonding HPL facade panels.

Most important characteristics

- Part of a full system, including warranty
- Solvent and isocyanate free
- Durable high elastic with optimal stress distribution
- Also suitable for gluing larger HPL panels on wooden framework
- Excellent mechanical strength
- Good moisture and weather resistance
- Simple and fast installation

Certificates

- KOMO
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	Black
600 ml sausage	12 cartridges per box	Black



BOSTIK H975 PANELTACK HM

Product description

H975 paneltack HM (High Modulus) is a moisture-curing, elastic adhesive with high modulus based on SMP, specially developed for bonding fibre-cement boards, natural stone and aluminium composite cladding panels.

Most important characteristics

- Suitable for all sort of cladding panels like fibre cement boards and aluminium composite panels
- Strong, high modulus
- Solvent- and isocyanate-free
- Long-lasting high elasticity with optimum distribution of strain
- Excellent mechanical strength
- Good moisture- and weather-resistance
- Simple and fast fixation

Certificates

- KOMO
- A+ French VOC Regulation

Packaging	Packed per	Colour
290 ml cartridge	12 cartridges per box	Black
600 ml sausage	12 cartridges per box	Black





BOSTIK S970 ROCKPANEL S

Product description

S970 paneltack S is a moisture-curing, highly elastic adhesive based on silicone, specially developed for bonding of pressed mineral wool panels.

Most important characteristics

- Solvent- and isocyanate-free
- MEKO-free formulation
- Long-term high elasticity with optimum stress distribution
- Excellent mechanical strength
- Good moisture- and weather-resistance
- Simple and fast fixation

Certificates

- A+ French VOC Regulation
- Emission EC1Plus

Packaging	Packed per	Colour
310 ml cartridge	12 cartridges per box	white



BOSTIK P975 PANELTACK EIFS PRO B1

Product description

H970 paneltack MM is a professional moisture-curing, high-elastic adhesive for bonding HPL facade panels. H970 paneltack MM is part of a full system that comes with a full recommendation, support and guidelines at product selection, calculation(s), inhouse laboratory adhesion testing, work preparation and on site implementation.

Most important characteristics

- Part of a full system, including warranty
- Solvent and isocyanate free
- Durable high elastic with optimal stress distribution
- Also suitable for gluing larger HPL panels on wooden framework
- Excellent mechanical strength
- Good moisture and weather resistance
- Simple and fast installation

Packaging	Packed per	Colour
310 ml cartridge	12 cartridges per box	white

BOSTIK P575 PANELTACK EIFS PRO B3

Product description

H975 paneltack HM is a professional non-staining all-round sealant and adhesive with high strength. H975 paneltack HM fulfil BREEAM specifications mentioned in chapter 'Health and Wellbeing', Hea 02 Indoor Air Quality, regarding volatile organic compound (VOC) emission levels (products).

Most important characteristics

- All-round premium sealant and adhesive
- Non-staining formulation
- Neutral curing, almost odourless
- Solvent, silicone and isocyanate free
- Perfect bonding without primer on most substrates
- Permanently elastic
- Excellent resistance to UV and weather
- Paintable after skin formation

Certificates

- EN 15651-1: F-EXT-INT-CC 20HM
- EN 15651-2: G-CC 20HM
- EN 15651-3: S XS2
- EMICODE EC1 Plus – very low emission M1
- ISEGA
- A+ French VOC Regulation



Packaging	Packed per	Colour
310 ml cartridge	12 cartridges per box	white



Bostik professional product portfolio

The rest of the Bostik professional product portfolio you can find at bostik.com and read more about them in the product application brochures



For more information,
please scan the QR code!

Smart help
+971 4 875 1700



Bostik Consumer & Construction
Arkema Middle East DMCC
Unit 1108, JBC3 Tower Cluster Y
Jumeirah Lakes Towers
Dubai, United Arab Emirates
E-mail: bostik.mena-info@bostik.com
Phone: +971 4 875 1700
www.bostik.com

Terms & Conditions

Bostik, S.A., its parent companies, subsidiaries and affiliated entities (collectively, "Bostik") offers this Brochure for descriptive and informational use only. The Brochure is not a contract and is not a substitute for expert or professional advice. The statements, technical information, data, and recommendations contained herein are not exhaustive, are believed to be accurate as of the date hereof, and are not warranted in any way. The Brochure relies upon your knowledge and input, and as such, its results are based solely upon the information you provide and the choices that you make. Since the conditions and methods of use of the products and the information referred to herein are beyond our control, Bostik expressly disclaims any and all liability and damages that may arise from any use of the Brochure, the products, the results therefrom, or reliance on the information contained herein, and you hereby agree to waive any and all claims against Bostik relating in anyway thereto. The Brochure is one of several tools that may be used to help you find the product best suited for your needs. It is used at your own risk, and by using it, you are knowingly accepting and assuming any and all risks associated with its use, recommendations, output and your selections. You are responsible to test the suitability of any product in advance for any intended use. Bostik does not guarantee the reliability, completeness, use, or function of the Brochure or any recommendations arising therefrom. The data and information contained in the Brochure is provided 'AS IS'.

The information provided herein relates only to the specific products designated and may not be applicable when such products are used in combination with other materials or in any process. Bostik encourages you to always read and understand (1) the Technical Data Sheet ("TDS") and (2) the Safety Data Sheet ("SDS") for all products before use. The SDS contains the necessary information related to prevention and safety related to the use of a product. The SDS for our products and the TDS for our products can be found on our corporate website. You are welcome and encouraged to contact your customer service representative to discuss your specific requirements and to determine what product is appropriate for you and your applications.

NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR WARRANTY OF MERCHANTABILITY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE PRODUCTS DESCRIBED OR THE INFORMATION PROVIDED HEREIN, AND SUCH WARRANTIES ARE HEREBY DISCLAIMED. Additionally, Bostik disclaims any liability for direct, incidental, consequential, or special damages to the maximum extent allowed by law. Nothing contained herein constitutes a license to practice under any patent, and it should not be construed as an inducement to infringe any patent. You are advised to take appropriate steps to be sure that any proposed use of the products will not result in patent infringement. Also, please see Arkema's Medical Device Policy at <https://www.arkema.com/en/social-responsibility/responsible-product-management/medical-device-policy/index.html>.

Acceptance of Terms & Conditions

By using this Brochure, you are hereby consenting to the above terms and conditions of use, and you agree to waive certain rights as set forth above.