

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific
information for OEL

PANELTACK GREY

Supercedes Date: 14-Mar-2019

Revision date 15-Mar-2021 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name PANELTACK GREY

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik SA 420 rue d'Estienne d'Orves 92700 Colombes FRANCE

Tel: +33 (0)1 49 00 90 00

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

EUH210 - Safety data sheet available on request

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. May be harmful in contact with skin. Harmful to aquatic life.

PBT & vPvB

Europe - EN Page 1/12

Revision date 15-Mar-2021

Supercedes Date: 14-Mar-2019 Revision Number 2

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

PANELTACK GREY

Not applicable

3.2 Mixtures

| Chemical name | EC No | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|-----------------------|-----------|-----------|----------------|---|---|---------------------------------|
| Trimethoxyvinylsilane | 220-449-8 | 2768-02-7 | 1 - <3 | Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226) | | 01-2119513215- 52-XXXX |
| Methyl alcohol | 200-659-6 | 67-56-1 | 0.0015 - <0.01 | Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225) | STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10% | 01-2119392409- 28-XXXX |

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

hydrolysis.

Europe - EN Page 2/12

PANELTACK GREY Revision date 15-Mar-2021 Supercedes Date: 14-Mar-2019 **Revision Number** 2

4.2. Most important symptoms and effects, both acute and delayed

None known. **Symptoms**

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon dioxide (CO2). Silicon dioxide.

5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions**

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Advice on safe handling

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

Europe - EN Page 3 / 12

Revision date 15-Mar-2021

Supercedes Date: 14-Mar-2019 Revision Number 2

work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

PANELTACK GREY

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

| Chemical name | European Union |
|----------------|----------------------------|
| Methyl alcohol | TWA: 200 ppm |
| 67-56-1 | TWA: 260 mg/m ³ |
| | * |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | | | | |
|--|----------------|--------------------------------|---------------|--|--|--|
| Trimethoxyvinylsilane (2768 | -02-7) | | | | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor | | | |
| worker Systemic health effects Long term | Inhalation | 27,6 mg/m³ | | | | |
| worker Systemic health effects Long term | Dermal | 3,9 mg/kg bw/d | | | | |

| Methyl alcohol (67-56-1) | | | | | | |
|---|----------------|--------------------------------|---------------|--|--|--|
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | | | |
| Short term Systemic health effects worker | Dermal | 40 mg/kg bw/d | | | | |
| Short term Systemic health effects worker | Inhalation | 260 mg/m³ | | | | |
| Short term Local health effects worker | Inhalation | 260 mg/m³ | | | | |
| Long term Systemic health effects worker | Dermal | 40 mg/kg bw/d | | | | |
| worker Long term Systemic health effects | Inhalation | 260 mg/m³ | | | | |
| Long term | Inhalation | 260 mg/m ³ | | | | |

Europe - EN Page 4/12

PANELTACK GREY

Supercedes Date: 14-Mar-2019

Revision date 15-Mar-2021

Revision Number 2

| Local health effects | | |
|----------------------|--|--|
| worker | | |

| Derived No Effect Level (DN | EL) | | |
|--|----------------|--------------------------------|---------------|
| Trimethoxyvinylsilane (2768 | 3-02-7) | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Systemic health effects Long term | Inhalation | 18,9 mg/m³ | |
| Consumer Systemic health effects Long term | Dermal | 7,8 mg/kg bw/d | |
| Consumer Systemic health effects Long term | Oral | 0,3 mg/kg bw/d | |

| Methyl alcohol (67-56-1) | Methyl alcohol (67-56-1) | | | | | |
|---|--------------------------|--------------------------------|---------------|--|--|--|
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | | | |
| Consumer Short term Systemic health effects | Dermal | 8 mg/kg bw/d | | | | |
| Consumer Short term Systemic health effects | Oral | 8 mg/kg bw/d | | | | |
| Consumer Long term Local health effects | Inhalation | 50 mg/m ³ | | | | |
| Consumer Long term Systemic health effects | Oral | 8 mg/kg bw/d | | | | |
| Consumer Long term Systemic health effects | Inhalation | 50 mg/m ³ | | | | |
| Consumer Long term Systemic health effects | Dermal | 50 mg/kg bw/d | | | | |

Predicted No Effect Concentration No information available. **(PNEC)**

| Predicted No Effect Concentration (PNEC) | |
|--|--|
| Trimethoxyvinylsilane (2768-02-7) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.34 mg/l |
| Marine water | 0.034 mg/l |
| Microorganisms in sewage treatment | 110 mg/l |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

Europe - EN Page 5/12

PANELTACK GREY

Supercedes Date: 14-Mar-2019

Revision date 15-Mar-2021

Revision Number 2

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColourGrey

Odour No information available Odour threshold No information available

Property Values Remarks • Method

pH No data available
pH (as aqueous solution) No data available
Melting point / freezing point No data available
Initial boiling point and boiling No data available

range

Flash point No data available Evaporation rate No data available

Flammability Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Relative vapour density No data available 1.49 - 1.55 Relative density Water solubility Insoluble in water Solubility(ies) No data available **Partition coefficient** No data available No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity No data available

Dynamic viscosity 7000 - 15000 Pa.s @ 20 °C

Explosive propertiesNo data available **Oxidising properties**No data available

9.2. Other information

Solid content (%) No information available

VOC Content (%)

Density 1.50 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Europe - EN Page 6/12

PANELTACK GREY Revision date 15-Mar-2021 Supercedes Date: 14-Mar-2019 **Revision Number** 2

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Protect from moisture. Exposure to air or moisture over prolonged periods. Do not Conditions to avoid

freeze. Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known based on information supplied. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

formed by hydrolysis and released upon curing.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eve contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May be harmful in contact

with skin. May cause sensitisation in susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 4,396.70 mg/kg ATEmix (inhalation-vapour) 624.03 mg/l

Component Information

| Chemical name Oral LD50 | | Dermal LD50 | Inhalation LC50 |
|-------------------------|-------------------------|-----------------------------|-------------------------------|
| Trimethoxyvinylsilane | LD50 = 7120 -7236 mg/kg | = 3360 µL/kg (Oryctolagus | LC50 (4hr) 16.8 mg/l (Rattus) |
| 2768-02-7 | (Rattus) OECD 401 | cuniculus) | OECD TG 403 |
| Methyl alcohol | =2500 mg/kg (Rattus) | 200-1000 mg/kg (Orvctolagus | =22500 ppm (Rattus) 8 h = |

Europe - EN Page 7/12

PANELTACK GREY

Supercedes Date: 14-Mar-2019

Revision date 15-Mar-2021 Revision Number 2

67-56-1 cuniculus) 64000 ppm (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No

classification is proposed, based on conclusive negative data. May cause sensitisation in

susceptible persons.

| Product Information | | | | | | |
|-------------------------|------------|----------------|----------------------------|--|--|--|
| Method | Species | Exposure route | Results | | | |
| OECD Test No. 406: Skin | Guinea pig | Dermal | No sensitisation responses | | | |
| Sensitisation | | | were observed | | | |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

| Chemical name | Algae/aquatic | Fish | Toxicity to | Crustacea | M-Factor | M-Factor |
|-----------------------|---------------|---------------|----------------|------------|----------|-------------|
| | plants | | microorganisms | | | (long-term) |
| Trimethoxyvinylsilane | EC 50 (72h) > | LC50 (96h) = | - | EC50(48hr) | | |
| 2768-02-7 | 957 mg/l | 191 mg/l | | 168.7mg/l | | |
| | (Desmodesmus | (Oncorhynchus | | (Daphnia | | |
| | subspicatus) | mykiss) | | magna) | | |

Europe - EN Page 8/12

PANELTACK GREY

Supercedes Date: 14-Mar-2019

Revision date 15-Mar-2021

Revision Number 2

| | EU Method C.3 | | | | |
|----------------|---------------|------------------|--------------|---|--|
| Methyl alcohol | - | LC50 96 h > | EC50 = 39000 | - | |
| 67-56-1 | | 100 mg/L | mg/L 25 min | | |
| | | (Pimephales | EC50 = 40000 | | |
| | | promelas static) | mg/L 15 min | | |
| | | | EC50 = 43000 | | |
| | | | mg/L 5 min | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

| Component Information | | | | |
|-----------------------------------|---------------|-------|------------------|--|
| Trimethoxyvinylsilane (2768-02-7) | | | | |
| Method | Exposure time | Value | Results | |
| OECD Test No. 301F: Ready | 28 days | BOD | 51 % Not readily | |
| Biodegradability: Manometric | | | biodegradable | |
| Respirometry Test (TG 301 F) | | | | |

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient | Bioconcentration factor (BCF) |
|------------------------------------|-----------------------|-------------------------------|
| Trimethoxyvinylsilane 2768-02-7 | 1.1 | - |
| Methyl alcohol 67-56-1 | -0.77 | 10 |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The product does not contain any substance(s) classified as PBT or vPvB.

| Chemical name | PBT and vPvB assessment | |
|-----------------------|--|--|
| Trimethoxyvinylsilane | The substance is not PBT / vPvB | |
| 2768-02-7 | | |
| Methyl alcohol | The substance is not PBT / vPvB | |
| 67-56-1 | PBT assessment does not apply | |
| | Further information relevant for the PBT assessment is | |
| | necessary | |

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Europe - EN Page 9/12

PANELTACK GREY Revision date 15-Mar-2021 Supercedes Date: 14-Mar-2019 **Revision Number** 2

Handle contaminated packages in the same way as the product itself. Contaminated packaging

according to EWC / AVV

Waste codes / waste designations 15 01 10*: Packaging containing residues of or contaminated by dangerous substances. 16 03 03* inorganic wastes containing hazardous substances. 16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product was used.

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 **European Waste Catalogue**

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards None

14.6 Special Provisions

IMDG

14.1 UN number or ID number Not regulated Not regulated 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Marine pollutant NΡ

14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Europe - EN Page 10/12

PANELTACK GREY

Supercedes Date: 14-Mar-2019

Revision date 15-Mar-2021 Revision Number 2

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

| Chemical name | CAS No | Restricted substance per REACH Annex XVII |
|---|------------|---|
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with | 93925-43-0 | 3 |
| bis(acetyloxy)dioctylstannane | | 20 |
| | | 40 |

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Named dangerous substances per Seveso Directive (2012/18/EU)

| Chemical name | Lower-tier requirements (tons) | Upper-tier requirements (tons) |
|--------------------------|--------------------------------|--------------------------------|
| Methyl alcohol - 67-56-1 | 500 | 5000 |

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

<u>France</u>

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|----------------|------------------|
| Methyl alcohol | RG 84 |
| 67-56-1 | |

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

<u>Netherlands</u>

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Denmark

Registration number(s) (P-no.) No information available

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

Europe - EN Page 11/12

PANELTACK GREY

Supercedes Date: 14-Mar-2019

Revision date 15-Mar-2021

Revision Number 2

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H226 - Flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled H332 - Harmful if inhaled

H370 - Causes damage to organs

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 15-Mar-2021

Indication of changes

Revision note SDS sections updated, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - EN Page 12/12