

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK SL C950 RENOQUICK

Supercedes Date: 06-Nov-2019

Revision Date: 01-Sep-2020 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product NameBOSTIK SL C950 RENOQUICKPure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Cement.
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik SA 420 rue d'Estienne d'Orves 92700 Colombes FRANCE Tel: +33 (0)1 49 00 90 00

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)

2.2. Label Elements

Contains: Cement, portland, chemicals, Flue dust, Cement Portland



Signal word DANGER

Hazard statements

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

BOSTIK SL C950 RENOQUICK

Supercedes Date: 06-Nov-2019

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear protective gloves and eye/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other Hazards

Product dust may be irritating to eyes, skin and respiratory system

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		[4]
Cement, portland, chemicals	266-043-4	65997-15-1	5 - <10	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)		[5]
Quartz (fine fraction)	238-878-4	14808-60-7	0.1- <1	STOT RE 1 (H372)		[4]
Flue dust, Cement Portland	270-659-9	68475-76-3	0.1- <1	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)		01-2119486767- 17-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

BOSTIK SL C950 RENOQUICK

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	Causes serious eye damage. Inhalation of dust in high concentration may cause irritation of respiratory system. Irritating to skin.	
4.3. Indication of any immediate medical attention and special treatment needed		

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.	
Hazardous combustion products	Carbon oxides.	
5.3. Advice for firefighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

Note to doctors

BOSTIK SL C950 RENOQUICK

	required. Avoid generation of dust.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.	
6.3. Methods and material for containment and cleaning up		
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Use personal protective equipment as required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including any incompatibilities	
Storage Conditions	Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
7.3. Specific end use(s)	
Specific Use(s) Cement.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz	TWA: 0.1 mg/m ³
14808-60-7	
Quartz (fine fraction)	TWA: 0.1 mg/m ³
14808-60-7	

BOSTIK SL C950 RENOQUICK

Supercedes Date: 06-Nov-2019

Derived No Effect Level (DNEL) No information available Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC) 8.2. Exposure controls **Engineering controls** Ensure adequate ventilation, especially in confined areas. **Personal Protective Equipment** Eye/face protection Tight sealing safety goggles. Face protection shield. Wear safety glasses with side shields (or goggles). For operations where prolonged or repeated skin contact may occur, impervious gloves Hand protection should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Suitable protective clothing. Apron. Gloves made of plastic or rubber. Avoid contact with Skin and body protection skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact. No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory protection** exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust. **Recommended filter type:** with filter for particulates.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid		
Appearance	Powder		
Colour	Grey		
Odour	Odourless		
Odour threshold	Not applicable		
Property	Values	Remarks	Method
рН	Not applicable 11 - 13		
Melting point / freezing point	Not applicable . °C		
Boiling point / boiling range	. °C		
Flash point	approx °C		
Evaporation rate	Not applicable .		
Flammability (solid, gas)	No data available		
Flammability Limit in Air			
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Relative density	1.4		
Water solubility	Partially soluble Cement based		
	products react and solidify in contact with water		
Solubility(ies)	No data available		
Partition coefficient	No data available		
Autoignition temperature	No data available		
Decomposition temperature			
Kinematic viscosity	Not applicable . mm ² /s		
Dynamic viscosity	Not applicable .		

BOSTIK SL C950 RENOQUICK Supercedes Date: 06-Nov-2019 Revision Date: 01-Sep-2020 Revision Number 3

Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information Solid content (%) Softening Point VOC Content (%) Density

100 Not relevant No information available No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.
10.3. Possibility of hazardous read	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture.
10.5. Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.
10.6. Hazardous decomposition pr	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Causes serious eye damage.
Skin contact	May cause irritation. May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

BOSTIK SL C950 RENOQUICK

Supercedes Date: 06-Nov-2019

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Redness. Burning. May cause blindness. Itching. Rashes. Hives.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rattus)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

12.2. Persistence and degradability

Persistence and degradability No information available.

.

BOSTIK SL C950 RENOQUICK

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz	-	0
14808-60-7		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. .

Chemical name	PBT and vPvB assessment
Flue dust, Cement Portland	PBT assessment does not apply
68475-76-3	

12.6. Other adverse effects

Other adverse effects

.

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 $$
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None
IMDG 14.1 UN number 14.2 Proper Shipping Name 14.3 Transport hazard class(es)	Not regulated Not regulated Not regulated

BOSTIK SL C950 RENOQUICK Supercedes Date: 06-Nov-2019

14.4 Packing group	Not regulated	
14.5 Marine pollutant	Np	
14.6 Special Provisions	None	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable		

Air t	ransport (ICAO-TI / IATA-DGR	<u>)</u>
14.1	UN number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Cement, portland, chemicals	65997-15-1	47

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

BOSTIK SL C950 RENOQUICK

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Quartz 14808-60-7	RG 25
Cement, portland, chemicals 65997-15-1	RG 8,RG 10 RG 8
Quartz (fine fraction) 14808-60-7	RG 25

Germany____

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands
Quartz 14808-60-7	Present (respirable dust, crystalline)
Quartz (fine fraction) 14808-60-7	Present (respirable dust, crystalline)

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H372 Causes damage to organs through prolonged or repeated exposure

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By

Product Safety & Regulatory Affairs

BOSTIK SL C950 RENOQUICK Supercedes Date: 06-Nov-2019

Revision Date:	01-Sep-2020
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet