

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BOSTIK STIX A790 ELASTIC ECO+
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive. Dispersion.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH
An der Bundesstrasse 16
33829 Borgholzhausen, Germany
Tel: +49 (0) 5425 / 801 0
Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650
Ireland +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

| | |
|---------------------------|---------------------|
| Skin sensitisation | Category 1 - (H317) |
|---------------------------|---------------------|

2.2. Label Elements

Contains: 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT], reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



Signal word
WARNING

Hazard statements
H317 - May cause an allergic skin reaction.

Precautionary statements

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

P102 - Keep out of reach of children.
P261 - Avoid breathing vapours/spray.
P280 - Wear protective gloves.
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.
P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other Hazards

No information available

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture

3.2. Mixtures Mixtures

| Chemical name | EC No | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH Registration Number |
|------------------------------------|-----------|------------|----------------|---|------------------------------------|---------------------------|
| Quartz | 238-878-4 | 14808-60-7 | 10 - <20 | ^ | | [4] |
| Quartz (fine fraction) | 238-878-4 | 14808-60-7 | 0.1 - <1 | STOT RE 1 (H372) | | [4] |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 220-120-9 | 2634-33-5 | 0.01 - <0.05 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) (M Factor Acute =1) | Skin Sens. 1 :: C>=0.05% | 01-2120761540-60-XXXX |
| 2-methyl-2H-isothiazol-3-one [MIT] | 220-239-6 | 2682-20-4 | 0.0015 - <0.01 | Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) | Skin Sens. 1 :: C>=0.0015% | 01-2120764690-50-xxxx |

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

| | | | | | | |
|--|-----------|------------|---------|--|---|-----------------------|
| | | | | Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute =10) | | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 611-341-5 | 55965-84-9 | <0.0015 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 100 M Factor Chronic = 100 | Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1B :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015% | 01-2120764691-48-XXXX |

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|-----------------------|--|
| General advice | If medical advice is needed, have product container or label at hand. |
| Inhalation | Remove to fresh air. If symptoms persist, call a doctor. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention. |
| Skin contact | Wash with soap and water. In the case of skin irritation or allergic reactions see a doctor. |
| Ingestion | Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supercedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating and toxic gases and vapours. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing.

General hygiene considerations Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

Storage Conditions Keep from freezing. Keep at temperatures between 10 and 30 °C. Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific Use(s)
Adhesive. Dispersion.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product

| Chemical name | European Union | Ireland | United Kingdom |
|--------------------------------------|----------------------------|---|---|
| Quartz 14808-60-7 | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ |
| Limestone 1317-65-3 | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ |
| Sodium hydroxide 1310-73-2 | - | STEL: 2 mg/m ³ | STEL: 2 mg/m ³ |
| Quartz (fine fraction) 14808-60-7 | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ |

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)

Quartz (14808-60-7)

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

| | |
|--------------------------------|--|
| Type | worker Long term Systemic health effects |
| Exposure route | Inhalation |
| Derived No Effect Level (DNEL) | 6.81 mg/m ³ |

| | |
|--------------------------------|--|
| Type | worker Long term Systemic health effects |
| Exposure route | Dermal |
| Derived No Effect Level (DNEL) | 0.966 mg/kg bw/d |

Derived No Effect Level (DNEL)

Quartz (fine fraction) (14808-60-7)

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)

| | |
|--------------------------------|--|
| Type | Consumer Long term Systemic health effects |
| Exposure route | Inhalation |
| Derived No Effect Level (DNEL) | 1.2 mg/m ³ |

| | |
|--------------------------------|--|
| Type | Consumer Long term Systemic health effects |
| Exposure route | Dermal |
| Derived No Effect Level (DNEL) | 0.345 mg/kg bw/d |

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

Predicted No Effect Concentration (PNEC) No information available.

| Predicted No Effect Concentration (PNEC) | |
|---|--|
| Quartz (fine fraction) (14808-60-7) | |
| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 4.03 µg/l |
| Marine water | 0.403 µg/l |
| Sewage treatment plant | 1.03 mg/l |
| Freshwater sediment | 49.9 µg/l |
| Marine sediment | 4.99 µg/l |
| Soil | 3 mg/kg dry weight |

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Use with local exhaust ventilation, in the case of spray application.

Personal Protective Equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

Hand protection

Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use: Neoprene™. Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Skin and body protection

Suitable protective clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas. During spraying wear suitable respiratory equipment. Wear a respirator conforming to EN 140 with Type A/P2 filter or better.

Recommended filter type:

Brown, White.

Environmental exposure controls Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance No information available
Colour White Beige
Odour Characteristic
Odour threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|------------------------------|-------------------------|
| pH | 6 - 9 | |
| Melting point / freezing point | No data available | |
| Boiling point / boiling range | 100 °C | |
| Flash point | Not applicable . | |
| Evaporation rate | No data available | |
| Flammability (solid, gas) | Not applicable for liquids . | |
| Flammability Limit in Air | | |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

| | |
|---------------------------|-------------------|
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | 1.1 - 1.3 |
| Water solubility | Miscible in water |
| Solubility(ies) | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Decomposition temperature | No data available |
| Kinematic viscosity | No data available |
| Dynamic viscosity | No data available |
| Explosive properties | No data available |
| Oxidising properties | No data available |

9.2. Other information

| | |
|-------------------|-----------------------------|
| Solid content (%) | No information available |
| VOC Content (%) | No information available |
| Density | 1.1 - 1.3 g/cm ³ |

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Not applicable.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep from freezing.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 10,567.20 mg/kg

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------------|---|-------------------------|
| Quartz 14808-60-7 | >2000 mg/kg (Rattus) | | |
| Quartz (fine fraction) 14808-60-7 | >2000 mg/kg (Rattus) | | |
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | =670 mg/kg (Rattus) | LD50 > 2000 mg/kg (Rattus) | |
| 2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4 | LD50 =285 mg/Kg (Rattus) | LD50 >242 mg/Kg (Rattus) | =0.11 mg/L (Rattus) 4 h |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol 1-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | =53 mg/kg (Rattus) | LD50 = 87.12 mg/kg (Oryctolagus cuniculus) | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

| Component Information | | | |
|--|------------|----------------|-------------|
| 2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4) | | | |
| Method | Species | Exposure route | Results |
| OECD Test No. 406: Skin Sensitisation | Guinea pig | Dermal | Sensitizing |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to Micro-organisms | Crustacea | M-Factor | M-Factor (long-term) |
|--|---|--|-----------------------------|--|----------|----------------------|
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | EC50 3Hr 13mg/l (activated sludge) (OECD 209) | LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006 | - | EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 | 1 | 1 |
| 2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4 | EC50 (72hr) 0.157 mg/l (Pseudokirchneriella subcapitata) (OECD 201) | EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203 | - | EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202) | 10 | 1 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | EC50 (72h) =0.048 mg/L (Pseudokirchneriella subcapitata) (OECD 201) | EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211) | - | EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202) | 100 | 100 |

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information

2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

| Method | Exposure time | Value | Results |
|---|---------------|--------------------------|--------------------------------|
| OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems | | Half-life | 1.28-2.1 days |
| OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test | | biodegradation Half-life | Readily biodegradable 4.1 days |

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

| Chemical name | Partition coefficient | Bioconcentration factor (BCF) |
|---|-----------------------|-------------------------------|
| Quartz 14808-60-7 | - | 0 |
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | 0.7 | 6.95 |
| 2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4 | -0.32 | 3.16 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | - | 3.16 |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or vPvB. .

| Chemical name | PBT and vPvB assessment |
|---|---------------------------------|
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | The substance is not PBT / vPvB |
| 2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4 | The substance is not PBT / vPvB |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | The substance is not PBT / vPvB |

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

Other information Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN Number Not regulated

14.2 Proper Shipping Name Not regulated

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

14.3 Transport hazard class(es) Not regulated
14.4 Packing Group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special Provisions None

IMDG

14.1 UN number Not regulated
14.2 Proper Shipping Name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine Pollutant Np
14.6 Special Provisions None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number Not regulated
14.2 Proper Shipping Name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supercedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed
H302 - Harmful if swallowed
H310 - Fatal in contact with skin
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H330 - Fatal if inhaled
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects

Legend

| | |
|---------|---|
| TWA | TWA (time-weighted average) |
| STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Ceiling Limit Value |
| * | Skin designation |
| SVHC | Substance(s) of Very High Concern |
| PBT | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals |
| vPvB | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure |
| STOT SE | Specific target organ toxicity - Single exposure |
| EWC | European Waste Catalogue |

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 23-Apr-2020

Indication of changes

Revision note SDS sections updated, 3, 8, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

SAFETY DATA SHEET

BOSTIK STIX A790 ELASTIC ECO+
Supersedes Date: 14-Nov-2019

Revision date 23-Apr-2020
Revision Number 1.02

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet