

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021

Revision date 21-Apr-2022 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK H910 SUPERGRIP FAST CURE WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Europe 11.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

EUH210 - Safety data sheet available on request

United Kingdom - BE Page 1/14

Revision date 21-Apr-2022

Revision Number 1.01

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Carbonic acid, calcium salt (1:1)	207-439-9	471-34-1	>25 - <40	[C]	-	01-2119486795- 18-XXXX
Silica, amorphous	231-545-4	7631-86-9	1 - <5	[B]	-	01-2119379499- 16-XXXX
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <3	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	[C]	-	01-2119489379- 17-XXXX
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1 - <1	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-	01-2119537297- 32-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

United Kingdom - BE Page 2 / 14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021

Eve contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

Revision date 21-Apr-2022

Revision Number 1.01

hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

in eyes, on skin, or on clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containmentDo not scatter spilled material with high pressure water streams.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

United Kingdom - BE Page 3/14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Revision date 21-Apr-2022

Revision Number 1.01

6.4. Reference to other sections

Supercedes Date: 24-Sep-2021

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection equipment. Avoid contact with

skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep at temperatures between 5 and 35 °C. Keep away from

food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific use(s)

Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing This product contains titanium dioxide in a non-respirable form. Inhalation of

titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Silica, amorphous	TWA: 0.1 mg/m ³	TWA: 6 mg/m ³
7631-86-9		TWA: 2.4 mg/m ³
		TWA: 0.1 mg/m ³
		STEL: 18 mg/m ³
		STEL: 7.2 mg/m ³
		STEL: 0.3 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm
		STEL: 333 mg/m ³
		Sk*
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m³

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

United Kingdom - BE Page 4 / 14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021

Revision date 21-Apr-2022 Revision Number 1.01

Derived No Effect Level (DN	EL)		
Trimethoxyvinylsilane (2768			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects	Inhalation	27,6 mg/m³	
Long term worker Systemic health effects	Dermal	3,9 mg/kg bw/d	
Long term			
Titanium dioxide (13463-67-7	7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m³	
			•
Bis(2,2,6,6-tetramethyl-4-pip			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Short term Long term Systemic health effects	Inhalation	2.82 mg/m³	
worker Long term Systemic health effects	Dermal	1.6 mg/kg	
Derived No Effect Level (DN			
Trimethoxyvinylsilane (2768		<u> </u>	
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	
		<u>'</u>	_
Titanium dioxide (13463-67-7 Type	Exposure route	Derived No Effect Level	Safety factor
Consumer Long term	Oral	(DNEL) 700 mg/kg bw/d	
	Oral		
Long term Systemic health effects		700 mg/kg bw/d	
Long term		700 mg/kg bw/d	Safety factor
Long term Systemic health effects Bis(2,2,6,6-tetramethyl-4-pip	eridyl) sebacate (52829-07-	700 mg/kg bw/d -9) Derived No Effect Level	Safety factor
Long term Systemic health effects Bis(2,2,6,6-tetramethyl-4-pip Type Consumer	eridyl) sebacate (52829-07- Exposure route	700 mg/kg bw/d -9) Derived No Effect Level (DNEL)	Safety factor

United Kingdom - BE Page 5 / 14

Revision date 21-Apr-2022

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021 **Revision Number** 1.01

Predicted No Effect Concentration No information available.

(PNEC)

Predicted No Effect Concentration (PNEC)						
Trimethoxyvinylsilane (2768-02-7)						
Environmental compartment	Predicted No Effect Concentration (PNEC)					
Freshwater	0.34 mg/l					
Marine water	0.034 mg/l					
Microorganisms in sewage treatment	110 mg/l					

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls**

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

None under normal use conditions.

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Paste **Appearance** Colour White

Odour No information available. **Odour threshold** No information available

Remarks • Method Property Values

No data available Melting point / freezing point None known Initial boiling point and boiling No data available None known

range

Flammability No data available None known

United Kingdom - BE Page 6/14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available limits

> 60 °C Flash point Autoignition temperature No data available

None known **Decomposition temperature** None known

No data available None known pН pH (as aqueous solution) No data available None known Kinematic viscosity > 21 mm²/s None known

Dynamic viscosity No data available Water solubility No data available

Insoluble in water No data available

Revision date 21-Apr-2022

Revision Number 1.01

Solubility(ies) None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available No data available None known **Bulk Density**

> **Density** 1.56

Relative vapour densityNo data available None known

Particle characteristics

Particle Size No information available No information available **Particle Size**

Distribution

None known

9.2. Other information

VOC Content (%)

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Product cures with moisture. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

United Kingdom - BE Page 7/14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021 Revision Number 1.01

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

Revision date 21-Apr-2022

curing.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation

in susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 377.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt	LD50 > 2000 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	LC50 (4h) >3mg/ml (Rattus)
(1:1)	OECD 420	OECD 402	
Silica, amorphous	=7900 mg/kg (Rattus)	> 5000 mg/kg (Oryctolagus cuniculus)	>2.2 mg/L (Rattus) 1 h
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m ³ (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant

United Kingdom - BE Page 8 / 14

BOSTIK H910 SUPERGRIP FAST CURE WHITE
Supercedes Date: 24-Sep-2021
Revision date 21-Apr-2022
Revision Number 1.01

Acute Dermal							
Irritation/Corrosion							
Bis(2,2,6,6-tetramethyl-4-		sebacate	(52829-07-9)	I=44			T
Method	Species		Exposure route	Effective dose	Exposur	e time	Results
OECD Test No. 404:	Rabbit		Dermal				Non-irritant
Acute Dermal							
Irritation/Corrosion							
Serious eye damage/eye		Based	on available data, th	e classification crite	eria are not	met.	
Trimethoxyvinylsilane (27)			Evnocuro routo	Effective dose	Evnosur	o timo	Populto
OECD Test No. 405:	Species		Exposure route	Effective dose	Exposur	e time	Results
	Rabbit		eye		24 hours		Non-irritant
Acute Eye							
Irritation/Corrosion							
Titanium dioxide (13463-6	67-7)						
Method	Species		Exposure route	Effective dose	Exposur	e time	Results
OECD Test No. 405:	Rabbit		Eye				Non-irritant
Acute Eye			-				
Irritation/Corrosion							
Bis(2,2,6,6-tetramethyl-4-		sebacate	(52829-07-9)	I=44			T
Method	Species		Exposure route	Effective dose	Exposur	e time	Results
OECD Test No. 405:	Rabbit		eye				Eye Damage
Acute Eye							
Irritation/Corrosion							
Method			ible persons.	Exposure route	Tiegative a	Results	cause sensitisation ir
OECD Test No. 406: Skin)	Guinea p	nia	Dermal			sitisation responses
Sensitisation	'	Currea	719	Demia		were ob	•
						1	00.700
Trimethoxyvinylsilane (27	68-02-7)						
Method		Species		Exposure route		Results	1
OECD Test No. 406: Skin)	Guinea pig		Dermal		sensitising	
Sensitisation, Buehler tes	it						
Titonium diavide (40,400.0	27 7\						
Titanium dioxide (13463-6	01-1)	Species		Evnosuro resita		Results	
OECD Test No. 406: Skin	`			Exposure route Dermal			kin sensitiser
Sensitisation	l	Guinea p	ng	Demiai		INOL a SK	an sensiusei
OECD Test No. 429: Skin	`	Mouse		Dermal		Not a cl	in sensitiser
Sensitisation: Local Lymp		Mouse		Demiai		INOL a SK	an sensiusei
Assay	ii Noue						
, way		1				ı	
Bis(2,2,6,6-tetramethyl-4-	piperidyl) s	sebacate	(52829-07-9)				
Method		Species		Exposure route		Results	
OECD Test No. 406: Skin)	Guinea p	pig			No sens	itisation responses
Sensitisation						were ob	
Germ cell mutagenicity		Based o	on available data, th	e classification crite	eria are not	met.	
Component Information							
Trimethoxyvinylsilane (27	~~ ~~ ~,						
	68-02-7)		Cnosis-		Desuit-		
Method	68-02-7)		Species		Results		

United Kingdom - BE Page 9 / 14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021

Revision date 21-Apr-2022 Revision Number 1.01

OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated	Rat	Not Classifiable
Dose Toxicity Study with the		
Reproduction/Developmental Toxicity		
Screening Test		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	reproductive toxicant
Toxicity Study		

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	-	EC50 48H Daphnia >1000 mg/l		
Silica, amorphous	EC50:	LC50:	-	EC50:		

United Kingdom - BE Page 10 / 14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021

Revision date 21-Apr-2022 Revision Number 1.01

7631-86-9	=440mg/L (72h, Pseudokirchneri ella subcapitata)	(,		=7600mg/L (48h, Ceriodaphnia dubia)	
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	1	EC50(48hr) 168.7mg/l (Daphnia magna)	
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	1	-	
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchner ella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	-	LC50 48Hr 8.58 mg/l (Daphnia magna)	

12.2. Persistence and degradability

Persistence and degradability

No information available.

Silica, amorphous (7631-86-9)

Method	Exposure time	Value	Results
			The methods for determining
			biodegradability are not
			applicable to inorganic
			substances

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation	28 days	Total organic carbon (TOC)	24 % Moderate
Test - Aerobic Sewage Treatment			
A: Activated Sludge Units; B:			
Biofilms			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Carbonic acid, calcium salt (1:1)	The substance is not PBT / vPvB PBT assessment does	

United Kingdom - BE Page 11 / 14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Revision date 21-Apr-2022 Supercedes Date: 24-Sep-2021 **Revision Number** 1.01

	not apply
Silica, amorphous	The substance is not PBT / vPvB PBT assessment does
	not apply
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards 14.6 Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group

14.5 Marine pollutant NP 14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

United Kingdom - BE Page 12/14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021 Revision Number 1.01

Revision date 21-Apr-2022

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure

United Kingdom - BE Page 13/14

BOSTIK H910 SUPERGRIP FAST CURE WHITE

Supercedes Date: 24-Sep-2021 Revision Number 1.01

Revision date 21-Apr-2022

STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 21-Apr-2022

Indication of changes

Revision note SDS sections updated, 2, 3, 8, 9, 11.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 14/14