

Category 3 - (H412)

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK STIX A300 MULTI FLOOR Supercedes Date: 15-Dec-2020

Revision date 02-Sep-2021 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Name Pure substance/mixture

BOSTIK STIX A300 MULTI FLOOR Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended useAdhesive.Uses advised againstNone known

1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

 1.4. Emergency telephone number

 United Kingdom
 +4

 Ireland
 +3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity

2.2. Label elements

Signal word None

Hazard statements

H412 - Harmful to aquatic life with long lasting effects.

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P101 - If medical advice is needed, have product container or label at hand

- P273 Avoid release to the environment
- P501 Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Toxic to aquatic life.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no

BOSTIK STIX A300 MULTI FLOOR

Supercedes Date: 15-Dec-2020

substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Dodecanoic acid, monoester with 1,2-propanediol	248-315-4	27194-74-7	0.1 - <1	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute = 10)		01-2120767955- 35-xxxx
Quartz	238-878-4	14808-60-7	0.1 - <1	^		[4]
Diethanolamine	203-868-0	111-42-2	0.1 - <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT RE 2 (H373) Repr. 2 (H361fd) Aquatic Chronic 3 (H412)		01-2119488930- 28-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - <0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) M Factor Acute =1	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	Eye Dam. 1 :: C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

BOSTIK STIX A300 MULTI FLOOR Supercedes Date: 15-Dec-2020

Revision date 02-Sep-2021 Revision Number 3

Aquatic Acute 1 (H400)	
Aquatic Chronic	
1 (H410)	
M Factor Acute =	
100	
M Factor Chronic	
= 100	

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures				
4.1. Description of first aid measu	res			
General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.			
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.			
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.			
4.2. Most important symptoms and	d effects, both acute and delayed			
Symptoms	No information available.			
4.3. Indication of any immediate m	nedical attention and special treatment needed			
4.3. Indication of any immediate m Note to doctors	nedical attention and special treatment needed Treat symptomatically.			
	Treat symptomatically.			
Note to doctors	Treat symptomatically.			
Note to doctors SECTION 5: Firefighting me	Treat symptomatically.			
Note to doctors SECTION 5: Firefighting me 5.1. Extinguishing media	Treat symptomatically. asures Use extinguishing measures that are appropriate to local circumstances and the			
Note to doctors SECTION 5: Firefighting me <u>5.1. Extinguishing media</u> Suitable Extinguishing Media	Treat symptomatically. asures Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available.			
Note to doctors SECTION 5: Firefighting me 5.1. Extinguishing media Suitable Extinguishing Media Unsuitable extinguishing media	Treat symptomatically. asures Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available.			

BOSTIK STIX A300 MULTI FLOOR

Supercedes Date: 15-Dec-2020

5.3. Advice for firefighters

Special protective equipment and	Firefighters should wear self-contained breathing apparatus and full firefighting turnout
precautions for fire-fighters	gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	Ensure adequate ventilation.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.
Recommended storage temperature	Keep at temperatures between 5 and 35 °C. Keep at temperatures between 2 and 10 °C.
7.3. Specific end use(s)	
Specific use(s) Adhesive.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
	ols/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³

BOSTIK STIX A300 MULTI FLOOR

Revision date 02-Sep-2021 Revision Number 3

		STEL: 12 mg/m ³
Quartz	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	-	-

Derived No Effect Level (DNEL) No

No information available

Derived No Effect Level (DNEL) Quartz (14808-60-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	6.81 mg/m³		
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d		

Derived No Effect Level (DNEL)				
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m ³		
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d		

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)			
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	4.03 µg/l		
Marine water	0.403 µg/l		
Sewage treatment plant	1.03 mg/l		
Freshwater sediment	49.9 µg/l		
Marine sediment	4.99 µg/l		
Soil	3 mg/kg dry weight		

8.2. Exposure controls

Engineering controlsEnsure adequate ventilation, especially in confined areas.Personal protective equipment
Eye/face protection
Skin and body protection
Respiratory protectionWear safety glasses with side shields (or goggles). Avoid contact with eyes.
Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.
During spraying wear suitable respiratory equipment.Environmental exposure controlsLocal authorities should be advised if significant spillages cannot be contained. Do not
allow into any sewer, on the ground or into any body of water. Prevent product from
entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

BOSTIK STIX A300 MULTI FLOOR Supercedes Date: 15-Dec-2020

Physical state	Liquid	
Appearance	Viscous	
Colour	Off-white	
Odour	Slight	
Odour threshold	No information available	
Property	Values	Remarks • Method
pH	7.8 - 8.8	
pH (as aqueous solution)	No data available	
Melting point / freezing point	0 °C	
Initial boiling point and boiling	No data available	
range		
Flash point	> 100 °C	
Evaporation rate	No data available	
Flammability	Not applicable for liquids .	
Flammability Limit in Air	Not applicable for liquids .	
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapour pressure	No data available	
Relative vapour density	No data available	
Relative density	No data available	
Water solubility	Miscible in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	36000 - 44000 mPa s	Spindle A6 @ 20 rpm @ 23 °C
Explosive properties	No data available	
Oxidising properties	No data available	
9.2. Other information		
Solid content (%)	77.25	
VOC Content (%)	-	
Density	1.27 - 1.37 g/cm ³	
,		

SECTION 10: Stability and reactivity

10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	

10.4. Conditions to avoid

BOSTIK STIX A300 MULTI FLOOR Supercedes Date: 15-Dec-2020

Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition	products
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
SECTION 11: Toxicologica	al information
11.1. Information on toxicologic	al effects
Information on likely routes of e	xposure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physic	al, chemical and toxicological characteristics
Symptoms	No information available.
Numerical measures of toxicity	_

Acute toxicity The following values are calculated based on chapter 3.1 of the GHS document ATEmix (dermal) 14,292.90 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dodecanoic acid, monoester with 1,2-propanediol 27194-74-7	>2000 mg/Kg (rattus)	= 2000 mg/kg (Rat)	
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
Diethanolamine 111-42-2	LD50 = 1600 mg/kg (Rattus) OECD 401	= 8380 mg/kg (Oryctolagus cuniculus)	
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

BOSTIK STIX A300 MULTI FLOOR Supercedes Date: 15-Dec-2020

Revision date 02-Sep-2021 Revision Number 3

Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT - single exposure	Based on available data, the classification criteria are not met.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2. Information on other haz	ards	
11.2.1. Endocrine disrupting properties		
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Dodecanoic acid,	EC50: 0.068	LC50 >3.1 mg/l :	-	EC50 0.6 mg/l	10	
monoester with	mg/l	OECD 203		(daphnia		
1,2-propanediol	Pseudokirchneri			magna) OECD		
27194-74-7	ella subcapitata			202		
Diethanolamine	EC50 (72) >=	LC50 (96h) =	-	EC50 48 h =		
111-42-2	2.7 - 19 mg/l	460 mg/l		30.1 mg/L		
	(Pseudokirchner	(Oncorhynchus		(Daphnia magna		
	iella	mykiss))		
	subcapitata)					
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr)	-	EC50(48hr) 2.94	1	
H)-one [BIT]	13mg/l	2.15 mg/l		mg/l (Daphnia		
2634-33-5	(activated	Cyprinodon		Magna) OECD		
	sludge) (OECD	variegatus EPA		202		
	209)	540/9-85-006				

BOSTIK STIX A300 MULTI FLOOR Supercedes Date: 15-Dec-2020

reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella	mykiss) (OECD		202)		
3-one (3:1)	subcapitata)	211)				

12.2. Persistence and degradability

[C(M)IT/MIT]

55965-84-9

Persistence and degradability No information available.

(OECD 201)

Component Information			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]			
(55965-84-9)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution			
Test (TG 301 B)			

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Dodecanoic acid, monoester with 1,2-propanediol 27194-74-7	1.9	-
Quartz 14808-60-7	-	0
Diethanolamine 111-42-2	-2.18	9.2
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	0.7	6.95
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	-	3.16

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Dodecanoic acid, monoester with 1,2-propanediol	The substance is not PBT / vPvB
27194-74-7	
Diethanolamine	The substance is not PBT / vPvB
111-42-2	
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
2634-33-5	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
55965-84-9	

BOSTIK STIX A300 MULTI FLOOR Supercedes Date: 15-Dec-2020

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special Provisions	None	
<u>IMDG</u>		
14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special Provisions	None	
14.7 Transport in bulk according	to Annex II of MARPOL and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number Not regulated

14.1		Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

BOSTIK STIX A300 MULTI FLOOR

Supercedes Date: 15-Dec-2020

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

15.2. Chemical safety assessment

Exposure scenario

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

Legend

TWA TWA STEL STEL

TWA (time-weighted average) STEL (Short Term Exposure Limit)

BOSTIK STIX A300 MULTI FLOOR

Supercedes Date: 15-Dec-2020

Revision date 02-Sep-2021 Revision Number 3

Ceiling * SVHC PBT vPvB STOT RE STOT SE EWC	Ceiling Limit Value Skin designation Substance(s) of Very High Concern Persistent, Bioaccumulative, and Toxic (PBT) Chemicals Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure European Waste Catalogue
Key literature references and No information available	d sources for data
Prepared By	Product Safety & Regulatory Affairs
Revision date	02-Sep-2021
Indication of changes	
Revision note	SDS sections updated: 2, 3.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet