

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK TECHNIS C910 MIX

Supercedes Date: 07-Aug-2019

Revision date 07-Aug-2019 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name Pure substance/mixture BOSTIK TECHNIS C910 MIX Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against

Building and construction work. Cement. Fillers, putties, plasters, modelling clay. None known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik GmbH An der Bundesstrasse 16 33829 Borgholzhausen, Germany Tel: +49 (0) 5425 / 801 0 Fax: +49 (0) 5425 / 801 140

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone United Kingdom Ireland

+44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

2.2. Label Elements

Contains: Cement, portland, chemicals (Chromium VI reduced), Flue dust, Cement Portland



Signal word DANGER

Hazard statements H315 - Causes skin irritation H318 - Causes serious eye damage

BOSTIK TECHNIS C910 MIX

Supercedes Date: 07-Aug-2019

H335 - May cause respiratory irritation

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

2.3. Other Hazards

Product dust may be irritating to eyes, skin and respiratory system

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture

Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Cement, portland, chemicals (Chromium VI reduced)	266-043-4	65997-15-1	40 - <80	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		No data available
Flue dust, Cement Portland	270-659-9	68475-76-3	1 - <5	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		01-2119486767- 17-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

BOSTIK TECHNIS C910 MIX

Supercedes Date: 07-Aug-2019

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures **General advice** If medical advice is needed, have product container or label at hand. Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist. Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get Skin contact medical advice/attention. Ingestion Do NOT induce vomiting. Clean mouth with water. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section Self-protection of the first aider 8) 4.2. Most important symptoms and effects, both acute and delayed Symptoms Causes serious eye damage. Inhalation of dust in high concentration may cause irritation of respiratory system. Irritating to skin. 4.3. Indication of any immediate medical attention and special treatment needed Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures 5.1. Extinguishing media Use extinguishing agent suitable for type of surrounding fire. Suitable extinguishing media Unsuitable extinguishing media Full water jet. 5.2. Special hazards arising from the substance or mixture Specific hazards arising from the Product itself does not burn. chemical Hazardous combustion products None. 5.3. Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary. Special protective equipment for fire-fighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

BOSTIK TECHNIS C910 MIX Supercedes Date: 07-Aug-2019

Personal precautions	Avoid generation of dust. Do not breathe dust. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage Conditions	Keep the packing dry and well sealed to prevent contamination and absorption of humidity. After absorption of moisture or exceeding the shelf life the reducing agent for chromate will lose its efficiency and sensitisation by skin contact may occur.
7.3. Specific end use(s)	
Specific Use(s) Building and construction work. Cem	ent. Fillers, putties, plasters, modelling clay.
Pick Management Methods (PMM)	The information required is contained in this Safety Data Sheet

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Cement, portland, chemicals	-	TWA: 1 mg/m ³	TWA: 10 mg/m ³
(Chromium VI reduced)		STEL: 3 mg/m ³	TWA: 4 mg/m ³
65997-15-1		-	STEL: 30 mg/m ³
			STEL: 12 mg/m ³
Quartz	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³

BOSTIK TECHNIS C910 MIX

Supercedes Date: 07-Aug-2019

14808-60-7	
Calcium sulfate	- TWA: 10 mg/m ³ -
7778-18-9	STEL: 30 mg/m ³
Derived No Effect Level (DNEL)	No information available
Predicted No Effect Concentrat (PNEC)	ion No information available.
8.2. Exposure controls	
Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipm Eye/face protection	ent Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear protective nitrile rubber gloves. Glove thickness > 0.7mm. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Unsuitable gloves materials:. Leather.
Skin and body protection Respiratory protection	Wear suitable protective clothing. Avoid generation of dust. In case of insufficient ventilation, wear suitable respiratory equipment. Particle filter device (DIN EN 143).
Recommended filter type:	High efficiency particulate air filter.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold	Solid Powder Grey Characteristic Slight No information available	
Property_	<u>Values</u>	Remarks • Method
pH	> 11	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	No data available	Not applicable
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	No data available	
Water solubility	Cement based products react and	
	solidify in contact with water	
Solubility(ies)	No data available	
Partition coefficient	No data available	

BOSTIK TECHNIS C910 MIX Supercedes Date: 07-Aug-2019 Revision date 07-Aug-2019 Revision Number 1

Autoignition temperature	
Decomposition temperature	
Kinematic viscosity	
Dynamic viscosity	
Explosive properties	
Oxidising properties	
9.2 Other information	

9.2. Other information Solid content (%) Softening Point Molecular weight VOC Content (%) Density Bulk density No data available No data available

100 No information available No information available No information available No information available 1.4 - 1.5 g/cm³

SECTION 10: Stability and re	eactivity
10.1. Reactivity	
Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion Data Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture.
10.5. Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.
10.6. Hazardous decomposition pr	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	information

SECTION 11: Toxicological information

11.1. Information on toxicological effects Information on likely routes of exposure Product Information . Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system. Eye contact Causes serious eye damage. Skin contact Causes skin irritation.

United Kingdom, Ireland - BE

BOSTIK TECHNIS C910 MIX Supercedes Date: 07-Aug-2019

	_
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.
Numerical measures of toxicity	
Acute Toxicity	
The following values are calculated	d based on chapter 3.1 of the GHS document
Delayed and immediate effects as a	well as chronic effects from short and long-term exposure
-	
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
SECTION 12: Ecological info	ormation
12.1. Toxicity	
Ecotoxicity	
12.2. Persistence and degradability	
Persistence and degradability	No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

BOSTIK TECHNIS C910 MIX

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

. The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Flue dust, Cement Portland 68475-76-3	PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not applicable None	
IMDG 14.1 UN number	Not regulated	
14.1 ON Humber 14.2 Proper Shipping Name	Not regulated Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine Pollutant	Np	
14.6 Special Provisions	None	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available		

regulated

Air transp	<u>ort (ICAO-TI / IA</u>	<u>TA-DGR)</u>
14.1 UN n	lumber	Not

14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable

BOSTIK TECHNIS C910 MIX

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	item 47

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

BOSTIK TECHNIS C910 MIX Supercedes Date: 07-Aug-2019 Revision date 07-Aug-2019 Revision Number 1

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend SECTION 8: Exposure controls/personal protection STEL STEL (Short Term Exposure Limit) TWA TWA (time-weighted average) Maximum limit value Ceiling Skin designation PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure EWC: European Waste Catalogue Key literature references and sources for data No information available Product Safety & Regulatory Affairs **Prepared By** 07-Aug-2019 **Revision** date

Revision date	07-Aug-2013
Indication of changes	
Revision note	SDS sections updated, 4, 5, 6, 7, 8.
Training Advice	No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet