

BOSTIK K11 SLURRY GREY

Version 1

Revision Date 29-Jun-2016 Supersedes Date: No information available

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name BOSTIK K11 SLURRY GREY

Pure substance/mixture mixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives.

Uses Advised Against No information available.

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik (Shanghai) Management Co., Ltd

Building 1, No.968 Guanghua Road, Minhang District

Shanghai, China Tel: 021-60763101 Fax: 021-60763133 **Manufacturer**

Bostik India Private Ltd 124/1 & 124/2A

Kachanayakanahalli

Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post,

Anekal Taluk

Bangalore - 562106, Karnataka,

INDĬA

Tel: 0091-80-27833520 Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

Please refer to Section 16 for local affiliate addresses.

1.4. Emergency Telephone Number

Emergency Telephone 0532-8388 9090 (China only)

E-mail address SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 1 (8.3A)
Skin sensitization	Category 1 (6.5B)
Acute aquatic toxicity	Category 3 (9.1D)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group No information available

2.2. Label Elements



Signal Word

DANGER

Hazard statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

Revision Date 29-Jun-2016

BOSTIK K11 SLURRY GREY

Version 1 Supersedes Date: No information available

H318 - Causes serious eye damage

H402 - Harmful to aquatic life

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P362 - Take off contaminated clothing and wash before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

P401 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

- Product dust may be irritating to eyes, skin and respiratory system
- When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers
- Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Cement, portland, chemicals	65997-15-1	30 - 40
Calcium hydroxide	1305-62-0	1 - 5
Zinc stearate	557-05-1	1 - 5

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice If symptoms persist, call a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation

persists, call a physician. Brush off loose particles from skin.

Eye contact If symptoms persist, call a physician. In case of eye contact, remove contact lens and

rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

BOSTIK K11 SLURRY GREY Revision Date 29-Jun-2016

Version 1 Supersedes Date: No information available

Do NOT induce vomiting. Rinse mouth. If swallowed, seek medical advice immediately Ingestion

and show this container or label.

Self-protection of the First Aider Use personal protective equipment as required.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

None known. **Symptoms**

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians May cause sensitization of susceptible persons. Treat symptomatically.

4.4. Reference to Other Sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: Reference to Other Sections

TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media No information available.

5.2. Special Hazards Arising from the Substance or Mixture

Chemical

Specific Hazards Arising from the Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion

Products

Carbon oxides.

5.3. Advice for Firefighters

Special Protective Equipment for Wear self-contained breathing apparatus and protective suit.

Fire-fighters

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective

gloves/protective clothing and eve/face protection.

For Emergency Responders Sweep up to prevent slipping hazard.

6.2. Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological

Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Methods for Cleaning up Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Section 7: HANDLING AND STORAGE **Reference to Other Sections**

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

BOSTIK K11 SLURRY GREY Version 1

Revision Date 29-Jun-2016 Supersedes Date: No information available

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid generation

of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, including any Incompatibilities

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Regular cleaning of equipment, work area and clothing is recommended.

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive

moisture. Keep the packing dry and well sealed to prevent contamination and absorption

of humidity.

Incompatible Materials No information available

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	European Union
Cement, portland,	TWA: 1 mg/m³ particulate	IDLH: 5000 mg/m ³	TWA: 15 mg/m ³ total dust	-
chemicals	matter containing no	TWA: 10 mg/m³ total dust	TWA: 5 mg/m³ respirable	
65997-15-1	asbestos and <1%	TWA: 5 mg/m³ respirable	fraction	
	crystalline silica, respirable	dust	TWA: 50 mppcf <1%	
	fraction		Crystalline silica	
Calcium hydroxide	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 15 mg/m³ total dust	TWA: 5 mg/m ³
1305-62-0			TWA: 5 mg/m³ respirable	
			fraction	
Zinc stearate	TWA: 10 mg/m ³ except	TWA: 10 mg/m³ total dust	TWA: 15 mg/m³ total dust	-
557-05-1	stearates of toxic metals	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable	
		dust	fraction	

Chemical Name	Australia	China	Japan	Korea	New Zealand
Cement, portland, chemicals 65997-15-1	10 mg/m ³	TWA: 4 mg/m³ total dust TWA: 1.5 mg/m³ respirable dust STEL: 8 mg/m³ total dust STEL: 3 mg/m³ respirable dust	TWA: 4 mg/m ³ TWA: 1 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m³
Calcium hydroxide 1305-62-0	5 mg/m³	-	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³
Zinc stearate 557-05-1	10 mg/m ³	-	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available (PNEC)

BOSTIK K11 SLURRY GREY

Version 1 Supersedes Date: No information available

Other Information No information available

8.2. Exposure Controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment (PPE)

Respiratory Protection

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection

Remarks • Method

Revision Date 29-Jun-2016

required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.

General Hygiene
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

No information available

No information available

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

AppearancePowderColorGreyOdorOdorlessOdor ThresholdNot applicable

<u>Property</u> <u>Values</u>

pH No information available
Melting Point/Freezing Point No information available
Boiling Point No information available
Flash Point No information available
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit No information available **Lower Flammability Limit** No information available **Vapor Pressure** No information available No information available **Vapor Density Specific Gravity** No information available **Water Solubility** No information available Solubility in Other Solvents No information available **Partition Coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available **Kinematic Viscosity** No information available No information available **Dynamic Viscosity**

9.2. Other Information

Explosive Properties

Oxidizing Properties

Softening Point
Molecular Weight
No information available
No information available
No information available

Solid Content (%) 100

Density
No information available
Bulk Density
No information available

VOC

Section 10: STABILITY AND REACTIVITY

BOSTIK K11 SLURRY GREY

Revision Date 29-Jun-2016

Version 1

Supersedes Date: No information available

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical Stability

10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5. Incompatible Materials

Incompatible Materials No information available.

10.6. Hazardous Decomposition Products

Hazardous Decomposition

Products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.

Numerical measures of toxicity

Unknown acute toxicity

36.02921094 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 60.70554094 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

63.43347094 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 63.43347094 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

44.26152094 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	-
Zinc stearate 557-05-1	> 10 g/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Sensitization
Germ Cell Mutagenicity
Reproductive Toxicity
STOT - Single Exposure
STOT - Repeated Exposure
No information available.

Target Organ Effects Eyes, Lungs, Respiratory system, Skin.

Aspiration Hazard No information available.

Carcinogenicity No information available.

BOSTIK K11 SLURRY GREY

Version 1 Supersedes Date: No information available

IARC (International Agency for

Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Revision Date 29-Jun-2016

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Harmful to aquatic life.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Calcium hydroxide	=	LC50 96 h = 160 mg/L (Gambusia	-
1305-62-0		affinis static)	

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues/Unused **Products**

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Section 14: TRANSPORTATION INFORMATION

IMDG Not regulated IATA Not regulated **ADR** Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

BOSTIK K11 SLURRY GREY Version 1

Revision Date 29-Jun-2016 Supersedes Date: No information available

China

Not applicable

<u>Japan</u>

Not applicable

Korea

K-REACH/chemical control act(CCA)

Not applicable

International Regulations

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Local Contacts

Fax: 632-900-5622

Bostik Korea, Ltd.

Bostik-Nitta Co, Ltd
Bostik India Private Ltd
2-22,Futamata
124/1 & 124/2A
Yao, Osaka

Bostik India Private Ltd
124/1 & 124/2A
Kachanayakanahalli

Seoul, 07236 Japan Behind Bommasandra Indl.Area Korea Tel: 81-72-948-8286 Off Hosur Road, Hennagara Post,

Tel: +82-02-3703-6870 Fax: 81-72-948-8273 Anekal Taluk

Fax: +82-02-3703-6850 Bangalore - 562106, Karnataka,

INDIA Tel: 0091-80-27833520

Fax: 00 91-80-27831324 Email: Bostikinfo.India@bostik.com

Bostik Findley (Malaysia) Sdn. Bhd Bostik Findley (Malaysia) S/B Bostik (Thailand) Co., Ltd Lot 112 & 113, (Singapore Branch) 1/32 Bang-na Thani

Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia Tel: 606-6789788 IMM Building Bangna-Trad rd. Fax: 606-6789766 Singapore 609601 Bang-na, Bangkok Tel: 65-6863-4088 Tel: 02-361 6460-7

Fax: 62 21 521 0554

Fax: 65-6863-4077 Fax: 02-361 6469
Bostik Phillippines, Inc. Bostik Indonesia Bostik Vietnam Company Limited
35/F Raffles Corporate Center, Setiabudi Atrium Building, 10 Doc Lap Avenue,
F. Ortigas Jr. Road Level 2, Suite 203 A VSIP 1. Thuan An District,
Ortigas Business Center, Jl. HR Rasuna Said BinhDuong Province. Viet Nam.

Ortigas Business Center,
Pasig city, Phillippines
Jakarta Indonesia 12920
Tel: 632-900-5656
Ji. HR Rasuna Said
Jakarta Indonesia 12920
Tel: 84 650 3765105
Tel: 62 21 521 0404
Fax: 84 650 3765109

BOSTIK K11 SLURRY GREY Version 1

Supersedes Date: No information available

Bostik Australia Pty Ltd 51-71 High street,

Thomastown Victoria, Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

24-hr Emergency: 1800 033 111 Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

24-hr Emergency: 0800 243 622

Jiangsu Bositk Adhesive Co.,Ltd No.15-9, Xinggang Road, Changshu Enconomic Development Zone Jiangsu Province 215536

Tel: 0086-512-52266000 Fax: 0086-512-52266020 Bostik Findley (China) Adhesive Ltd No.75, Xin Zhuang 2 Road, Yong He District, GETDD

Revision Date 29-Jun-2016

Tel: 020-8297 5266 Fax: 020-8297 5277

Guangzhou, China 511356

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Product Safety & Regulatory Affairs **Prepared By**

29-Jun-2016 **Revision Date**

Not applicable. **Revision Note**

Training Advice No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet