

ECOFIX Version 1 Revision Date 06-Jan-2017 Supersedes Date: 06-Jan-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NameECOFIXPure substance/mixturemixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use	Adhesives, sealants.
Uses Advised Against	No information available.

1.3. Details of the Supplier of the Safety Data Sheet

Company Name
Bostik (Shanghai) Management Co., Ltd
Building 1, No.968 Guanghua Road, Minhang District
Shanghai, China
Tel: 021-60763101
Fax: 021-60763133

Manufacturer

Bostik India Private Ltd 124/1 & 124/2A Kachanayakanahalli Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post, Anekal Taluk Bangalore - 562106, Karnataka, INDIA Tel: 0091-80-27833520 Fax: 00 91-80-27831324 Email: Bostikinfo.India@bostik.com

Please refer to Section 16 for local affiliate addresses.

1.4. Emergency Telephone Number

Emergency Telephone 0532-8388 9090 (China only)

E-mail address

SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Category 4 (6.1D)
Category 2 (6.3A)
Category 1 (8.3A)
Category 1 (6.5B)
Category 3 (^f)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group

No information available

2.2. Label Elements



Hazard statements

ECOFIX	
Version	1

H302 - Harmful if swallowed H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H335 - May cause respiratory irritation **Precautionary Statements - Prevention** P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P280 - Wear protective gloves/protective clothing/eye protection/face protection P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P272 - Contaminated work clothing should not be allowed out of the workplace P271 - Use only outdoors or in a well-ventilated area **Precautionary Statements - Response** P321 - Specific treatment (see supplemental first aid instructions on this label) Inhalation P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P312 - Call a POISON CENTER or doctor if you feel unwell Skin P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P362 - Take off contaminated clothing and wash before reuse P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention EYES P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician Indestion P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P330 - Rinse mouth **Precautionary Statements - Storage** P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up **Precautionary Statements - Disposal** P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

· Product dust may be irritating to eyes, skin and respiratory system

• When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

• Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Cement, portland, chemicals	65997-15-1	30 - 40

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice

If symptoms persist, call a physician.

Inhalation

Page 2/9

Remove to fresh air. If symptoms persist, call a physician.

ECOFIX Version 1	Revision Date 06-Jan-2017 Supersedes Date: 06-Jan-2017
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Brush off loose particles from skin.
Eye contact	If symptoms persist, call a physician. In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.
Self-protection of the First Aider	Use personal protective equipment as required.
4.2. Most Important Symptoms and	d Effects, Both Acute and Delayed
Symptoms	None known.
4.3. Indication of Any Immediate N	ledical Attention and Special Treatment Needed
Note to physicians	May cause sensitization of susceptible persons. Treat symptomatically.
4.4. Reference to Other Sections	
Reference to Other Sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.
Section 5: FIRE-FIGHTING	MEASURES
5.1. Extinguishing Media	
Suitable Extinguishing Media	Use extinguishing agent suitable for type of surrounding fire.
Unsuitable Extinguishing Media	No information available.
5.2. Special Hazards Arising from	the Substance or Mixture
Specific Hazards Arising from the Chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Hazardous Combustion Products	Carbon oxides.
5.3. Advice for Firefighters	
Special Protective Equipment for Fire-fighters	Wear self-contained breathing apparatus and protective suit.
Section 6: ACCIDENTAL RE	LEASE MEASURES
6.1. Personal Precautions, Protect	tive Equipment and Emergency Procedures
Personal Precautions	Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.
For Emergency Responders	Sweep up to prevent slipping hazard.
6.2. Environmental Precautions	
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.
6.3. Methods and Material for Con	tainment and Cleaning up
Matheda for Containment	Dravent duet elevel. Take un mechanically relation in announciete containers for discussed

ECOFIX Version 1	Revision Date 06-Jan-2017 Supersedes Date: 06-Jan-2017
Methods for Cleaning up	— Avoid creating dust. Sweep up and shovel into suitable containers for disposal.
6.4. Reference to other sections	
Reference to Other Sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS
Section 7: HANDLING AND	STORAGE
7.1. Precautions for Safe Handlin	g
Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.
7.2. Conditions for Safe Storage,	including any Incompatibilities
General Hygiene Considerations	When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.
Storage Conditions	Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption

of humidity.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

No information available

No information available.

8.1. Control Parameters

Reference to Other Sections

Incompatible Materials

Other Information

7.3. Specific End Use(s)

7.4. References to Other Sections

Exposure Limits

Chemical Name	China	Japan	Korea	New Zealand	Australia
Cement, portland, chemicals 65997-15-1	TWA: 4 mg/m ³ total dust TWA: 1.5 mg/m ³ respirable dust STEL: 8 mg/m ³ total dust STEL: 3 mg/m ³ respirable dust	TWA: 4 mg/m³ TWA: 1 mg/m³	TWA: 10 mg/m ³	TWA: 10 mg/m³	10 mg/m ³

Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Chemical Name	European Union	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cement, portland,	-	TWA: 1 mg/m ³ particulate	IDLH: 5000 mg/m ³	TWA: 15 mg/m ³ total dust
chemicals		matter containing no	TWA: 10 mg/m ³ total dust	TWA: 5 mg/m ³ respirable
65997-15-1		asbestos and <1%	TWA: 5 mg/m ³ respirable	fraction
		crystalline silica, respirable	dust	TWA: 50 mppcf <1%
		particulate matter		Crystalline silica

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available (PNEC)

ECOFIX Version 1	Revision Date 06-Jan-2017 Supersedes Date: 06-Jan-2017
Other Information	No information available
8.2. Exposure Controls	
Engineering Controls	Ensure adequate ventilation, especially in confined areas.
PPE - Personal Protection Equipn	nent
Eye/Face Protection Skin and Body Protection	Wear safety glasses with side shields (or goggles). Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General Hygiene Considerations	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Appearance Color Odor Odor Threshold

Property рΗ **Melting Point/Freezing Point Boiling Point** Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air **Upper Flammability Limit** Lower Flammability Limit Vapor Pressure Vapor Density **Specific Gravity** Water Solubility Solubility in Other Solvents Partition Coefficient **Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties**

9.2. Other Information Softening Point Molecular Weight Solvent Content (%) Solid Content (%) Density Bulk Density VOC Powder Grey Odorless Not applicable

Values

No information available No information available

No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available

No information available No information available No information available 100 No information available No information available Remarks • Method

Section 10: STABILITY AND REACTIVITY

ECOFIX		Revision Date	06-Jan-2017
Version 1		Supersedes Date:	06-Jan-2017
10.1. Reactivity			
Reactivity	None under normal use conditions.		
10.2. Chemical Stability			
10.3. Possibility of Hazardous Rea	ctions		
Possibility of Hazardous Reaction	s None under normal processing.		
Hazardous Polymerization	None under normal processing.		
10.4. Conditions to Avoid			
Conditions to Avoid	Heat, flames and sparks.		
10.5. Incompatible Materials			
Incompatible Materials	No information available.		
10.6. Hazardous Decomposition P	roducts_		
Hazardous Decomposition Products	None under normal use conditions.		

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information

oduct Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.

Numerical measures of toxicity

Unknown acute toxicity

30.015 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 99.735 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity 36.987 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 36.987 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 36.987 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Eyes, Lungs, Respiratory system, Skin.
Aspiration Hazard	No information available.
Carcinogenicity	No information available.

IARC (International Agency for

Group 1 - Carcinogenic to Humans Page 6/9

ECOFIX Version 1 Revision Date 06-Jan-2017 Supersedes Date: 06-Jan-2017

Research on Cancer)

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information None known.

<u>Component Information</u> Data obtained on the component(s) include

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORTATION INFORMATION

IMDG	Not regulated
IATA	Not regulated
ADR	Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

China Not applicable

<u>Japan</u>

Not applicable

<u>Korea</u>

K-REACH/chemical control act(CCA) Not applicable

International Regulations

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Local Contacts

Bostik Korea, Ltd.	Bostik-Nitta Co, Ltd	Bostik India Private Ltd
6F, 21	2-22,Futamata	124/1 & 124/2A
Gukhoe-daero 62-gil Yeongdeungpo-gu	Yao, Osaka	Kachanayakanahalli
Seoul, 07236	Japan	Behind Bommasandra Indl.Area
Korea	Tel: 81-72-948-8286	Off Hosur Road, Hennagara Post,
Tel: +82-02-3703-6870	Fax: 81-72-948-8273	Anekal Taluk
Fax: +82-02-3703-6850		Bangalore - 562106, Karnataka,
		INDIA
		Tel: 0091-80-27833520

Bostik Findley (Malaysia) Sdn. Bhd Lot 112 & 113, Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia Tel: 606-6789788 Fax: 606-6789766

Bostik Phillippines, Inc. 35/F Raffles Corporate Center, F. Ortigas Jr. Road Ortigas Business Center, Pasig city, Phillippines Tel: 632-900-5656 Fax: 632-900-5622 Bostik Findley (Malaysia) S/B (Singapore Branch) 2 Jurong East Street 21 #02-184 IMM Building Singapore 609601 Tel: 65-6863-4088 Fax: 65-6863-4077 Bostik Indonesia Setiabudi Atrium Building, Level 2, Suite 203 A JI. HR Rasuna Said Jakarta Indonesia 12920 Tel: 62 21 521 0404 Fax: 62 21 521 0554 Kachanayakanahalli Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post, Anekal Taluk Bangalore - 562106, Karnataka, INDIA Tel: 0091-80-27833520 Fax: 00 91-80-27831324 Email: Bostikinfo.India@bostik.com Bostik (Thailand) Co., Ltd 1/32 Bang-na Thani Tower 16th A Foolr. Soi Bangna-Trad 34,

Bangna-Trad rd. Bang-na, Bangkok Tel: 02-361 6460-7 Fax: 02-361 6469 Bostik Vietnam Company Limited 10 Doc Lap Avenue, VSIP 1. Thuan An District, BinhDuong Province. Viet Nam. Tel: 84 650 3765105 Fax: 84 650 3765109

ECOFIX Version 1

Bostik Australia Pty Ltd 51-71 High street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342 24-hr Emergency: 1800 033 111 Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412

Jiangsu Bositk Adhesive Co.,Ltd No.15-9, Xinggang Road, Changshu Enconomic Development Zone Jiangsu Province 215536 Tel: 0086-512-52266000 Fax: 0086-512-52266020 Revision Date 06-Jan-2017 Supersedes Date: 06-Jan-2017

Bostik Findley (China) Adhesive Ltd No.75, Xin Zhuang 2 Road, Yong He District, GETDD Guangzhou, China 511356 Tel: 020-8297 5266 Fax: 020-8297 5277

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet No information available

Key Literature References and Sources for Data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	06-Jan-2017
Revision Note	Not applicable.
Training Advice	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet