

**EPOXYCOTE SF LIGHT GREY**  
 Version 1

**Revision Date** 27-Jun-2016  
**Supersedes Date:** No information available

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** EPOXYCOTE SF LIGHT GREY  
**Pure substance/mixture** mixture

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Recommended use** Adhesives.  
**Uses Advised Against** No information available.

### 1.3. Details of the Supplier of the Safety Data Sheet

**Company Name**  
 Bostik (Shanghai) Management Co., Ltd  
 Building 1, No.968 Guanghai Road, Minhang District  
 Shanghai, China  
 Tel: 021-60763101  
 Fax: 021-60763133

**Manufacturer**  
 Bostik India Private Ltd  
 124/1 & 124/2A  
 Kachanayakanahalli  
 Behind Bommasandra Indl.Area  
 Off Hosur Road, Hennagara Post,  
 Anekal Taluk  
 Bangalore - 562106, Karnataka,  
 INDIA  
 Tel: 0091-80-27833520  
 Fax: 00 91-80-27831324  
 Email: Bostikinfo.India@bostik.com

Please refer to Section 16 for local affiliate addresses.

### 1.4. Emergency Telephone Number

**Emergency Telephone** 0532-8388 9090 (China only)  
**E-mail address** SDS.AP@Bostik.com

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

|                                   |                                  |
|-----------------------------------|----------------------------------|
| Skin Corrosion/Irritation         | Category 1 Sub-category B (8.2B) |
| Serious Eye Damage/Eye Irritation | Category 1 (8.3A)                |
| Skin sensitization                | Category 1 (6.5B)                |
| Germ Cell Mutagenicity            | Category 2 (6.6B)                |
| Carcinogenicity                   | Category 2 (6.7B)                |
| Reproductive toxicity             | Category 1B (6.8A)               |
| Acute aquatic toxicity            | Category 2 (9.1D)                |
| Chronic aquatic toxicity          | Category 2 (9.1B)                |

Classification in parenthesis is applicable for New Zealand Hazard Classification

**ERMA Group** No information available

### 2.2. Label Elements



**Signal Word**

**DANGER**

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

## Hazard statements

H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H341 - Suspected of causing genetic defects  
H351 - Suspected of causing cancer  
H360 - May damage fertility or the unborn child  
H411 - Toxic to aquatic life with long lasting effects

## Precautionary Statements - Prevention

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P281 - Use personal protective equipment as required  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves  
P273 - Avoid release to the environment

## Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

## Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P310 - Immediately call a POISON CENTER or doctor/physician

## Skin

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P363 - Wash contaminated clothing before reuse  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

## Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician

## Ingestion

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

## Spill

P391 - Collect spillage

## Precautionary Statements - Storage

P405 - Store locked up

## Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other Hazards

- May be harmful in contact with skin

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

### 3.2 Mixtures

| Chemical Name                          | CAS No     | Weight-% |
|--|------------|----------|
| Bisphenol-A-Epichlorhydrin Epoxy resin | 25068-38-6 | 30 - 40  |
| Isophorone diamine                     | 2855-13-2  | 5 - 10   |
| Benzyl alcohol                         | 100-51-6   | 5 - 10   |
| n-Butyl glycidyl ether                 | 2426-08-6  | 1 - 5    |
| Dibutyl phthalate                      | 84-74-2    | 1 - 5    |

\*\*\* Any remaining ingredients are not hazardous

## Section 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

|   |   |
|---|---|
| <b>General Advice</b>                     | If medical advice is needed, have product container or label at hand.   |
| <b>Inhalation</b>                         | Remove to fresh air.  |
| <b>Skin Contact</b>                       | Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.  |
| <b>Eye contact</b>                        | Call a physician immediately. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. |
| <b>Ingestion</b>                          | If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.   |
| <b>Self-protection of the First Aider</b> | Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.  |

## 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** None known.

## 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** Treat symptomatically.

## 4.4. Reference to Other Sections

**Reference to Other Sections** See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

## **Section 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing Media

**Suitable Extinguishing Media** Use CO<sub>2</sub>, dry chemical, or foam.

**Unsuitable Extinguishing Media** No information available.

### 5.2. Special Hazards Arising from the Substance or Mixture

**Specific Hazards Arising from the Chemical** Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### 5.3. Advice for Firefighters

**Special Protective Equipment for Fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

**For Emergency Responders** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2. Environmental Precautions

**Environmental Precautions** Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

### 6.3. Methods and Material for Containment and Cleaning up

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

**Methods for Containment** Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for Cleaning up** Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers.

## 6.4. Reference to other sections

**Reference to Other Sections** See Section 12: ECOLOGICAL INFORMATION  
Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Advice on Safe Handling** Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/lighting/equipment.

### 7.2. Conditions for Safe Storage, including any Incompatibilities

**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

**Storage Conditions** Keep only in the original container/package in a cool well-ventilated place.

**Incompatible Materials** Strong acids and bases

### 7.3. Specific End Use(s)

**Other Information** No information available.

### 7.4. References to Other Sections

**Reference to Other Sections** See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

#### Exposure Limits

| Chemical Name                       | ACGIH TLV                | NIOSH IDLH   | OSHA PEL                                  | European Union |
|-------------------------------------|--------------------------|--|---|----------------|
| n-Butyl glycidyl ether<br>2426-08-6 | TWA: 3 ppm<br>S*         | IDLH: 250 ppm<br>Ceiling: 5.6 ppm 15 min<br>Ceiling: 30 mg/m <sup>3</sup> 15 min | TWA: 50 ppm<br>TWA: 270 mg/m <sup>3</sup> | -              |
| Dibutyl phthalate<br>84-74-2        | TWA: 5 mg/m <sup>3</sup> | IDLH: 4000 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup>                         | TWA: 5 mg/m <sup>3</sup>                  | -              |

| Chemical Name                       | Australia                       | China  | Japan                    | Korea  | New Zealand                               |
|-------------------------------------|---------------------------------|--|--------------------------|--|---|
| n-Butyl glycidyl ether<br>2426-08-6 | 25 ppm<br>133 mg/m <sup>3</sup> | TWA: 60 mg/m <sup>3</sup><br>STEL: 120 mg/m <sup>3</sup>   | -                        | Skin<br>TWA: 10 ppm<br>TWA: 53 mg/m <sup>3</sup> | TWA: 25 ppm<br>TWA: 133 mg/m <sup>3</sup> |
| Dibutyl phthalate<br>84-74-2        | 5 mg/m <sup>3</sup>             | TWA: 2.5 mg/m <sup>3</sup><br>STEL: 6.25 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup>                         | TWA: 5 mg/m <sup>3</sup>                  |

**Derived No Effect Level (DNEL)** No information available

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

**Predicted No Effect Concentration (PNEC)** No information available

**Other Information** No information available

## 8.2. Exposure Controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

### **Personal Protective Equipment (PPE)**

|                                       |  |
|---------------------------------------|--|
| <b>Eye/Face Protection</b>            | Wear safety glasses with side shields (or goggles).  |
| <b>Skin and Body Protection</b>       | Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.   |
| <b>Hand Protection</b>                | Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.  |
| <b>Respiratory Protection</b>         | No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended. |
| <b>General Hygiene Considerations</b> | Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.   |

**Environmental Exposure Controls** Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on Basic Physical and Chemical Properties

|                       |                          |
|-----------------------|--------------------------|
| <b>Appearance</b>     | Very viscous             |
| <b>Color</b>          | Grey                     |
| <b>Odor</b>           | Solvent                  |
| <b>Odor Threshold</b> | No information available |

| <u>Property</u>              | <u>Values</u>            | <u>Remarks • Method</u>    |
|------------------------------|--------------------------|----------------------------|
| pH                           | No information available |                            |
| Melting Point/Freezing Point | No information available |                            |
| Boiling Point                | No information available |                            |
| Flash Point                  | No information available |                            |
| Evaporation Rate             | No information available |                            |
| Flammability (solid, gas)    | No information available | Not applicable for liquids |
| Flammability Limit in Air    |                          |                            |
| Upper Flammability Limit     | No information available |                            |
| Lower Flammability Limit     | No information available |                            |
| Vapor Pressure               | No information available |                            |
| Vapor Density                | No information available |                            |
| Specific Gravity             | No information available |                            |
| Water Solubility             | No information available |                            |
| Solubility in Other Solvents | No information available |                            |
| Partition Coefficient        | No information available |                            |
| Autoignition Temperature     | No information available |                            |
| Decomposition Temperature    | No information available |                            |
| Kinematic Viscosity          | No information available |                            |
| Dynamic Viscosity            | No information available |                            |
| Explosive Properties         | No information available |                            |
| Oxidizing Properties         | No information available |                            |

### 9.2. Other Information

|                            |                          |
|----------------------------|--------------------------|
| <b>Softening Point</b>     | No information available |
| <b>Molecular Weight</b>    | No information available |
| <b>Solvent Content (%)</b> | No information available |
| <b>Solid Content (%)</b>   | No information available |
| <b>Density</b>             | No information available |

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

Bulk Density No information available  
VOC

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity Stable under recommended storage conditions.

### 10.2. Chemical Stability

Stability Stable under recommended storage conditions

### 10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

### 10.4. Conditions to Avoid

Conditions to Avoid Keep away from heat, sparks and flames.

### 10.5. Incompatible Materials

Incompatible Materials Strong acids and bases.

### 10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use conditions.

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on Toxicological Effects

#### Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation No Data Available.  
Eye contact No Data Available.  
Skin Contact No Data Available.  
Ingestion No Data Available.

#### Numerical measures of toxicity

##### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
74.21309 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
81.39059 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
81.39059 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
2.9754 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

| Chemical Name  | Oral LD50                                 | Dermal LD50   | Inhalation LC50          |
|--|---|---|--------------------------|
| Bisphenol-A-Epichlorhydrin Epoxy resin<br>25068-38-6 | = 11400 mg/kg ( Rat )                     | -   | -                        |
| Isophorone diamine<br>2855-13-2                      | = 1040 mg/kg ( Rat )                      | -   | -                        |
| Benzyl alcohol<br>100-51-6                           | = 1230 mg/kg ( Rat )                      | = 2 g/kg ( Rabbit )   | = 8.8 mg/L ( Rat ) 4 h   |
| n-Butyl glycidyl ether<br>2426-08-6                  | = 2050 mg/kg ( Rat ) = 1660 mg/kg ( Rat ) | > 2150 mg/kg ( Rat ) = 2520 µL/kg ( Rabbit ) = 788 mg/kg ( Rabbit ) | = 2590 ppm ( Rat ) 4 h   |
| Dibutyl phthalate<br>84-74-2                         | = 7499 mg/kg ( Rat )                      | > 20 mL/kg ( Rabbit )   | > 15.68 mg/L ( Rat ) 4 h |

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

|   |   |
|---|---|
| <b>Skin Corrosion/Irritation</b>                          | No information available.   |
| <b>Serious Eye Damage/Eye Irritation</b>                  | No information available.   |
| <b>Sensitization</b>                                      | No information available.   |
| <b>Germ Cell Mutagenicity</b>                             | No information available.   |
| <b>Reproductive Toxicity</b>                              | No information available.   |
| <b>STOT - Single Exposure</b>                             | No information available.   |
| <b>STOT - Repeated Exposure</b>                           | No information available.   |
| <b>Target Organ Effects</b>                               | Blood, Central nervous system, Eyes, Gastrointestinal tract (GI), Lungs, Respiratory system, Skin.    |
| <b>Aspiration Hazard</b>                                  | No information available.   |
| <b>Carcinogenicity</b>                                    | The following substance(s) are classified in Annex VI CLP (1272/2008) as carcinogenic.                |
| <b>IARC (International Agency for Research on Cancer)</b> | Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans |

## **Section 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

#### **Ecotoxicity**

#### Product Information

Toxic to aquatic life with long lasting effects.

#### Component Information

Data obtained on the component(s) include

| Chemical Name  | Algae/Aquatic Plants   | Fish   | Crustacea   |
|--|--|--|---|
| Bisphenol-A-Epichlorhydrin Epoxy resin<br>25068-38-6 | -  | 1.2 mg/l 96Hr (Oncorhynchus mykiss)  | 2.7 mg/l 48hr Daphnia Magna   |
| Isophorone diamine<br>2855-13-2                      | EC50 72 h = 37 mg/L<br>(Desmodesmus subspicatus)   | LC50 96 h = 110 mg/L (Leuciscus idus semi-static)  | EC50 24 h = 42 mg/L (Daphnia magna ) EC50 48 h 14.6 - 21.5 mg/L (Daphnia magna semi-static) |
| Benzyl alcohol<br>100-51-6                           | EC50 3 h = 35 mg/L (Anabaena variabilis)   | LC50 96 h = 460 mg/L (Pimephales promelas static)  | EC50 48 h = 230 mg/L (water flea )  |
| Dibutyl phthalate<br>84-74-2                         | EC50 72 h = 1.2 mg/L (Desmodesmus subspicatus)<br>EC50 96 h = 0.4 mg/L (Pseudokirchneriella subcapitata) | LC50 96 h > 1.24 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h 1.38 - 1.74 mg/L (Lepomis macrochirus flow-through) LC50 96 h 1.24 - 5.3 mg/L (Oncorhynchus mykiss static) LC50 96 h 0.71 - 1.2 mg/L (Pimephales promelas flow-through) LC50 96 h 0.31 - 5.45 mg/L (Pimephales promelas static) LC50 96 h 0.42 - 1.28 mg/L (Lepomis macrochirus static) | EC50 48 h = 3.4 mg/L (Daphnia magna ) EC50 48 h = 2.99 mg/L (Daphnia magna Static)          |

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulative Potential

No information available.

### 12.4. Mobility in Soil

No information available.

### 12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

## 12.6. Other Adverse Effects

No information available.

### Endocrine Disruptor Information

| Chemical Name                          | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Endocrine disrupting potential |
|--|--|--|--------------------------------|
| Bisphenol-A-Epichlorhydrin Epoxy resin | Group III Chemical                       | -  | -                              |
| Dibutyl phthalate                      | Group I Chemical Group III Chemical      | High Exposure Concern                            | Industrial chemical            |

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste from Residues/Unused Products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Improper disposal or reuse of this container may be dangerous and illegal.

## Section 14: TRANSPORTATION INFORMATION

### IMDG

**UN/ID No** UN3082  
**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives, Isophorone diamine), Marine Pollutant  
**Hazard Class** 9  
**Packing Group** III  
**EmS-No** F-A, S-F  
**Special Provisions** 274, 335, 969  
**Limited Quantity (LQ)** 5 L  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives, Isophorone diamine), 9, III, Marine Pollutant

### IATA

**UN/ID No** UN3082  
**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives, Isophorone diamine)  
**Hazard Class** 9  
**Packing Group** III  
**ERG Code** 9L  
**Limited Quantity (LQ)** 30 kg G  
**Special Provisions** A97, A158, A197  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Epoxide Derivatives, Isophorone diamine), 9, III

### ADR

**UN/ID No** UN3082  
**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A-Epichlorhydrin Epoxy resin, Isophorone diamine)  
**Hazard Class** 9  
**Hazard Labels** 9  
**Packing Group** III  
**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A-Epichlorhydrin Epoxy resin, Isophorone diamine), 9, III  
**Environmental Hazard** yes  
**Limited Quantity (LQ)** 5 L  
**Special Provisions** 274, 335, 601, 375  
**Classification Code** M6  
**Tunnel Restriction Code** E



# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

## Section 15: REGULATORY INFORMATION

### National Regulations

#### China

This product contains the following substance(s)

| Chemical Name                   | Weight-% | China - Catalog of Hazardous Chemicals - Hazardous Chemicals |
|---------------------------------|----------|--|
| Isophorone diamine<br>2855-13-2 | 5 - 10   | X  |

#### Japan

This product contains the following Class 1 and Class 2 Designated Chemical Substances per Japan PRTR Law.

| Chemical Name                       | Weight-% | Japan - Pollutant Release Transfer Register (PRTR) - Class 1 Substances |
|-------------------------------------|----------|---|
| n-Butyl glycidyl ether<br>2426-08-6 | 1 - 5    | X   |
| Dibutyl phthalate<br>84-74-2        | 1 - 5    | X   |

#### Korea

##### K-REACH/chemical control act(CCA)

This product contains the following substance(s)

| Chemical Name  | Weight-% | Korea - MOE - K-REACH/CCA - Toxic Substances | Korea - MOE - K-REACH/CCA - Prohibited Substances | Korea - MOE - K-REACH/CCA - Restricted Substances | Korea - MOE - Chemicals Control Act (CCA) - Accident Precaution Chemicals | Korea - MOE - K-REACH - Existing Substances Subject to Registration |
|--|----------|--|---|---|---|---|
| Bisphenol-A-Epichlorhydrin Epoxy resin<br>25068-38-6 | 30 - 40  |  |   |   |   | O   |
| n-Butyl glycidyl ether<br>2426-08-6                  | 1 - 5    |  |   |   |   | O   |
| Dibutyl phthalate<br>84-74-2                         | 1 - 5    | O  |   |   |   | O   |

### International Regulations

#### Europe

##### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

##### EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

| Chemical Name     | CAS No  |
|-------------------|---------|
| Dibutyl phthalate | 84-74-2 |

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

## Section 16: OTHER INFORMATION

### Local Contacts

Bostik Korea, Ltd.  
6F, 21  
Gukhoe-daero 62-gil Yeongdeungpo-gu  
Seoul, 07236  
Korea  
Tel: +82-02-3703-6870  
Fax: +82-02-3703-6850

Bostik-Nitta Co, Ltd  
2-22,Futamata  
Yao, Osaka  
Japan  
Tel: 81-72-948-8286  
Fax: 81-72-948-8273

Bostik India Private Ltd  
124/1 & 124/2A  
Kachanayakanahalli  
Behind Bommasandra Indl.Area  
Off Hosur Road, Hennagara Post,  
Anekal Taluk  
Bangalore - 562106, Karnataka,  
INDIA  
Tel: 0091-80-27833520  
Fax: 00 91-80-27831324  
Email: Bostikinfo.India@bostik.com

Bostik Findley (Malaysia) Sdn. Bhd  
Lot 112 & 113,  
Kawasan Perindustrian senawang,  
seremban, negeri sembilan, Malaysia  
Tel: 606-6789788  
Fax: 606-6789766

Bostik Findley (Malaysia) S/B  
(Singapore Branch)  
2 Jurong East  
Street 21 #02-184  
IMM Building  
Singapore 609601  
Tel: 65-6863-4088  
Fax: 65-6863-4077

Bostik (Thailand) Co., Ltd  
1/32 Bang-na Thani  
Tower 16th A Foolr.  
Soi Bangna-Trad 34,  
Bangna-Trad rd.  
Bang-na, Bangkok  
Tel: 02-361 6460-7  
Fax: 02-361 6469  
Bostik Vietnam Company Limited  
10 Doc Lap Avenue,  
VSIP 1. Thuan An District,  
BinhDuong Province. Viet Nam.  
Tel: 84 650 3765105  
Fax: 84 650 3765109

Bostik Phillippines, Inc.  
35/F Raffles Corporate Center,  
F. Ortigas Jr. Road  
Ortigas Business Center,  
Pasig city, Phillippines  
Tel: 632-900-5656  
Fax: 632-900-5622  
Bostik Australia Pty Ltd  
51-71 High street,  
Thomastown Victoria, Australia  
Tel: 613 9279-9333  
Fax: 613 9279-9342  
24-hr Emergency: 1800 033 111  
Bostik New Zealand Limited  
19 Eastern Hutt Road Wingate,  
Lower Hutt, New Zealand  
Tel: 04-567 5119  
Fax: 04-567 5412  
24-hr Emergency: 0800 243 622

Bostik Indonesia  
Setiabudi Atrium Building,  
Level 2, Suite 203 A  
Jl. HR Rasuna Said  
Jakarta Indonesia 12920  
Tel: 62 21 521 0404  
Fax: 62 21 521 0554  
Jiangsu Bositk Adhesive Co.,Ltd  
No.15-9, Xinggang Road, Changshu  
Enconomic Development Zone  
Jiangsu Province 215536  
Tel: 0086-512-52266000  
Fax: 0086-512-52266020

Bostik Findley (China) Adhesive Ltd  
No.75, Xin Zhuang 2 Road, Yong He  
District, GETDD  
Guangzhou, China 511356  
Tel: 020-8297 5266  
Fax: 020-8297 5277

### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

### Key Literature References and Sources for Data

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision Date** 27-Jun-2016

**Revision Note** Not applicable.

**Training Advice** Provide adequate information, instruction, and training for operator

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# Safety Data Sheet

EPOXYCOTE SF LIGHT GREY  
Version 1

Revision Date 27-Jun-2016  
Supersedes Date: No information available

---

**End of Safety Data Sheet**