

EPOXYCOTE UW WHITE
 Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EPOXYCOTE UW WHITE
Pure substance/mixture mixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives.
Uses Advised Against No information available.

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik (Shanghai) Management Co., Ltd
 Building 1, No.968 Guanghai Road, Minhang District
 Shanghai, China
 Tel: 021-60763101
 Fax: 021-60763133

Manufacturer

Bostik India Private Ltd
 124/1 & 124/2A
 Kachanayakanahalli
 Behind Bommasandra Indl.Area
 Off Hosur Road, Hennagara Post,
 Anekal Taluk
 Bangalore - 562106, Karnataka,
 INDIA
 Tel: 0091-80-27833520
 Fax: 00 91-80-27831324
 Email: Bostikinfo.India@bostik.com

Please refer to Section 16 for local affiliate addresses.

1.4. Emergency Telephone Number

Emergency Telephone 0532-8388 9090 (China only)
E-mail address SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Corrosion/Irritation	Category 1 Sub-category B (8.2B)
Serious Eye Damage/Eye Irritation	Category 1 (8.3A)
Skin sensitization	Category 1 (6.5B)
Reproductive toxicity	Category 1B (6.8A)
Acute aquatic toxicity	Category 2 (9.1D)
Chronic aquatic toxicity	Category 2 (9.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group No information available

2.2. Label Elements



Signal Word

DANGER

Hazard statements

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H360 - May damage fertility or the unborn child
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P281 - Use personal protective equipment as required
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves
P273 - Avoid release to the environment

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P310 - Immediately call a POISON CENTER or doctor/physician

Skin

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P363 - Wash contaminated clothing before reuse
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

Ingestion

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Spill

P391 - Collect spillage

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

- May be harmful in contact with skin

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Bisphenol-A-Epichlorhydrin Epoxy resin	25068-38-6	30 - 40
Propylene glycol diamine, 2-amino-, diether with Propylene	9046-10-0	5 - 10
Phenol, 4-nonyl-, branched	84852-15-3	5 - 10
Dibutyl phthalate	84-74-2	1 - 5

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

General Advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

Skin Contact	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
Self-protection of the First Aider	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media Use CO2, dry chemical, or foam.

Unsuitable Extinguishing Media No information available.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for Firefighters

Special Protective Equipment for Fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

For Emergency Responders Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. Environmental Precautions

Environmental Precautions Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

(see Section 13).

Methods for Cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

6.4. Reference to other sections

Reference to Other Sections

See Section 12: ECOLOGICAL INFORMATION
Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/lighting/equipment.

7.2. Conditions for Safe Storage, including any Incompatibilities

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

Storage Conditions

Keep only in the original container/package in a cool well-ventilated place.

Incompatible Materials

Strong acids and bases

7.3. Specific End Use(s)

Other Information

No information available.

7.4. References to Other Sections

Reference to Other Sections

See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	Australia	China	Japan	Korea	New Zealand
Dibutyl phthalate 84-74-2	5 mg/m ³	TWA: 2.5 mg/m ³ STEL: 6.25 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Derived No Effect Level (DNEL)

No information available

Predicted No Effect Concentration (PNEC)

No information available

Other Information

No information available

8.2. Exposure Controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment (PPE)

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

Skin and Body Protection	Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General Hygiene Considerations	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental Exposure Controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Appearance	Very viscous Liquid
Color	White
Odor	Solvent
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting Point/Freezing Point	No information available	
Boiling Point	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	No information available	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

9.2. Other Information

Softening Point	No information available
Molecular Weight	No information available
Solvent Content (%)	No information available
Solid Content (%)	No information available
Density	No information available
Bulk Density	No information available
VOC	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical Stability

Stability Stable under recommended storage conditions

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Keep away from heat, sparks and flames.

10.5. Incompatible Materials

Incompatible Materials Strong acids and bases.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation No Data Available.
Eye contact No Data Available.
Skin Contact No Data Available.
Ingestion No Data Available.

Numerical measures of toxicity

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
71.69132 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
97.30132 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
97.30132 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
21.353 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol-A-Epichlorhydrin Epoxy resin 25068-38-6	= 11400 mg/kg (Rat)	-	-
Propylene glycol diamine, 2-amino-, diether with Propylene 9046-10-0	= 2885 mg/kg (Rat)	= 2980 mg/kg (Rabbit)	-
Phenol, 4-nonyl-, branched 84852-15-3	= 1300 mg/kg (Rat)	= 2031 mg/kg (Rabbit)	-
Dibutyl phthalate 84-74-2	= 7499 mg/kg (Rat)	> 20 mL/kg (Rabbit)	> 15.68 mg/L (Rat) 4 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation No information available.
Serious Eye Damage/Eye Irritation No information available.
Sensitization No information available.
Germ Cell Mutagenicity No information available.
Reproductive Toxicity No information available.
STOT - Single Exposure No information available.
STOT - Repeated Exposure No information available.
Target Organ Effects Eyes, Gastrointestinal tract (GI), Lungs, Respiratory system.
Aspiration Hazard No information available.
Carcinogenicity No information available.

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

IARC (International Agency for
Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Toxic to aquatic life with long lasting effects.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Phenol, 4-nonyl-, branched 84852-15-3	EC50 72 h 0.16 - 0.72 mg/L (Pseudokirchneriella subcapitata) EC50 96 h 0.36 - 0.48 mg/L (Pseudokirchneriella subcapitata) EC50 72 h = 1.3 mg/L (Desmodesmus subspicatus)	LC50 96 h = 0.1351 mg/L (Lepomis macrochirus flow-through) LC50 96 h = 0.135 mg/L (Pimephales promelas flow-through)	EC50 48 h = 0.14 mg/L (Daphnia magna)
Dibutyl phthalate 84-74-2	EC50 72 h = 1.2 mg/L (Desmodesmus subspicatus) EC50 96 h = 0.4 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h 0.31 - 5.45 mg/L (Pimephales promelas static) LC50 96 h 0.42 - 1.28 mg/L (Lepomis macrochirus static) LC50 96 h 1.24 - 5.3 mg/L (Oncorhynchus mykiss static) LC50 96 h 0.71 - 1.2 mg/L (Pimephales promelas flow-through) LC50 96 h 1.38 - 1.74 mg/L (Lepomis macrochirus flow-through) LC50 96 h > 1.24 mg/L (Oncorhynchus mykiss flow-through)	EC50 48 h = 3.4 mg/L (Daphnia magna) EC50 48 h = 2.99 mg/L (Daphnia magna Static)

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available.

Endocrine Disruptor Information

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Bisphenol-A-Epichlorhydrin Epoxy resin	Group III Chemical	-	-
Phenol, 4-nonyl-, branched	-	-	Industrial chemical
Dibutyl phthalate	Group I Chemical Group III Chemical	High Exposure Concern	Industrial chemical

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues/Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORTATION INFORMATION

IMDG

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Propylene glycol diamine, 2-amino-, diether with Propylene, Phenol, 4-nonyl-, branched), Marine Pollutant

Hazard Class 8
Packing Group II
EmS-No F-A, S-B
Limited Quantity (LQ) 1 L
Description UN1760, Corrosive liquid, n.o.s. (Propylene glycol diamine, 2-amino-, diether with Propylene, Phenol, 4-nonyl-, branched), 8, II, Marine Pollutant

IATA

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Propylene glycol diamine, 2-amino-, diether with Propylene, Phenol, 4-nonyl-, branched)

Hazard Class 8
Packing Group II
ERG Code 8L
Limited Quantity (LQ) 0.5 L
Description UN1760, Corrosive liquid, n.o.s. (Propylene glycol diamine, 2-amino-, diether with Propylene, Phenol, 4-nonyl-, branched), 8, II

ADR

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Propylene glycol diamine, 2-amino-, diether with Propylene, Phenol, 4-nonyl-, branched), Environmentally Hazardous

Hazard Class 8
Hazard Labels 8
Packing Group II
Description UN1760, Corrosive liquid, n.o.s. (Propylene glycol diamine, 2-amino-, diether with Propylene, Phenol, 4-nonyl-, branched), 8, II, Environmentally Hazardous

Environmental Hazard yes
Limited Quantity (LQ) 1 L
Classification Code C9
Tunnel Restriction Code E

Section 15: REGULATORY INFORMATION

National Regulations

China

This product contains the following substance(s)

Chemical Name	Weight-%	China - Catalog of Hazardous Chemicals - Hazardous Chemicals
Phenol, 4-nonyl-, branched 84852-15-3	5 - 10	X

Japan

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

This product contains the following Class 1 and Class 2 Designated Chemical Substances per Japan PRTR Law.

Chemical Name	Weight-%	Japan - Pollutant Release Transfer Register (PRTR) - Class 1 Substances
Dibutyl phthalate 84-74-2	1 - 5	X

Korea

K-REACH/chemical control act(CCA)

This product contains the following substance(s)

Chemical Name	Weight-%	Korea - MOE - K-REACH/CCA - Toxic Substances	Korea - MOE - K-REACH/CCA - Prohibited Substances	Korea - MOE - K-REACH/CCA - Restricted Substances	Korea - MOE - Chemicals Control Act (CCA) - Accident Precaution Chemicals	Korea - MOE - K-REACH - Existing Substances Subject to Registration
Bisphenol-A-Epichlorhydrin Epoxy resin 25068-38-6	30 - 40					O
Phenol, 4-nonyl-, branched 84852-15-3	5 - 10	O		O		O
Dibutyl phthalate 84-74-2	1 - 5	O				O

International Regulations

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No
Phenol, 4-nonyl-, branched	84852-15-3
Dibutyl phthalate	84-74-2

Section 16: OTHER INFORMATION

Local Contacts

Bostik Korea, Ltd.
6F, 21
Gukhoe-daero 62-gil Yeongdeungpo-gu
Seoul, 07236
Korea
Tel: +82-02-3703-6870
Fax: +82-02-3703-6850

Bostik-Nitta Co, Ltd
2-22,Futamata
Yao, Osaka
Japan
Tel: 81-72-948-8286
Fax: 81-72-948-8273

Bostik India Private Ltd
124/1 & 124/2A
Kachanayakanahalli
Behind Bommasandra Indl.Area
Off Hosur Road, Hennagara Post,
Anekal Taluk
Bangalore - 562106, Karnataka,
INDIA
Tel: 0091-80-27833520
Fax: 00 91-80-27831324
Email: Bostikinfo.India@bostik.com

Safety Data Sheet

EPOXYCOTE UW WHITE
Version 1

Revision Date 12-May-2016
Supersedes Date: No information available

Bostik Findley (Malaysia) Sdn. Bhd
Lot 112 & 113,
Kawasan Perindustrian senawang,
seremban, negeri sembilan, Malaysia
Tel: 606-6789788
Fax: 606-6789766

Bostik Findley (Malaysia) S/B
(Singapore Branch)
2 Jurong East
Street 21 #02-184
IMM Building
Singapore 609601
Tel: 65-6863-4088
Fax: 65-6863-4077

Bostik (Thailand) Co., Ltd
1/32 Bang-na Thani
Tower 16th A Foolr.
Soi Bangna-Trad 34,
Bangna-Trad rd.
Bang-na, Bangkok
Tel: 02-361 6460-7
Fax: 02-361 6469

Bostik Phillippines, Inc.
35/F Raffles Corporate Center,
F. Ortigas Jr. Road
Ortigas Business Center,
Pasig city, Phillippines
Tel: 632-900-5656
Fax: 632-900-5622

Bostik Indonesia
Setiabudi Atrium Building,
Level 2, Suite 203 A
Jl. HR Rasuna Said
Jakarta Indonesia 12920
Tel: 62 21 521 0404
Fax: 62 21 521 0554

Bostik Vietnam Company Limited
10 Doc Lap Avenue,
VSIP 1. Thuan An District,
BinhDuong Province. Viet Nam.
Tel: 84 650 3765105
Fax: 84 650 3765109

Bostik Australia Pty Ltd
51-71 High street,
Thomastown Victoria, Australia
Tel: 613 9279-9333
Fax: 613 9279-9342
24-hr Emergency: 1800 033 111
Bostik New Zealand Limited
19 Eastern Hutt Road Wingate,
Lower Hutt, New Zealand
Tel: 04-567 5119
Fax: 04-567 5412
24-hr Emergency: 0800 243 622

Jiangsu Bositk Adhesive Co.,Ltd
No.15-9, Xinggang Road, Changshu
Enconomic Development Zone
Jiangsu Province 215536
Tel: 0086-512-52266000
Fax: 0086-512-52266020

Bostik Findley (China) Adhesive Ltd
No.75, Xin Zhuang 2 Road, Yong He
District, GETDD
Guangzhou, China 511356
Tel: 020-8297 5266
Fax: 020-8297 5277

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 12-May-2016

Revision Note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet