

EXCELFLEXVersion 1

Revision Date 08-Feb-2017 Supersedes Date: 08-Feb-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EXCELFLEX Pure substance/mixture mixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives, sealants.

Uses Advised Against No information available.

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik (Shanghai) Management Co., Ltd

Building 1, No 968 Guanghua Road, Minhang District

Building 1, No.968 Guanghua Road, Minhang District

Shanghai, China Tel: 021-60763101 Fax: 021-60763133 **Manufacturer**

Bostik India Private Ltd 124/1 & 124/2A Kachanayakanahalli

Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post,

Anekal Taluk

Bangalore - 562106, Karnataka,

INDIA

Tel: 0091-80-27833520 Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

Category 2A (6.4A)

Please refer to Section 16 for local affiliate addresses.

1.4. Emergency Telephone Number

Emergency Telephone 0532-8388 9090 (China only)

E-mail address SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Serious Eye Damage/Eye Irritation

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group No information available

2.2. Label Elements



Signal Word WARNING

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

EXCELFLEXRevision Date08-Feb-2017Version1Supersedes Date:08-Feb-2017

•

__

P280 - Wear protective gloves/protective clothing/eye protection/face protection

EYES

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3. Other Hazards

- Product dust may be irritating to eyes, skin and respiratory system
- When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers
- · Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Calcium formate	544-17-2	1 - 5

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Skin Contact Brush off loose particles from skin. Wash off immediately with plenty of water for at least

15 minutes. If skin irritation persists, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water,

also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this

container or label. Rinse mouth.

Self-protection of the First Aider Use personal protective equipment as required.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

4.4. Reference to Other Sections

Reference to Other Sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11:

TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Unsuitable Extinguishing Media No information available.

EXCELFLEX Revision Date 08-Feb-2017 Supersedes Date: 08-Feb-2017 Version 1

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Chemical

Hazardous Combustion

Products

Carbon oxides.

5.3. Advice for Firefighters

Special Protective Equipment for Wear self-contained breathing apparatus and protective suit.

Fire-fighters

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective

gloves/protective clothing and eye/face protection.

For Emergency Responders Sweep up to prevent slipping hazard.

6.2. Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Methods for Cleaning up Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid generation Advice on Safe Handling

of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, including any Incompatibilities

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Keep out of the reach of children. Protect from direct contact with water or excessive **Storage Conditions**

moisture. Keep the packing dry and well sealed to prevent contamination and absorption

of humidity.

Incompatible Materials No information available

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

EXCELFLEX Revision Date 08-Feb-2017 Supersedes Date: 08-Feb-2017 Version 1

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

No information available **Derived No Effect Level (DNEL)**

Predicted No Effect Concentration No information available

(PNEC)

No information available Other Information

8.2. Exposure Controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Respiratory Protection

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Wear suitable protective clothing. No special technical protective measures are **Skin and Body Protection**

necessary under normal conditions.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only **Hand Protection**

> depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

or for short periods of work, a combination of professional filter is recommended.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after **General Hygiene** Considerations handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Powder **Appearance** Color White Odor Odorless **Odor Threshold** Not applicable

Property Values Remarks • Method

No information available **Melting Point/Freezing Point** No information available **Boiling Point** No information available **Flash Point** No information available No information available **Evaporation Rate** Flammability (solid, gas) No information available

Flammability Limit in Air

Autoignition Temperature

Upper Flammability Limit No information available No information available **Lower Flammability Limit Vapor Pressure** No information available **Vapor Density** No information available **Specific Gravity** No information available No information available **Water Solubility** No information available Solubility in Other Solvents **Partition Coefficient** No information available No information available

Page 4/8

EXCELFLEX

Revision Date 08-Feb-2017

Version 1

Supersedes Date: 08-Feb-2017

•

Decomposition TemperatureNo information availableKinematic ViscosityNo information availableDynamic ViscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)
No information available
No information available
No information available

Solid Content (%)

Density No information available Bulk Density No information available

VOC

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical Stability

10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5. Incompatible Materials

Incompatible Materials No information available.

10.6. Hazardous Decomposition Products

Hazardous Decomposition

roducte

None under normal use conditions.

Products

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.

Numerical measures of toxicity

Unknown acute toxicity

35 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

36 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

EXCELFLEX Revision Date 08-Feb-2017 Version 1 Supersedes Date: 08-Feb-2017

36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium formate	= 2650 mg/kg (Rat)	LD50 > 2000 mg/kg (rat)	-
544-17-2		OECD 402	

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. Sensitization No information available. **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity** No information available. **STOT - Single Exposure** No information available. **STOT - Repeated Exposure** No information available.

Eyes, Lungs, Respiratory system. **Target Organ Effects**

Aspiration Hazard No information available. Carcinogenicity No information available.

IARC (International Agency for

Research on Cancer)

Group 1 - Carcinogenic to Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

None known.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Calcium formate	RC50 (72h) > 1000 mg/l	LC50 96 h >= 1000 mg/L	EC50 (48h) > 1000 mg/l (Daphnia
544-17-2	(Pseudokirchnerella subcapitata)	(Brachydanio rerio static)	magna)
			EPA-660/3-75-009

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

EXCELFLEX Revision Date 08-Feb-2017 **Version** 1 **Supersedes Date:** 08-Feb-2017

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Section 14: TRANSPORTATION INFORMATION

IMDGNot regulatedIATANot regulatedADRNot regulated

Section 15: REGULATORY INFORMATION

National Regulations

China

Not applicable

Japan

Not applicable

Korea

K-REACH/chemical control act(CCA)

Not applicable

International Regulations

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Local Contacts

EXCELFLEX Revision Date 08-Feb-2017 Supersedes Date: 08-Feb-2017 Version 1

Bostik Korea, Ltd.

6F, 21 Gukhoe-daero 62-gil Yeongdeungpo-gu Yao, Osaka

Seoul, 07236

Tel: +82-02-3703-6870

Korea

Fax: +82-02-3703-6850

Bostik Findley (Malaysia) Sdn. Bhd

Lot 112 & 113,

Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia

Tel: 606-6789788 Fax: 606-6789766

Bostik Phillippines, Inc. 35/F Raffles Corporate Center,

F. Ortigas Jr. Road Ortigas Business Center, Pasig city, Phillippines Tel: 632-900-5656 Fax: 632-900-5622 Bostik Australia Pty Ltd 51-71 High street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

24-hr Emergency: 1800 033 111 Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412 Bostik-Nitta Co, Ltd 2-22, Futamata Japan

Tel: 81-72-948-8286

Fax: 81-72-948-8273

Bostik Findley (Malaysia) S/B

(Singapore Branch) 2 Jurong East Street 21 #02-184 **IMM Building** Singapore 609601 Tel: 65-6863-4088 Fax: 65-6863-4077 Bostik Indonesia

Setiabudi Atrium Building,

Level 2, Suite 203 A Jl. HR Rasuna Said Jakarta Indonesia 12920 Tel: 62 21 521 0404

Fax: 62 21 521 0554 Jiangsu Bositk Adhesive Co.,Ltd No.15-9, Xinggang Road, Changshu Enconomic Development Zone

Jiangsu Province 215536 Tel: 0086-512-52266000 Fax: 0086-512-52266020

Bostik India Private Ltd 124/1 & 124/2A Kachanayakanahalli

Behind Bommasandra Indl. Area Off Hosur Road, Hennagara Post,

Anekal Taluk

Bangalore - 562106, Karnataka,

INDIA

Tel: 0091-80-27833520 Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

Bostik (Thailand) Co., Ltd 1/32 Bang-na Thani Tower 16th A Foolr. Soi Bangna-Trad 34, Bangna-Trad rd. Bang-na, Bangkok Tel: 02-361 6460-7

Fax: 02-361 6469 Bostik Vietnam Company Limited

10 Doc Lap Avenue, VSIP 1. Thuan An District, BinhDuong Province. Viet Nam.

Tel: 84 650 3765105 Fax: 84 650 3765109

Bostik Findley (China) Adhesive Ltd No.75, Xin Zhuang 2 Road, Yong He

District, GETDD

Guangzhou, China 511356 Tel: 020-8297 5266 Fax: 020-8297 5277

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

08-Feb-2017 **Revision Date**

Revision Note Not applicable.

Training Advice No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet