

FIXALL TILE ADHESIVE GREY

Version 1

Revision Date 21-Apr-2016 Supersedes Date: No information available

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name FIXALL TILE ADHESIVE GREY

Pure substance/mixture mixture

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives.

Uses Advised Against No information available.

#### 1.3. Details of the Supplier of the Safety Data Sheet

**Company Name** 

Bostik (Shanghai) Management Co., Ltd

Building 1, No.968 Guanghua Road, Minhang District

Shanghai, China Tel: 021-60763101 Fax: 021-60763133 **Manufacturer** 

Bostik India Private Ltd 124/1 & 124/2A

Kachanayakanahalli

Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post,

Anekal Taluk

Bangalore - 562106, Karnataka,

INDÍA

Tel: 0091-80-27833520 Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

#### Please refer to Section 16 for local affiliate addresses.

# 1.4. Emergency Telephone Number

Emergency Telephone 0532-8388 9090 (China only)

E-mail address SDS.AP@Bostik.com

### Section 2: HAZARD IDENTIFICATION

# 2.1. Classification of the Substance or Mixture

Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 1 (8.3A)
Skin sensitization	Category 1 (6.5B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

**ERMA Group** No information available

# 2.2. Label Elements



Signal Word

**DANGER** 

**Hazard statements** 

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

#### **FIXALL TILE ADHESIVE GREY**

Version 1 Supersedes Date: No information available

Revision Date 21-Apr-2016

#### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

P321 - Specific treatment (see supplemental first aid instructions on this label)

#### Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P362 - Take off contaminated clothing and wash before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

#### Eves

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Keep only in the original container/package in a cool well-ventilated place

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

- Product dust may be irritating to eyes, skin and respiratory system
- When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers
- Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

#### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Cement, portland, chemicals	65997-15-1	30 - 40

<sup>\*\*\*</sup> Any remaining ingredients are not hazardous

# Section 4: FIRST AID MEASURES

# 4.1. Description of First Aid Measures

**General Advice** If symptoms persist, call a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation

persists, call a physician. Brush off loose particles from skin.

Eye contact If symptoms persist, call a physician. In case of eye contact, remove contact lens and

rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion Do NOT induce vomiting. Rinse mouth. If swallowed, seek medical advice immediately

and show this container or label.

**Self-protection of the First Aider** Use personal protective equipment as required.

#### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

# 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Revision Date 21-Apr-2016

**FIXALL TILE ADHESIVE GREY** 

Version 1 Supersedes Date: No information available

Note to physicians May cause sensitization of susceptible persons. Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11:

TOXICOLOGY INFORMATION.

# Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Unsuitable Extinguishing Media No information available.

5.2. Special Hazards Arising from the Substance or Mixture

**Specific Hazards Arising from the** Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Chemical

**Hazardous Combustion** 

**Products** 

Carbon oxides.

5.3. Advice for Firefighters

Special Protective Equipment for Wear self-contained breathing apparatus and protective suit.

Fire-fighters

### Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective

gloves/protective clothing and eye/face protection.

For Emergency Responders Sweep up to prevent slipping hazard.

6.2. Environmental Precautions

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological

Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Methods for Cleaning up Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE. SECTION 8: EXPOSURE

CONTROLS/PERSONAL PROTECTION. Section 13: DISPOSAL CONSIDERATIONS.

# Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid generation

of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, including any Incompatibilities

FIXALL TILE ADHESIVE GREY Revision Date 21-Apr-2016

Version 1 Supersedes Date: No information available

**General Hygiene Considerations** When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Regular cleaning of equipment, work area and clothing is recommended.

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive

moisture. Keep the packing dry and well sealed to prevent contamination and absorption

of humidity.

Incompatible Materials No information available

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

#### **Exposure Limits**

Chemical Name	Australia	China	Japan	Korea	New Zealand
Cement, portland,	10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> total	TWA: 4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
chemicals		dust	TWA: 1 mg/m <sup>3</sup>		
65997-15-1		TWA: 1.5 mg/m <sup>3</sup>			
		respirable dust			
		STEL: 8 mg/m³ total			
		dust			
		STEL: 3 mg/m <sup>3</sup>			
		respirable dust			

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

Other Information No information available

8.2. Exposure Controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment (PPE)** 

**Respiratory Protection** 

General Hygiene Considerations

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection** Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

**Hand Protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

or for short periods of work, a combination of professional filter is recommended.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Revision Date 21-Apr-2016

**FIXALL TILE ADHESIVE GREY** 

Version 1 Supersedes Date: No information available

Remarks • Method

AppearancePowderColorGreyOdorOdorlessOdor ThresholdNot applicable

<u>Property</u> <u>Values</u>

pH No information available
Melting Point/Freezing Point No information available
Boiling Point No information available
Flash Point No information available
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper Flammability Limit** No information available No information available **Lower Flammability Limit** Vapor Pressure No information available **Vapor Density** No information available **Specific Gravity** No information available **Water Solubility** No information available No information available **Solubility in Other Solvents Partition Coefficient** No information available **Autoignition Temperature** No information available No information available **Decomposition Temperature** No information available **Kinematic Viscosity Dvnamic Viscosity** No information available **Explosive Properties** No information available No information available **Oxidizing Properties** 

9.2. Other Information

Softening PointNo information availableMolecular WeightNo information availableSolvent Content (%)No information available

Solid Content (%)

DensityNo information availableBulk DensityNo information available

VOC

### Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical Stability

10.3. Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5. Incompatible Materials

**Incompatible Materials**No information available.

10.6. Hazardous Decomposition Products

**Hazardous Decomposition** 

**Products** 

None under normal use conditions.

**FIXALL TILE ADHESIVE GREY** 

Revision Date 21-Apr-2016 Version 1 Supersedes Date: No information available

# Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on Toxicological Effects

#### **Acute Toxicity**

**Product Information** Product does not present an acute toxicity hazard based on known or supplied

information.

Inhalation No Data Available. Eye contact No Data Available. No Data Available. **Skin Contact** Ingestion No Data Available.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. No information available. Sensitization No information available. **Germ Cell Mutagenicity Reproductive Toxicity** No information available. **STOT - Single Exposure** No information available. STOT - Repeated Exposure No information available.

**Target Organ Effects** Eyes, Lungs, Respiratory system, Skin.

**Aspiration Hazard** No information available. Carcinogenicity No information available.

IARC (International Agency for

Research on Cancer)

Group 1 - Carcinogenic to Humans

# Section 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

#### **Ecotoxicity**

#### **Product Information**

None known.

# **Component Information**

Data obtained on the component(s) include

#### 12.2. Persistence and Degradability

No information available.

#### 12.3. Bioaccumulative Potential

No information available.

#### 12.4. Mobility in Soil

No information available.

#### 12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other Adverse Effects

No information available.

**FIXALL TILE ADHESIVE GREY** 

Revision Date 21-Apr-2016 Version 1 Supersedes Date: No information available

# Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues/Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

### Section 14: TRANSPORTATION INFORMATION

Not regulated **IMDG** IATA Not regulated Not regulated ADR

# Section 15: REGULATORY INFORMATION

### **National Regulations**

**China** 

Not applicable

<u>Japan</u>

Not applicable

Korea

K-REACH/chemical control act(CCA)

Not applicable

### International Regulations

# **Europe**

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

### EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 16: OTHER INFORMATION

## **Local Contacts**

**FIXALL TILE ADHESIVE GREY** 

Version 1 Supersedes Date: No information available

Bostik Korea, Ltd.

6F, 21

Gukhoe-daero 62-gil Yeongdeungpo-gu Yao, Osaka

Seoul, 07236

Korea Tel: +82-2-3703-6870 Fax: +82-2-3703-6898 Bostik-Nitta Co, Ltd 2-22,Futamata Yao, Osaka Japan

Tel: 81-72-948-8286

Fax: 81-72-948-8273

Bostik India Private Ltd 124/1 & 124/2A Kachanayakanahalli

Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post,

Revision Date 21-Apr-2016

Anekal Taluk

Bangalore - 562106, Karnataka,

**INDIA** 

Tel: 0091-80-27833520 Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

Bostik Findley (Malaysia) Sdn. Bhd

Lot 112 & 113,

Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia

Tel: 606-6789788 Fax: 606-6789766

Bostik Phillippines, Inc. 35/F Raffles Corporate Center, F. Ortigas Jr. Road Ortigas Business Center, Pasig city, Phillippines Tel: 632-900-5656 Fax: 632-900-5622 Bostik Australia Pty Ltd

Thomastown Victoria, Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

51-71 High street,

24-hr Emergency: 1800 033 111 Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

24-hr Emergency: 0800 243 622

Bostik Findley (Malaysia) S/B (Singapore Branch)

2 Jurong East Street 21 #02-184 IMM Building Singapore 609601 Tel: 65-6863-4088 Fax: 65-6863-4077 Bostik Indonesia

Bostik Indonesia Setiabudi Atrium Building,

Level 2, Suite 203 A Jl. HR Rasuna Said Jakarta Indonesia 12920 Tel: 62 21 521 0404

Fax: 62 21 521 0554 Jiangsu Bositk Adhesive Co.,Ltd No.15-9, Xinggang Road, Changshu Enconomic Development Zone

Jiangsu Province 215536 Tel: 0086-512-52266000 Fax: 0086-512-52266020 Bostik (Thailand) Co., Ltd 1/32 Bang-na Thani Tower 16th A Foolr. Soi Bangna-Trad 34, Bangna-Trad rd. Bang-na, Bangkok Tel: 02-361 6460-7

Fax: 02-361 6469 Bostik Vietnam Company Limited

10 Doc Lap Avenue,

VSIP 1. Thuan An District, BinhDuong Province. Viet Nam.

Tel: 84 650 3765105 Fax: 84 650 3765109

Bostik Findley (China) Adhesive Ltd No.75, Xin Zhuang 2 Road, Yong He

District, GETDD

Guangzhou, China 511356 Tel: 020-8297 5266 Fax: 020-8297 5277

#### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

# **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 21-Apr-2016

Revision Note Not applicable.

Training Advice No information available

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**