

PLUG LEAK Version 1 Revision Date 15-Apr-2016 Supersedes Date: No information available

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NamePLUG LEAKPure substance/mixturemixture

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended useAdhesives.Uses Advised AgainstNo information available.

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik (Shanghai) Management Co., Ltd Building 1, No.968 Guanghua Road, Minhang District Shanghai, China Tel: 021-60763101 Fax: 021-60763133

Manufacturer

Bostik India Private Ltd 124/1 & 124/2A Kachanayakanahalli Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post, Anekal Taluk Bangalore - 562106, Karnataka, INDIA Tel: 0091-80-27833520 Fax: 00 91-80-27831324 Email: Bostikinfo.India@bostik.com

Please refer to Section 16 for local affiliate addresses.

1.4. Emergency Telephone Number

Emergency Telephone 0532-8388 9090 (China only)

E-mail address

SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Corrosion/Irritation	Category 3 (6.3B)
Serious Eye Damage/Eye Irritation	Category 1 (8.3A)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group

No information available

2.2. Label Elements



Signal Word

DANGER

Hazard statements H316 - Causes mild skin irritation H318 - Causes serious eye damage

Precautionary Statements - Prevention

PLUG LEAK Version 1

Revision Date 15-Apr-2016 Supersedes Date: No information available

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

In case of contact with substance, wipe from skin immediately; flush skin or eyes with running water for at least 20 minutes IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing **Skin**

P332 + P313 - If skin irritation occurs: Get medical advice/attention

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Keep only in the original container/package in a cool well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/containers in accordance with local regulations

2.3. Other Hazards

· Product dust may be irritating to eyes, skin and respiratory system

• When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

• Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Calcium hydroxide	1305-62-0	1 - 5
Lithium hydroxide monohydrate	1310-66-3	< 1

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Inhalation	Remove to fresh air. If symptoms persist, call a physician.		
Skin Contact	Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.		
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.		
Ingestion	Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth.		
Self-protection of the First Aider	Use personal protective equipment as required.		
4.2. Most Important Symptoms and Effects, Both Acute and Delayed			
Symptoms	None known.		
4.3. Indication of Any Immediate M	ledical Attention and Special Treatment Needed		
Note to physicians	Treat symptomatically.		
4.4. Reference to Other Sections			
Reference to Other Sections	SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION. Page 2 / 8		

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media No information available.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Thermal decomposition can lead to release of irritating and toxic gases and vapors. **Chemical**

Hazardous Combustion Carbon oxides. Products

5.3. Advice for Firefighters

Special Protective Equipment for Wear self-contained breathing apparatus and protective suit. **Fire-fighters**

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.
For Emergency Responders	Sweep up to prevent slipping hazard.
6.2. Environmental Precautions	
Environmental Precautions	See Section 12 for additional Ecological Information.
6.3. Methods and Material for Con	tainment and Cleaning up
Methods for Containment	Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.
Methods for Cleaning up	Avoid creating dust. Sweep up and shovel into suitable containers for disposal.
6.4. Reference to other sections	
Reference to Other Sections	Section 7: HANDLING AND STORAGE. SECTION 8: EXPOSURE

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling			
Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.		
7.2. Conditions for Safe Storage, i	ncluding any Incompatibilities		
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.		
Storage Conditions	Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.		
Incompatible Materials	No information available		
7.3. Specific End Use(s)			

PLUG LEAK Version 1

Other Information

No information available.

7.4. References to Other Sections

Reference to Other Sections

Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	Australia	China	Japan	Korea	New Zealand
Calcium hydroxide 1305-62-0	5 mg/m³	-	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available (PNEC)

Other Information No information available

8.2. Exposure Controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment (PPE)

Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General Hygiene	Do not eat, drink or smoke when using this product. Wash hands thoroughly after
Considerations	handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Appearance Color Odor Odor Threshold	Solid Powder Grey Odorless Not applicable	
Property pH Melting Point/Freezing Point Boiling Point Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper Flammability Limit Lower Flammability Limit Vapor Pressure	Values No information available No information available	<u>Remarks • Method</u>

Revision Date 15-Apr-2016

Supersedes Date: No information available

PLUG LEAK Version 1

Vapor Density	No information available		
Specific Gravity	No information available		
Water Solubility	No information available		
Solubility in Other Solvents Partition Coefficient	No information available No information available		
	No information available		
Autoignition Temperature Decomposition Temperature	No information available No information available		
Kinematic Viscosity	No information available		
Dynamic Viscosity	No information available		
Explosive Properties	No information available		
Oxidizing Properties	No information available		
9.2. Other Information			
Softening Point	No information available		
Molecular Weight	No information available		
Solvent Content (%)	No information available		
Solid Content (%)	100		
Density	No information available		
Bulk Density	No information available		
VOC			
Section 10: STABILITY AN	D REACTIVITY		
10.1. Reactivity			
Reactivity	None under normal use conditions.		
10.2. Chemical Stability			
10.3. Possibility of Hazardous Re	pactions		
-			
Possibility of Hazardous Reactio	ns None under normal processing.		
Hazardous Polymerization	None under normal processing.		
10.4. Conditions to Avoid			
Conditions to Avoid	Heat, flames and sparks.		
10.5. Incompatible Materials			
Incompatible Materials	No information available.		
10.6. Hazardous Decomposition	Products		
Hazardous Decomposition			

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium hydroxide	= 7340 mg/kg (Rat)	-	-

PLUG LEAK Version 1

Revision Date 15-Apr-2016 Supersedes Date: No information available

1305-62-0			
Lithium hydroxide monohydrate	= 120 mg/kg (Rat)	-	= 0.96 mg/L (Rat)4 h
1310-66-3			

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Sensitization Germ Cell Mutagenicity Reproductive Toxicity STOT - Single Exposure STOT - Repeated Exposure	No information available. No information available. No information available. No information available. No information available.
Target Organ Effects Aspiration Hazard Carcinogenicity	No information available. Eyes, Lungs, Respiratory system, Skin. No information available. No information available.

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

None known.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Calcium hydroxide	-	LC50 96 h = 160 mg/L (Gambusia	-
1305-62-0		affinis static)	

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5. Results of PBT and vPvB Assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and Page $6/8$

regulations.

Section 14: TRANSPORT INFORMATION IMDG Not regulated

IATA Not regulated
ADR Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

<u>China</u> Not applicable

<u>Japan</u>

Not applicable

<u>Korea</u>

K-REACH/chemical control act(CCA)

This product does not contain phase-in substances subject to registration, toxic substances, substances subject to authorization, restricted substances, prohibited substances, substances requiring preparation for accidents regulated under the Chemicals Control Law

International Regulations

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Local Contacts

PLUG LEAK Version 1

6F, 21

Korea

Bostik Korea, Ltd. Bostik-Nitta Co, Ltd 2-22, Futamata 124/1 & 124/2A Gukhoe-daero 62-gil Yeongdeungpo-gu Yao, Osaka Kachanayakanahalli Seoul, 07236 Japan Tel: 81-72-948-8286 Tel: +82-2-3703-6870 Fax: 81-72-948-8273 Anekal Taluk Fax: +82-2-3703-6898 INDIA Tel: 0091-80-27833520 Fax: 00 91-80-27831324 Bostik Findley (Malaysia) Sdn. Bhd Bostik Findley (Malaysia) S/B Bostik (Thailand) Co., Ltd (Singapore Branch) 1/32 Bang-na Thani Lot 112 & 113, Kawasan Perindustrian senawang, 2 Jurong East Tower 16th A Foolr. seremban, negeri sembilian, Malaysia Street 21 #02-184 Soi Bangna-Trad 34, Tel: 606-6789788 IMM Building Bangna-Trad rd. Fax: 606-6789766 Singapore 609601 Bang-na, Bangkok Tel: 65-6863-4088 Tel: 02-361 6460-7 Fax: 65-6863-4077 Fax: 02-361 6469 Bostik Indonesia Bostik Phillippines, Inc. 35/F Raffles Corporate Center, Setiabudi Atrium Building, 10 Doc Lap Avenue, F. Ortigas Jr. Road Level 2, Suite 203 A VSIP 1. Thuan An District, Ortigas Business Center, JI. HR Rasuna Said Pasig city, Phillippines Jakarta Indonesia 12920 Tel: 84 650 3765105 Tel: 632-900-5656 Tel: 62 21 521 0404 Fax: 84 650 3765109 Fax: 62 21 521 0554 Fax: 632-900-5622 Bostik Australia Pty Ltd Jiangsu Bositk Adhesive Co.,Ltd 51-71 High street, No.15-9, Xinggang Road, Changshu Enconomic Development Zone District, GETDD Thomastown Victoria, Australia Tel: 613 9279-9333 Jiangsu Province 215536 Guangzhou, China 511356

Fax: 613 9279-9342 24-hr Emergency: 1800 033 111 Fax: 0086-512-52266020 Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412 24-hr Emergency: 0800 243 622

Tel: 0086-512-52266000

Revision Date 15-Apr-2016 Supersedes Date: No information available

Bostik India Private Ltd Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post, Bangalore - 562106, Karnataka, Email: Bostikinfo.India@bostik.com

Bostik Vietnam Company Limited BinhDuong Province. Viet Nam.

Bostik Findley (China) Adhesive Ltd No.75, Xin Zhuang 2 Road, Yong He Tel: 020-8297 5266 Fax: 020-8297 5277

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet No information available

Key Literature References and Sources for Data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	15-Apr-2016
Revision Note	Not applicable.
Training Advice	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet