



ATTACHED TO YOUR WORLD

# Woodworking/ Joinery

DISTRIBUTOR CATALOGUE



# Welcome to our smart world!

For more than a century, Bostik has been developing innovative adhesive solutions. As the world evolves so do we. Continuous innovation is a priority for Bostik. Bostik has more than 400 chemists and technicians worldwide who are constantly focused on designing cost-effective solutions to help our customers improve the performance of their products and the productivity of their processes, while maintaining priority on easy and safe handling as well as minimising cost and environmental impact.

Our strong local development team has the backing of the global organisation. With this dual strength, Bostik is at the forefront of adhesive technology, and has the ability to quickly deliver innovative solutions.

The Bostik New Zealand production team is committed to producing adhesives and sealants economically, safely and of consistently high quality. Our manufacturing process and site is fully certified to International Quality Management Standard AS/NZS ISO 9001:2008.

If you have any queries regarding the products featured in this catalogue, please contact Bostik NZ Ltd.





**Tuf As Nails General Purpose** Wallboard & construction adhesive

A solvent-based, high strength, highly versatile construction adhesive, designed for bonding most panels to vertical studs or overhead joists. Excellent wet grab and high initial grip. Cured adhesive is very tough and flexible. LOSP suitable. Non drip. Suitable for interior and exterior use with Formica, particle-board, steel and aluminium, timber and hardboard, plasterboard, cement sheet and concrete. Meets AS 2329 Mastic adhesives for fixing wallboards. Made in NZ.

CODE	COLOUR	SIZE	CARTON
30804316	Brown	375 mL cartridge	20

**Tuf As Nails Original** Polystyrene-safe construction adhesive

A specially formulated, high modulus construction adhesive designed for bonding most common building materials, and is ideal for polystyrene and acrylic shower linings. Low to high stress loadings. Adds rigidity and stiffness. LOSP suitable. Non drip. Suitable for interior and exterior use with acrylic shower linings, polystyrene, steel and aluminium, timber and hardboard. Do not use for mirrors. Meets AS 2329 Mastic adhesives for fixing wallboards. Made in NZ.

CODE	COLOUR	SIZE	CARTON
30804317	Brown	375 mL cartridge	20
30804325	Brown	600 mL sausage	20

**Tuf As Nails WB** Water-based construction adhesive

A non-toxic, high strength acrylic construction adhesive, suitable for timber and steel framing (in conjunction with nails and screws). LOSP suitable. Non drip, suitable for vertical, horizontal and overhead applications. Filling irregular gaps between plasterboard and frame, it will bond clipboard, plywood, Masonite and HardieFlex sheeting to studs or solid walls. Ideal for Green Builds. Made in New Zealand.

CODE	COLOUR	SIZE	CARTON
30804182	Off White	375 mL cartridge	20
30804181	Off White	600 mL sausage	20

**MS Safe Fix** Solvent-free, high performance MS construction adhesive

BRANZ Appraisal 662, multi-purpose, heavy duty, MS-based adhesive for construction and building. Elastically seals most building materials and surfaces. Green Star compliant, it is ideal for green builds – low VOC, odour-free and solvent, silicone and isocyanate-free. Exceptionally high initial grab, adheres to common building substrates and solvent sensitive substrates such as mirrors and polystyrene.



CODE	COLOUR	SIZE	CARTON
30605494	White	300 mL cartridge	12

**Simson ISR 70-05 AP** Silyl Modified Polymer

Simson ISR 70-05 AP is a high quality elastic adhesive based on Silyl Modified Polymer (SMP). It has a good initial tack and a high mechanical strength. It is suitable as adhesive for structures in industrial applications requiring high strength. Can also be used for sealing applications. Simson ISR 70-05 AP has excellent resistance to UV, weather and temperature and is free of any solvent, isocyanate and silicone. It exhibits excellent adhesion performance on a wide variety of substrates (minimal or no pre-treatment necessary) and can be over-painted with common industrial paints.

CODE	COLOUR	SIZE	CARTON
30600968	Black	290ml Cartridge	12
30607437	Oak	600ml Sausage	12
30605335	Grey	600ml Sausage	12
30802037	Black	600ml Sausage	12



**Handy Wipes** Extra large wipes with scrub side

Waterless extra large wipes hand towels with a convenient scrub side for removing tough grime and the other side for gentle wiping. Cuts through grease, tar, uncured adhesive, lubricants, ink and paint. Won't scratch or mark. Soft on hands, kind to skin.

CODE	COLOUR	SIZE	CARTON
30603766	Clear liquid on purple	70 towels per tub	6



**Alpha Grip** 1 hour cure foaming PU construction adhesive

Solvent-free, thixotropic, quick setting, moisture-cured D4 polyurethane adhesive. Alpha Grip is stronger than wood after one hour – when fully cured has an extremely strong bond with excellent resistance to water, weathering, ageing and marine conditions. Foams slightly to fill gaps and cracks. Tested and approved for use with Laminex Strandfloor. Certified to EN204 D4. Ideal for flooring and general construction and for bonding porous to non-porous substrates.

CODE	COLOUR	SIZE	CARTON
30804522	Bright Cream	310 mL cartridge	20

**AEROSOL**



**Supertak HP** High performance aerosol adhesive

This is a fast tack, fast grab, low soak-in spray adhesive especially formulated to bond polyethylene to itself, concrete block, wood and many hard-to-bond surfaces. Used to bond paper, cardboard, fabric, urethane foam, foil, metal, wood and most plastics to itself and a variety of other substrates. Synthetic rubber blend with good heat resistance. Go to for all difficult substrates, temporary or permanent bonds.

CODE	COLOUR	SIZE	CARTON
30804494	Translucent	481g canister	12



**BladeCote** Blade and bit lubricant

Significantly reduces cutting friction and resin or pitch buildup. Apply regularly for increased productivity and extend overall blade life by up to 3 times and reduce heat by 30 percent. BladeCote dries in seconds and will not gum-up, even after several applications. A lubricant for industrial, commercial and residential uses. Suitable to use on all blades, router and drill bits, knives, chisels, screws and nails. Use to lubricate chains, gears and pulleys.

CODE	COLOUR	SIZE	CARTON
30804586	Clear	10.75oz	12



**GlideCote** Table and tool surface sealant

Regular maintenance of saw tables and receiving tables with GlideCote™ significantly reduces sliding friction on all metal, laminate, and plastic surfaces. Recommended for use for table saw beds, drill presses, lathes, planers, band saws, miters, panel saws, and all hand tools. Eliminates “hang-ups” on sliding surfaces. Will not build-up even after several applications and will not stain or affect finishing of wood. Contains no petroleum oils or silicone. Protects all tools and equipment from rust. Up to 30% slicker than paste wax. Easier and quicker to apply than paste wax. Lasts three times longer than paste wax.

CODE	COLOUR	SIZE	CARTON
30603712	Clear	10.75oz	12



## LAMINATING



### Triple 5 BSR Neoprene-based laminating adhesive

High performance neoprene-based laminating adhesive. It can be applied by brush, spray or roller. Versatile for bonding most common substrates. Can be heat reactivated. Good heat and water resistance. Intermittent oil and petrol exposure. For thinning use Solvent No. 2 and for cleaning use Solvent No. 2 or turpentine. Suitable for most laminating requirements. Bonding decorative laminates such as Formica, Laminex etc. to particleboard, benchtop laminating, general bonding for plywood, galvanized iron, wood, veneer, plasterboard. Not suitable for polyethylene, polypropylene, Teflon, plasticised PVC except for low stress bonds, copper/brass and polystyrene foam.

CODE	COLOUR	SIZE	CARTON
30804350	Red	4L	2
30804280	Natural	20L	1
30804339	Red	20L	1
30804333	Red	210L (MTO)*	1



### 1456 Laminating Sprayable solvent-based neoprene laminating adhesive

1456 Laminating provides adhesive for excellent durability and is quick drying. Has strong initial grab and very good heat and water resistance. Heat reactivation and high immediate heat resistance. Intermittent oil and petrol exposure. Suitable for benchtop laminating where high heat and water resistance are required, post-forming rolled edge benchtops, motor home and marine fit-outs, heavy duty bonding of fabrics and materials. Wood, laminates, rubbers, cementitious materials, fibreglass and common metals and light duty bonding of plasticised PVC. Not suitable for polyethylene, polypropylene, Teflon, plasticised PVC except for low stress bonds, copper/brass and polystyrene foam. For thinning use Solvent No. 2 and for cleaning use Solvent No. 2 or turpentine.

CODE	COLOUR	SIZE	CARTON
30804345	Natural	20L	1
30804215	Red	20L	1
30804214	Red	210L (MTO)*	1

## PVA



### Linkbond III Self crosslinking D3 PVA

Bostik Linkbond III is a one-part self crosslinking PVA glue with superior heat resistance and excellent water resistance. Extremely fast grab and bond strength development. Low viscosity suits all application methods. Non-flammable and non-toxic. Responds well to RF heating and meets European exposure group BS EN 204 (D3). High solids content. Recommended for use on wood, paper, leather, cardboard, HPL flat lamination and post forming

CODE	COLOUR	SIZE	CARTON
30804040	White, dries clear	4kg	4
30804041	White, dries clear	21kg	1
30804042	White, dries clear	210kg (MTO)*	1

\*MTO = Made to order, 6-8 week lead time

# Recommended Adhesives & Sealants Selection Guide

GUIDE ONLY – USER TO TEST FIRST



Type	Interior		Exterior		Acoustic Rated	Control Joints
	Interior	Exterior	Acoustic Rated	Control Joints		
<b>GRAB ADHESIVES</b>						
Alpha Grip	✓	✓				
MS Safe Fix	✓	✓				
High Tack	✓	✓				
Stik-N-Seal	✓	✓				
Tuf As Nails General Purpose	✓					
Tuf As Nails Original	✓					
Tuf As Nails Water Based	✓					
Wallboard Gold	✓	✓				
Wallboard Gold Ultra	✓					
Shower Grip	✓					
Simson ISR 70-03	✓	✓				
Simson ISR 70-08 AP	✓	✓				
Simson MSR CA SSKF (Marine)	✓	✓				
Ultragrip Panel & Stud Adhesive	✓					
<b>SEALANTS</b>						
Coolroom Sealant	✓	✓				✓
Industrial Grade Neutral Cure	✓	✓				
Roof & Gutter Neutral Cure	✓	✓				
Kitchen & Bathroom NC	✓					
MS Safe Seal	✓	✓				✓
Seal N' Flex Facade	✓	✓				✓
Seal N' Flex 1	✓	✓				✓
Seal N' Flex FC	✓	✓				✓
All Purpose Silicone	✓	✓				
Duct Sealer	✓	✓				
Shower Seal	✓					
<b>FILLERS</b>						
Fill-A-Gap	✓	✓				
PEF Backing Rod	✓	✓				✓
<b>FIRE RATED</b>						
Firecaulk	✓				✓	
Fireban One	✓	✓			✓	✓

Before use, read the **Technical Data Sheet and Safety Data Sheet** at [bostik.co.nz](http://bostik.co.nz) or call **0508 222 272**

## BOSTIK HOTLINE

Smart help  
0508 222 272 (NZ)  
1800 898 551 (AU)



[bostik.co.nz](http://bostik.co.nz)





Smart help  
0508 222 272

MARCH 2023

**Bostik NZ Ltd**

**WELLINGTON**

19 Eastern Hutt Rd, Wingate 5019  
Lower Hutt, New Zealand  
Phone: + 64 4 567 5119  
Fax: + 64 4 567 3776

**AUCKLAND**

148 Pavilion Drive  
Airport Oaks, Auckland 2022  
Phone: + 64 9 257 5847  
Fax: + 64 9 257 3589

[bostik.co.nz](http://bostik.co.nz)