BOSTIK PLUMBING RELATED PRODUCTS BPIR DECLARATION



Version 2.0 February 2024

DESIGNATED BUILDING PRODUCT: Class 1

DECLARATION

Bostik New Zealand Ltd (Bostik) has provided this declaration to satisfy the provisions of the **Building (Building Product Information Requirements) Regulations 2022**.

COMPANY DETAILS

Name	Bostik New Zealand Ltd
Role	Manufacturer
NZBN	9429039292674
Address	19 Eastern Hutt Rd, Wingate, Lower Hutt
Website	www.bostik.com/newzealand/en_NZ/
Email	nzsales@bostik.com
Phone	0508 222 777

DESCRIPTION OF BUILDING PRODUCT

Bostik manufactures adhesive and primer products for use with plumbing installation. Typically these products are intended to be used together.

Bostik PVC pipe cement and primer are solvent-based, waterproof, chemically resistant, and has been tested to AS/NZS 4020 and is therefore safe to be used with potable water. They are suitable for use in pressure and non-pressure applications and with PVC, ABS and ASA pipes and fittings type P.

Bostik manufactures their PVC cement and primer system to conform to the requirements of AS/NZS 3879: Solvent cements and priming fluids for PVC (PVC-U and PVC-M) and ABS and ASA pipes and fittings.

The primer softens the PVC pipe so that the adhesive can adhere more firmly to the substrate. Performance of the system relies on the correct application. For more information on these products, refer to Appendix 1.

Bostik has a lengthy history in speciality adhesives. It originated in Massachusetts, America in 1889 and was known as the Boston Blacking Company. The name Bostik was adopted in 1960. In 2015 it became part of the Arkema group. Bostik has a strong focus on **sustainability**, products, and how they operate the business.



CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

Bostik plumbing related products do not have building code obligations. Building code obligations arise when used in building work. Bostik relies on conformance to AS/NZS 3879 supported by their in-house testing and, where applicable, third party testing to make the following claims.

When applied correctly, products covered by this statement will contribute to compliance with the following building code clauses as applicable:

- B2 (Durability): B2.3.1 (a, b, c)
- El (Surface Water): El.3.3 (a)
- E2 (External Moisture): E2.3.1, E2.3.2, E2.3.7
- E3 (Internal Moisture): E2.3.2, E2.3.6
- F2 (Hazardous Building Materials): F2.3.1
- G1 (Personal Hygiene): G1.3.2 (g, h)
- G12 (Water Supplies): G12.3.2, G12.3.3, G12.3.7
- G13 (Foul Water): G13.3.1 (a), G12.3.2 (a)

FOR FURTHER INFORMATION

Bostik plumbing related products must be used and stored in accordance with all information supplied by Bostik.

For supporting information, refer to **Bostik**.

RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm Bostik plumbing related products, as referred to in this statement, are not subject to a warning or ban under **s26 of the Building Act**.

Signed for and on behalf of Bostik New Zealand Ltd:

TIM LEWIS Tim Lewis MANAGING DIRECTOR

February 2024





BOSTIK PLUMBING RELATED PRODUCTS APPENDIX 1



Version 1.0 February 2024

Bostik supplies a full range of adhesives and primer for use with PVC, ABS and ASA pipe and fitting installations.

PVC PIPE CEMENT

Is a fast drying adhesive, which when used in conjunction with PVC primer cements PVC, ABS and SAS pipes and fittings for pressure and non-pressure applications.

It is solvent based and may be used in the temperature range of 5 - 30°C.

It has been tested to AS/NZS 4020, which has established that it is suitable for use with potable water applications.

When used in conjunction with PVC red Primer, PVC Pipe Cement in consistent with the requirements of AS/NZS3879. Solvent cements and priming fluids for PVC (PVC-U and PVC-M) and ABS and ASA pipes and fittings type P.

Click here for more information.

PVC RED PRIMER

A solvent based fluid that cleans and primes (softens) PVC prior to applying PVC pipe cement.

When used in conjunction with PVC Pipe Cement, PVC Red Primer in consistent with the requirements of AS/NZS3879. Solvent cements and priming fluids for PVC (PVC-U and PVC-M) and ABS and ASA pipes and fittings type P.

It has been tested to AS/NZS 4020, which has established that it is suitable for use with potable water applications.

Click here for more information.