

This safety data sheet was created pursuant to the requirements of: GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

MOISTURE SEAL PART A Revision Number 1.01 Revision date 05-Mar-2024 Supersedes Date: 27-Nov-2018

## Section 1: Identification

**Product identifier** 

Product Name MOISTURE SEAL PART A

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Resin

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

E-mail address

**Manufacturer** 

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

Idress SDS.AP@Bostik.com

Emergency telephone number

**Emergency Telephone** 24 Hr: 0800 243 622

International +64 4 917 9888 Poison Centre: 0800 764 766

## Section 2: Hazard identification

#### **GHS Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Chronic aquatic toxicity	Category 2

#### Label elements



#### Signal word Warning

#### **Hazard statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

MOISTURE SEAL PART A
Revision Number 1.01
Revision Number 27-Nov-2018

H319 - Causes serious eye irritation

H341 - Suspected of causing genetic defects

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Avoid release to the environment

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Eyes** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

Spill

Collect spillage

### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards which do not result in classification

No information available.

### Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW	25068-38-6	30 - 60
Neodecanoic acid, oxiranylmethyl ester	26761-45-5	<10

Non-hazardous ingredients	Proprietary	Balance
---------------------------	-------------	---------

### Section 4: First-aid measures

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

**Skin contact** May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see

a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

MOISTURE SEAL PART ARevision date05-Mar-2024Revision Number1.01Supersedes Date:27-Nov-2018

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure Mutagenic effects.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Section 5: Fire-fighting measures

Hazchem code •3Z

Suitable Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products Hydrogen chloride.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

**MOISTURE SEAL PART A** Revision date 05-Mar-2024 **Revision Number** 1.01 Supersedes Date: 27-Nov-2018

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: Handling and storage

Precautions for safe handling

This product is part of a kit. Please also refer to the SDS for the other component(s) of Advice on safe handling

the kit. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using

this product. Take off contaminated clothing and wash before reuse. Remove

contaminated clothing and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Wear suitable gloves and eye/face protection.

Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. **Storage Conditions** 

Recommended storage

temperature

Keep at temperatures between 41 and 95 °F / 5 and 35 °C.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

## Section 8: Exposure controls/personal protection

**Control parameters** 

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Limits** 

exposure limits established by the region specific regulatory bodies.

limits

Biological occupational exposure This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies.

Appropriate engineering controls

**Engineering controls** Showers

Evewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

## Section 9: Physical and chemical properties

**MOISTURE SEAL PART A** Revision date 05-Mar-2024 **Revision Number** 1.01 Supersedes Date: 27-Nov-2018

Information on basic physical and chemical properties

Physical state Liquid Appearance Liquid Color Dark Gray Odor Low.

**Odor threshold** No information available

Values Remarks • Method Property

pН No data available Not applicable Substance/mixture is

non-polar/aprotic 8.5 - 9

Melting point / freezing No data available

point

Initial boiling point and 100 °C None known

boiling range

None known Flash point No data available **Evaporation rate** No data available None known None known Flammability No data available None known

Flammability Limit in

None known Upper flammability or No data available

explosive limits

Lower flammability or No data available

explosive limits

No data available Vapor pressure Relative vapor density No data available No data available Relative density Water solubility Immiscible in water Solubility(ies) No data available **Partition coefficient** No data available Autoignition No data available

temperature Decomposition temperature

Kinematic viscosity No data available Dynamic viscosity No data available

None known Not applicable

None known

**Explosive properties** No information available. No information available. **Oxidizing properties** 

Other information

No information available Softening point No information available Molecular weight **VOC** content No information available

**Liquid Density** 1 23

**Bulk density** No information available

Particle characteristics

## Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None

MOISTURE SEAL PART A
Revision Number 1.01
Revision Number 27-Nov-2018

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

**Conditions to avoid**None known based on information supplied.

Incompatible materials

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

**Hazardous decomposition products** 

**Hazardous decomposition** 

products

None under normal use conditions.

### Section 11: Toxicological information

#### **Acute toxicity**

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

**Skin contact** May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity .

**Numerical measures of toxicity** 

### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-vapor) >20 mg/l
ATEmix (inhalation-dust/mist) >5 mg/l

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol-A-Epichlorhydrin	LD50 (Rattus) > 2000 mg/kg	>2000 mg/Kg (Rattus)	-
Epoxy resin <= 700 MW	OECD 420		
Neodecanoic acid,	LD50 > 2000 mg/kg (Rattus)	> 2000 mg/kg (Rattus) OECD	>240 mg/m³ (Rattus) 4 h
oxiranylmethyl ester	OECD 420	402	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

MOISTURE SEAL PART ARevision date05-Mar-2024Revision Number1.01Supersedes Date:27-Nov-2018

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. Suspected of causing genetic defects.

Neodecanoic acid, oxiranylmethyl ester (26761-45-5)

Method	Species	Results
OECD 488	in vivo	Mutagenic

**Carcinogenicity** No information available.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

Narcotic effects No information available.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## Section 12: Ecological information

**Ecotoxicity** 

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

**Aquatic ecotoxicity** 

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW	EC50 (72h) = 9.4 mg/L (Scenedesmus capricornutum) EPA-660/3-75-009	1.2 mg/l 96Hr (Oncorhynchus mykiss)	2.7 mg/l 48hr Daphia Magna
Neodecanoic acid, oxiranylmethyl ester	EC50: =3.5mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =5mg/L (96h, Oncorhynchus mykiss)	EC50: =4.8mg/L (48h, Daphnia magna)

**Terrestrial ecotoxicity**There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential Bioaccumulation Component Information

Chemical name	Partition coefficient

MOISTURE SEAL PART A Revision Number 1.01

Revision date 05-Mar-2024 Supersedes Date: 27-Nov-2018

Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW	3.26
Neodecanoic acid, oxiranylmethyl ester	4.4

Mobility in soil

Mobility

No information available.

Other adverse effects

No information available.

## Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals - may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Environmentally hazardous substances - if the substance, or if it contains a component that is hazardous to the aquatic environment or bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable must be removed. The product may only be discharged into the environment if an environmental exposure limit has been set for the substance (or a component of the substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the environmental exposure limit.

## Contaminated packaging

For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if:

- the substance has a physical hazard other than corrosive to metal, and has been treated to remove any residual contents of the hazardous substance;
- or for substances that have a health or environmental hazard, or corrosive to metal, the contents of the residue in the package are below the threshold for the substance to be classified as hazardous in the Hazardous Substances (Hazard Classification) Notice 2020.

### Section 14: Transport information

Hazchem code

•3Z

Ш

IATA

UN number or ID number UN proper shipping name Transport hazard class(es) UN3082

Transport hazard class(es) Packing group Environmentally hazardous substance, liquid, n.o.s. 9

Special Provisions
Description

A97, A158, A197

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW, Neodecanoic acid, oxiranylmethyl

ester), 9, III

<u>IMDG</u>

Not regulated UN3082

UN number or ID number UN proper shipping name

Environmentally hazardous substance, liquid, n.o.s.

MOISTURE SEAL PART ARevision date05-Mar-2024Revision Number1.01Supersedes Date:27-Nov-2018

Transport hazard class(es)

Packing group

EmS-No.

F-A, S-F

Special Provisions

9

III

F-A, S-F

274, 335, 969

Marine pollutant

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW, Neodecanoic acid, oxiranylmethyl

ester), 9, III, Marine pollutant

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

ADR

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A-Epichlorhydrin Epoxy

resin <= 700 MW, Neodecanoic acid, oxiranylmethyl ester)

Transport hazard class(es)

Labels 9
Packing group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s.

(Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW, Neodecanoic acid, oxiranylmethyl

ester), 9, III, (-)

Environmental hazards Yes Limited quantity (LQ) 5 L

**Special Provisions** 274, 335, 601, 375

Classification code M6 Tunnel restriction code (-)

### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EPA New Zealand HSNO approval code or group standard

EPA New Zealand HSNO approval HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard)

National regulations

There are no applicable tolerable exposure limits or environmental exposure limits

according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license

requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work

Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please

check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017

for more information

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

MOISTURE SEAL PART ARevision date05-Mar-2024Revision Number1.01Supersedes Date:27-Nov-2018

### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Section 16: Other information

Revision date 05-Mar-2024 Revision Note

\*\*\*Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

\*\* Hazard Designation + Sensitizers

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**