

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK 8015 COMBI LIGHT

Supercedes Date: 13-Feb-2023

#### Revision date 13-Feb-2023 Revision Number 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	BOSTIK 8015 COMBI LIGHT
Other means of identification	
Unique Formula Identifier (UFI) Pure substance/mixture	ARN1-MXHY-4U2T-KT4S Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Adhesive Cement Building and construction work
Uses advised against	None known.
1.3. Details of the supplier of the second	afety data sheet
Company Name Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden Tel: +46 42 19 50 00 Fax: +46 42 19 50 20	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone number	_

**Emergency Telephone** 

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity — single exposure	Category 3 - (H335)

# 2.2. Label elements

Contains Cement, portland, chemicals (Chromium VI reduced), Flue dust, Cement Portland



BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023 Revision date 13-Feb-2023 Revision Number 1

Signal word Danger

# Hazard statements

H315 - Causes skin irritation H318 - Causes serious eye damage

H335 - May cause respiratory irritation

# Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P501 - Dispose of contents/ container to an approved waste disposal plant

### Additional information

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

# 2.3. Other hazards

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. Repeated exposure may cause skin dryness or cracking.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

# 3.2 Mixtures

o).	according to Regulation (EC) No.	concentration limit (SCL)		(long-ter	registration
	Regulation (EC) No.	(901)			
				m)	number
	1272/2008 [CLP]				
-4 65997-15-1	STOT SE 3 (H335)	-	-	-	Exempt
	Skin Irrit. 2 (H315)				
	Eye Dam. 1 (H318)				
-4 14808-60-7	[B]	-	-	-	[5]
'8		I3-4         65997-15-1         STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)           '8-4         14808-60-7         [B]	I3-4         65997-15-1         STOT SE 3 (H335)         -           Skin Irrit. 2 (H315)         Skin Irrit. 2 (H315)         -           Image: Second Se	I3-4         65997-15-1         STOT SE 3 (H335)         -	I3-4         65997-15-1         STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)         - <th<< td=""></th<<>

Full text of H- and EUH-phrases: see section 16

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

#### BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023

<u>Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes</u> [B] - Substance with a Community workplace exposure limit

# Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Cement, portland, chemicals (Chromium VI reduced)	266-043-4	65997-15-1	-	-	-	-	-
Quartz	238-878-4	14808-60-7	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.	
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.	
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash it before reuse.	
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	This powder (wet or dry) may cause irritation or potentially irreversible serious damage upon contact with the eyes. Burning sensation. Inhalation of dust in high concentration may cause irritation of respiratory system. Irritating to skin. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g.	

when kneeling in wet cement even when wearing trousers.

# 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	Full water jet.		
5.2. Special hazards arising from the substance or mixture			
Specific hazards arising from the chemical	No information available.		
Hazardous combustion products	Carbon oxides. Silicon dioxide.		
5.3. Advice for firefighters			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
SECTION 6: Accidental release measures			

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.	
6.3. Methods and material for cont	ainment and cleaning up	
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.	
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	
SECTION 7: Handling and storage		

# 7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

#### BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

7.3. Specific end use(s)

Specific use(s)

Adhesive. Building and construction work. Cement.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) 8.2. Exposure controls	
Engineering controls	Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.
Personal protective equipment Eye/face protection Hand protection	Wear safety glasses with side shields (or goggles). For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves made of plastic or rubber. Nitrile rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Skin and body protection	Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact.
Respiratory protection	Avoid generation of dust. In case of inadequate ventilation wear respiratory protection. Possible nuisance dust.
Recommended filter type:	Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.
Environmental exposure controls	Do not allow uncontrolled discharge of product into the environment.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical propertiesPhysical stateSolidAppearancePowder

BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023 Revision date 13-Feb-2023 Revision Number 1

Colour Odour Odour threshold	Grey White Characteristic. No information available	
Property	<u>Values</u>	Remarks • Method
Melting point / freezing point	Not applicable . °C	None known
Initial boiling point and boiling	Not applicable . °C	None known
range Flammability	No data available	None known
Flammability Limit in Air	NO Gata available	None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	Not applicable . °C	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known.
pH (as aqueous solution)	11 - 11.5	None known
Kinematic viscosity	Not applicable .	None known
Dynamic viscosity		
Water solubility	Miscible in water. Cement based	None known
	products react and solidify in contact	
	with water	<b>N</b> 1 1
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk Density	No data available	
Density Relative vapour density	1.3 g/cm <sup>3</sup> No data available	None known
Particle characteristics	NO Gata available	NOTE KIOWIT
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	100	
Softening Point	Not relevant	
VOC content	No data ava	ailable

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available Not applicable .

# SECTION 10: Stability and reactivity 10.1. Reactivity Reactivity Product cures with moisture. 10.2. Chemical stability Stability Keep away from Incompatible materials. Stable under recommended storage conditions. Explosion data Sensitivity to mechanical impact Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	Product cures with moisture.	
10.5. Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents. Acids. Aluminium.	
10.6. Hazardous decomposition p	roducts	
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.	
SECTION 11: Toxicological information		
11.1. Information on hazard class	ses as defined in Regulation (EC) No 1272/2008	

# Information on likely routes of exposure

## **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
umptome related to the physical	chamical and toxicological characteristics

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Redness. Burning. May cause blindness	. May cause redness and tearing of the eyes.
----------	---------------------------------------	--

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)99,999.00mg/kgATEmix (dermal)99,999.00mg/kgATEmix (inhalation-gas)99,999.00ppmATEmix (inhalation-dust/mist)99,999.00mg/lATEmix (inhalation-vapour)99,999.00mg/l

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals	-	>2000 Kg/mg (Lapin)	>5 g/m <sup>3</sup> (Rattus)
(Chromium VI reduced)			
Quartz	>2000 mg/kg (Rattus)	-	_

# BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023

Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Skin corrosion/irritation	Irritating to skin.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT - single exposure	May cause respiratory irritation.	
STOT - repeated exposure	Based on available data, the classification criteria are not met.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2. Information on other hazard	<u>s</u>	
11.2.1. Endocrine disrupting prop	perties	
Endocrine disrupting properties	No information available.	
11.2.2. Other information		
Other adverse effects	No information available.	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
Ecotoxicity		
12.2. Persistence and degradability	<u>y</u>	
Persistence and degradability	No information available.	
12.3. Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
12.4. Mobility in soil		
Mobility in soil	No information available.	

# **BOSTIK 8015 COMBI LIGHT**

# 12.5. Results of PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the PBT and vPvB assessment threshold of declaration. 12.6. Endocrine disrupting properties Endocrine disrupting properties No information available.

# 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	16 03 03* inorganic wastes containing hazardous substances 15 01 10*: Packaging containing residues of or contaminated by dangerous substances Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

Land	transport (ADR/RID)	
14.1	UN number or ID number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special Provisions	None
IMDO	<u>i</u>	
14.1	UN number or ID number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Marine pollutant	NP
14.6	Special Provisions	None
14.7	Maritime transport in bulk	Not applicable
acco	rding to IMO instruments	
	-	
<u>Air tr</u>	ansport (ICAO-TI / IATA-DGR)	<u> </u>
14.1	UN number or ID number	Not regulated
14.2	Proper Shipping Name	Not regulated

14.1	ON number of ID number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable

#### BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023

14.6 Special Provisions None

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	47.

**47** where product supplied with reducing agent the packaging must be marked with the storage conditions and storage period appropriate to maintaining the activity of the reducing agent to keep the content of soluble chromium VI below 2mg/Kg

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

# **Persistent Organic Pollutants**

Not applicable

### National regulations

France

# Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Cement, portland, chemicals (Chromium VI reduced)	RG 8,RG 10
65997-15-1	RG 8
Quartz	RG 25
14808-60-7	

## Germany

**Ordinance on Industrial Safety and Health - Germany - BetrSichV** No flammable liquids in accordance with BetrSichV

#### BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023

#### Water hazard class (WGK)

slightly hazardous to water (WGK 1)

# Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands - List of Carcinogens
Quartz 14808-60-7	Present (respirable dust, crystalline)

# <u>Sweden</u>

Occupational exposure limits AFS 2018:1 Swedish Work Environment Authority's Statute (AFS 2015:2) QUARTZ AFS 2015:2 Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. AFS 2012:3

Denmark Registration number(s) (P-no.)

No information available 00-4

MAL-Code 00-4 AT-Guide C.0.1 August 2007: Limit values for substances and materials

#### <u>Norway</u> Registration number(s) (PRN-no.) 625316

# 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

# **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

### Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	*	Skin designation

# Classification procedure

Chacomballon procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method

BOSTIK 8015 COMBI LIGHT Supercedes Date: 13-Feb-2023

Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	

# Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC) European Chemicals Agency (ECHA) (ECHA\_API) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) NIOSH (National Institute for Occupational Safety and Health) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set Prepared By Product Safety & Regulatory Affairs

Revision date	13-Feb-2023
Training Advice	No information available
Further information	No information available

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**