

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021 Revision date 05-Jan-2023 Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|--|---|
| Product Name | BOSTIK ACRYL DECO WHITE |
| Other means of identification | |
| Pure substance/mixture | Mixture |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Recommended use | Sealant |
| Uses advised against | None known. |
| 1.3. Details of the supplier of the s | afety data sheet |
| Company Name Bostik SA 420 rue d'Estienne d'Orves 92700 Colombes FRANCE Tel: +33 (0)1 49 00 90 00 | |
| E-mail address | SDS.box-EU@bostik.com |

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

BOSTIK ACRYL DECO WHITE

Supercedes Date: 09-Jun-2021

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No). | CAS No. | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-ter m) | REACH registration number |
|---|---------------------------------|------------|--|--|----------|-----------------------------|---------------------------------|
| Titanium dioxide 1 - <2.5 % | (022-006-00- 2) 236-675-5 | 13463-67-7 | [C] | - | - | - | 01-2119489379- 17-XXXX |
| Sodium hydroxide 0.1 - <0.3 % | (011-002-00- 6) 215-185-5 | 1310-73-2 | Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290) | Eye Irrit. 2 :: 0.5%<=C<2% Eye Dam. 1 :: C>=2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2% | - | - | 01-2119457892- 27-XXXX |
| 1,2-benzisothiazol-3(2H) -one [BIT] 0.01 - < 0.05 % | (613-088-00- 6) 220-120-9 | 2634-33-5 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | Skin Sens. 1 :: C>=0.05% | 1 | - | 01-2120761540- 60-XXXX |
| reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) [C(M)IT/MIT] <0.0015 % | 611-341-5 | 55965-84-9 | Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015% | 100 | 100 | 01-2120764691- 48-XXXX |

Full text of H- and EUH-phrases: see section 16

<u>Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes</u> [C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021

Revision date 05-Jan-2023 Revision Number 4

| | | | | | | - | |
|--|-----------------------------|------------|--------------------|----------------------|-------------------------------|-------------------------------|-------------------------------|
| Chemical name | EC No (EU Index No) | CAS No | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - | Inhalation LC50 - 4 hour - | Inhalation LC50 - 4 hour - |
| | | | | | dust/mist - mg/L | vapour - mg/L | gas - ppm |
| Titanium dioxide | (022-006-00-2) 236-675-5 | 13463-67-7 | - | - | - | - | - |
| Sodium hydroxide | (011-002-00-6) 215-185-5 | 1310-73-2 | - | - | - | - | - |
| 1,2-benzisothiazol-3(2 H)-one [BIT] | (613-088-00-6) 220-120-9 | 2634-33-5 | 670 | - | - | - | - |
| reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] | | 55965-84-9 | 100 | 87.12 | 0.33 | - | - |

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

| Chemical name | Notes |
|---|--------|
| Titanium dioxide - 13463-67-7 | V,W,10 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9 | В |

SECTION 4: First aid measures

4.1. Description of first aid measures

| General advice | If medical advice is needed, have product container or label at hand. | | | |
|---|---|--|--|--|
| Inhalation | Remove to fresh air. | | | |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. | | | |
| Skin contact | In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water. | | | |
| Ingestion | Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. | | | |
| 4.2. Most important symptoms and | d effects, both acute and delayed | | | |
| Symptoms | No information available. | | | |
| 4.3. Indication of any immediate medical attention and special treatment needed | | | | |
| Note to doctors | No information available. | | | |
| SECTION 5: Firefighting measures | | | | |
| 5.1. Extinguishing media | | | | |

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021

| | surrounding environment. |
|--|--|
| Unsuitable extinguishing media | Full water jet. |
| 5.2. Special hazards arising from the | ne substance or mixture |
| Specific hazards arising from the chemical | No information available. |
| Hazardous combustion products | Carbon oxides. |
| 5.3. Advice for firefighters | |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |
| SECTION 6: Accidental relea | ise measures |
| 6.1. Personal precautions, protecti | ve equipment and emergency procedures |
| Personal precautions | Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. |
| Other information | Prevent further leakage or spillage if safe to do so. |
| For emergency responders | Use personal protection recommended in Section 8. |
| 6.2. Environmental precautions | |
| Environmental precautions | Do not allow to enter into soil/subsoil. Do not flush into surface water or sanitary sewer system. |
| 6.3. Methods and material for conta | ainment and cleaning up |
| Methods for containment | Do not scatter spilled material with high pressure water streams. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |
| Methods for cleaning up | Take up mechanically, placing in appropriate containers for disposal. |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. |
| 6.4. Reference to other sections | |
| Reference to other sections | See section 8 for more information. See section 13 for more information. |
| SECTION 7: Handling and st | orage |
| 7.1. Precautions for safe handling | _ |
| Advice on safe handling | Ensure adequate ventilation. Use personal protective equipment as required. |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Avoid contact with skin, eyes or clothing. |
| 7.2. Conditions for safe storage, in | cluding any incompatibilities_ |
| Storage Conditions | Keep from freezing. |
| Recommended storage temperature | Do not freeze. |

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021

7.3. Specific end use(s)

Specific use(s) Joint sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | |
|--------------------------------|----------------|-----------------------------------|---------------|
| Titanium dioxide (13463-67-7) | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker | Inhalation | 10 mg/m ³ | |
| Long term | | | |
| Local health effects | | | |

| 1,2-benzisothiazol-3(2H)-one [BIT |] (2634-33-5) | | |
|--|----------------|-----------------------------------|---------------|
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Systemic health effects | Inhalation | 6.81 mg/m ³ | |
| worker Long term Systemic health effects | Dermal | 0.966 mg/kg bw/d | |

| Derived No Effect Level (DNEL | _) | | |
|--------------------------------------|----------------|-----------------------------------|---------------|
| Titanium dioxide (13463-67-7) | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer | Oral | 700 mg/kg bw/d | |
| Long term Systemic health effects | | | |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | | | |
|--|----------------|-------------------------|---------------|
| Туре | Exposure route | Derived No Effect Level | Safety factor |
| | | (DNEL) | |
| Consumer | Inhalation | 1.2 mg/m ³ | |
| Long term | | | |
| Systemic health effects | | | |
| Consumer | Dermal | 0.345 mg/kg bw/d | |
| Long term | | | |
| Systemic health effects | | | |

BOSTIK ACRYL DECO WHITE

Supercedes Date: 09-Jun-2021

Predicted No Effect Concentration (PNEC)

| Predicted No Effect Concentration (PNEC) | | |
|--|--|--|
| Titanium dioxide (13463-67-7) | | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) | |
| Marine water | 0.0184 mg/l | |
| Freshwater sediment | 1000 mg/kg | |
| Freshwater | 0.184 mg/l | |
| Marine sediment | 100 mg/kg | |
| Soil | 100 mg/kg | |
| Microorganisms in sewage treatment | 100 mg/l | |
| Freshwater - intermittent | 0.193 mg/l | |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | |
|--|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 4.03 μg/l |
| Marine water | 0.403 µg/l |
| Sewage treatment plant | 1.03 mg/l |
| Freshwater sediment | 49.9 µg/l |
| Marine sediment | 4.99 μg/l |
| Soil | 3 mg/kg dry weight |

8.2. Exposure controls

Engineering controlsEnsure adequate ventilation, especially in confined areas.Personal protective equipment
Eye/face protection
Hand protectionTight sealing safety goggles.Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use:.
Nitrile rubber. Ensure that the breakthrough time of the glove material is not exceeded.
Refer to glove supplier for information on breakthrough time for specific gloves.Skin and body protection
Respiratory protectionSuitable protective clothing.
None under normal use conditions.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | | | | |
|--|------------------------------|------------------|--|--|
| Physical state | Solid | | | |
| Appearance | Paste | | | |
| Colour | White | | | |
| Odour | No information available. | | | |
| Odour threshold | No information available | | | |
| Property | Values | Remarks • Method | | |
| Melting point / freezing point | No data available | None known | | |
| Initial boiling point and boiling | No data available | None known | | |
| range | | | | |
| Flammability | Not applicable for liquids . | | | |
| Flammability Limit in Air | | None known | | |
| Upper flammability or explosive limits | No data available | | | |
| Lower flammability or explosive limits | No data available | | | |
| Flash point | No data available | None known | | |
| Autoignition temperature | No data available | None known | | |
| Decomposition temperature | | None known | | |
| рН | 7 - 9 | | | |
| pH (as aqueous solution) | No data available | None known | | |
| Kinematic viscosity | > 21 mm²/s | None known | | |
| | | | | |

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021 Revision date 05-Jan-2023 Revision Number 4

| Dynamic viscosity | No data available | |
|--|-------------------------------------|------------|
| Water solubility | Miscible in water. | None known |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Vapour pressure | No data available | None known |
| Relative density | No data available | None known |
| Bulk Density | No data available | |
| Liquid Density | 1.66 - g/cm ³ | |
| Relative vapour density | No data available | None known |
| Particle characteristics | | |
| Particle Size | No information available | |
| Particle Size Distribution | No information available | |
| 9.2. Other information Solid content (%) VOC content | No information available No data | available |

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity 10.2. Chemical stability Stability Stable under normal conditions. **Explosion data** Sensitivity to mechanical None. impact Sensitivity to static discharge None. 10.3. Possibility of hazardous reactions Possibility of hazardous reactions None under normal processing. 10.4. Conditions to avoid Conditions to avoid Do not freeze. 10.5. Incompatible materials None known based on information supplied. Incompatible materials 10.6. Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021

Revision date 05-Jan-2023 Revision Number 4

Product Information Based on available data, the classification criteria are not met. Eye contact Based on available data, the classification criteria are not met. Skin contact Based on available data, the classification criteria are not met. Ingestion Based on available data, the classification criteria are not met. Symptoms related to the physical. Herrical and toxicological characteristics Symptoms No information available.

Numerical measures of toxicity

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-----------------------|---|-------------------------|
| Titanium dioxide | >10000 mg/kg (Rattus) | LD50 > 5000 mg/Kg | = 5.09 mg/L (Rattus)4 h |
| Sodium hydroxide | =325 mg/kg (Rattus) | = 1350 mg/kg (Oryctolagus cuniculus) | - |
| 1,2-benzisothiazol-3(2H)-one [BIT] | =670 mg/kg (Rattus) | LD50 > 2000 mg/kg (Rattus) | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | = 53 mg/kg (Rat) | LD50 = 87.12 mg/kg (Oryctolagus cuniculus) | = 0.33 mg/L (Rat) 4h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

 Method
 Species
 Exposure route
 Effective dose
 Exposure time
 Results

 OECD Test No. 404:
 Rabbit
 Dermal
 Non-irritant
 Non-irritant

 Acute Dermal
 Irritation/Corrosion
 Irritation/Corrosion
 Irritation/Corrosion
 Irritation/Corrosion
 Irritation/Corrosion

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 405: | Rabbit | Eye | | | Non-irritant |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

BOSTIK ACRYL DECO WHITE

| Method | Species | Exposure route | Results |
|--|-----------------------------|-------------------------------|-----------------------|
| OECD Test No. 406: Skin Sensitisation | Guinea pig | Dermal | Not a skin sensitiser |
| OECD Test No. 429: Skin | Mouse | Dermal | Not a skin sensitiser |
| Sensitisation: Local Lymph Node | | | |
| Assay | | | |
| Germ cell mutagenicity | Based on available data, th | ne classification criteria ar | re not met. |
| Carcinogenicity | Based on available data, th | ne classification criteria ar | re not met. |
| Reproductive toxicity | Based on available data, th | ne classification criteria ar | e not met. |
| STOT - single exposure | Based on available data, th | ne classification criteria ar | re not met. |
| STOT - repeated exposure | Based on available data, th | ne classification criteria ar | e not met. |
| Aspiration hazard | Based on available data, th | ne classification criteria ar | re not met. |
| 11.2. Information on other hazard | <u>S</u> | | |
| 11.2.1. Endocrine disrupting prop | perties | | |
| Endocrine disrupting properties | No information available. | | |
| 11.2.2. Other information | | | |
| Other adverse effects | No information available. | | |

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|---|---|---|-------------------------------|--|----------|-------------------------|
| Titanium dioxide 13463-67-7 | LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203 | - | - | - | | |
| Sodium hydroxide 1310-73-2 | - | LC50: =45.4mg/L (96h, Oncorhynchus mykiss) | - | - | | |
| 1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5 | EC50 3Hr 13mg/l (activated sludge) (OECD 209) | LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006 | | EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 | 1 | |
| reaction mass of 5-chloro-2-methyl-2H-is | EC50 (72h) =0.048 mg/L | EC50 (96h) = 0.22 mg/L | - | EC50 (48h) =0.1 mg/L (Daphnia | 100 | 100 |

BOSTIK ACRYL DECO WHITE

| | | | | |
|-------------------------|--------------------|---------------|--------------|------|
| othiazol-3-one and | (Pseudokirchner | (Oncorhynchus | magna) (OECD | |
| 2-methyl-2H-isothiazol- | iella subcapitata) | mykiss) (OECD | 202) | |
| 3-one (3:1) | (OECD 201) | 211) | | |
| [C(M)IT/MIT] | . , | , | | |
| 55965-84-9 | | | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

| Method | Exposure time | Value | Results |
|--------------------------------------|---------------|----------------|---------------------------|
| OECD Test No. 301B: Ready | 28 days | biodegradation | Not readily biodegradable |
| Biodegradability: CO2 Evolution Test | - | - | |
| (TG 301 B) | | | |

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| 1,2-benzisothiazol-3(2H)-one [BIT] | 0.7 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and | 0.7 |
| 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

| Chemical name | PBT and vPvB assessment |
|--|---|
| Titanium dioxide | The substance is not PBT / vPvB PBT assessment does |
| | not apply |
| Sodium hydroxide | The substance is not PBT / vPvB PBT assessment does |
| | not apply |
| 1,2-benzisothiazol-3(2H)-one [BIT] | The substance is not PBT / vPvB |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and | The substance is not PBT / vPvB |
| 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| Waste from residues/unused products | Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations. |
|--|---|
| Contaminated packaging | Do not reuse empty containers. |

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021

| European Waste Catalogue | 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 |
|--------------------------|---|
| Other information | Waste codes should be assigned by the user based on the application for which the product was used. |

SECTION 14: Transport information

Keep from freezing.

| Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions | Not regulated Not regulated Not regulated Not regulated Not applicable None | |
|--|--|--|
| IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special Provisions 14.7 Maritime transport in bulk according to IMO instruments | Not regulated Not regulated Not regulated Not regulated NP None Not applicable | |
| Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number Not regulated | | |

| 14.1 UN number or ID number | Not regulated |
|---------------------------------|----------------|
| 14.2 Proper Shipping Name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |

Section 15: REGULATORY INFORMATION

None

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

14.6 Special Provisions

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

BOSTIK ACRYL DECO WHITE

Supercedes Date: 09-Jun-2021

Substance subject to authorisation per REACH Annex XIV This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|------------------------------------|------------------|
| 1,2-benzisothiazol-3(2H)-one [BIT] | RG 65 |
| 2634-33-5 | |

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands) Not Listed

Sweden Occupational exposure limits AFS 2018:1

DenmarkRegistration number(s) (P-no.)No information availableMAL-Code0-3AT-Guide C.0.1 August 2007: Limit values for substances and materials

<u>Norway</u> Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

BOSTIK ACRYL DECO WHITE Supercedes Date: 09-Jun-2021 Revision date 05-Jan-2023 Revision Number 4

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V: If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > $5 \mu m$ and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
|---------|-----------------------------------|------|----------------------------------|
| AGW | Occupational exposure limit value | BGW | Biological limit value |
| Ceiling | Maximum limit value | * | Skin designation |

| Classification procedure | |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - Vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |
| Skin corrosion/irritation | Calculation method |
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitisation | Calculation method |

BOSTIK ACRYL DECO WHITE

Supercedes Date: 09-Jun-2021

| Skin sensitisation | Calculation method |
|--------------------------|--------------------|
| mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |
| Ozone | Calculation method |

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

| Prepared By | Product Safety & Regulatory Affairs |
|---------------------|-------------------------------------|
| Revision date | 05-Jan-2023 |
| Revision note | SDS sections updated 3 11 12 16 |
| Training Advice | No information available |
| Further information | No information available |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet