

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Supercedes Date: 07-Feb-2023

Revision date 07-Feb-2023 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden Tel: +46 42 19 50 00

Fax: +46 42 19 50 00

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

Additional information

This product is part of a kit. Please also refer to the SDS for the other component(s) of the kit.

Europe - BE Page 1/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU	CAS No.	Classification	Specific	M-Factor	M-Factor	REACH
	Index No).		according to	concentration limit		(long-ter	registration
			Regulation (EC) No.	(SCL)		m)	number
			1272/2008 [CLP]				
1,2-benzisothiazol-3(2H)	(613-088-00-	2634-33-5	Acute Tox. 4 (H302)	Skin Sens. 1 ::	1	-	01-2120761540-
-one [BIT]	6)		Skin Irrit. 2 (H315)	C>=0.05%			60-XXXX
0.01 - < 0.05 %	220-120-9		Eye Dam. 1 (H318)				
			Skin Sens. 1 (H317)				
			Aquatic Acute 1 (H400)				
			Aquatic Chronic 2 (H411)				
reaction mass of	611-341-5	55965-84-9	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	01-2120764691-
5-chloro-2-methyl-2H-iso			Acute Tox. 2 (H310)	C>=0.6% Eye Irrit. 2 ::			48-XXXX
thiazol-3-one and			Acute Tox. 2 (H330)	0.06%<=C<0.6%			
2-methyl-2H-isothiazol-3-			Skin Corr. 1C (H314)	Skin Corr. 1C ::			
one (3:1) [C(M)IT/MIT]			Eye Dam. 1 (H318)	C>=0.6%			
<0.0015 %			Skin Sens. 1A (H317)	Skin Irrit. 2 ::			
			Aquatic Acute 1 (H400)	0.06%<=C<0.6%			
			Aquatic Chronic 1 (H410)	Skin Sens. 1 ::			
				C>=0.0015%			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU	CAS No	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
1,2-benzisothiazol-3(2	(613-088-00-6)	2634-33-5	670	-	-	-	-
H)-one [BIT]	220-120-9						
reaction mass of	611-341-5	55965-84-9	100	87.12	0.33	-	-
5-chloro-2-methyl-2H-is							
othiazol-3-one and							
2-methyl-2H-isothiazol-							
3-one (3:1) [C(M)IT/MIT]							

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.

Europe - BE Page 2/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	В

SECTION 4: First aid measures

4.1. Description of first aid measures

If medical advice is needed, have product container or label at hand. **General advice**

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper Eye contact

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Europe - BE Page 3 / 13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number 1**

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid Personal precautions

contact with skin, eyes or clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Use a non-combustible material like

vermiculite, sand or earth to soak up the product and place into a container for later

disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling This product is part of a kit. Please also refer to the SDS for the other component(s) of

the kit. Ensure adequate ventilation. Use personal protection equipment. Avoid contact

with skin, eyes or clothing.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink General hygiene considerations

or smoke when using this product. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep from freezing. Keep containers tightly closed in a dry, cool and well-ventilated **Storage Conditions**

place. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Europe - BE Page 4 / 13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
1,2-benzisothiazol-3(2H)-one	[BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	6.81 mg/m³			
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d			

Derived No Effect Level (DNEL)						
1,2-benzisothiazol-3(2H)-one	1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³				
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d				

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Eye protection must conform to standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Glove thickness Hand protection

> 0.4 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer

to glove supplier for information on breakthrough time for specific gloves. The

breakthrough time for the mentioned glove material is in general greater than 480 min.

Gloves must conform to standard EN 374.

Skin and body protection Suitable protective clothing.

Respiratory protection During spraying wear suitable respiratory equipment.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Dispersion

Europe - BE Page 5/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

White Colour Odour Sliaht.

Odour threshold No information available

Values Remarks • Method Property

Melting point / freezing point None known 0 °C Initial boiling point and boiling 100 °C None known

range

Flammability None known Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

Lower flammability or explosive No data available limits

No data available None known Flash point **Autoignition temperature** No data available None known **Decomposition temperature** None known

6 - 8 None known. pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

Dynamic viscosity 80 - 200 mPas Water solubility Partially soluble.

None known Solubility(ies) No data available None known Partition coefficient No data available None known hPa Vapour pressure 23-24 None known

Relative density No data available **Bulk Density** No data available

1.00 - 1.08 g/cm³ Density

Relative vapour density No data available None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

No information available Solid content (%)

No data available **VOC** content

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Europe - BE Page 6/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

None under normal use conditions. Stable under recommended storage conditions.

products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eve contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 99,999.00 mg/kg **ATEmix (dermal)** 99,999.00 mg/kg ATEmix (inhalation-gas) 99,999.00 ppm ATEmix (inhalation-dust/mist) 99,999.00 mg/l ATEmix (inhalation-vapour) 99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Europe - BE Page 7 / 13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

Reproductive toxicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. STOT - single exposure

STOT - repeated exposure Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard**

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

Note: PC-ADH-8 Multi-component adhesives and sealants This product is part of a kit Please

also refer to the SDS for the other component(s) of the kit

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	
H)-one [BIT]	13mg/l (activated	mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner	(Oncorhynchus		magna) (OECD		
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

Europe - BE Page 8 / 13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test			
(TG 301 B)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

component information				
Chemical name	Partition coefficient			
1,2-benzisothiazol-3(2H)-one [BIT]	0.7			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7			
2-methyl-2H-isothiazol-3-one (3:1) [C(M) T/M T]				

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the PBT and vPvB assessment

threshold of declaration.

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Europe - BE Page 9/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number** 1

Land transport (ADR/RID)

UN number or ID number	Not regulated
Proper Shipping Name	Not regulated
Transport hazard class(es)	Not regulated
Packing group	Not regulated
Environmental hazards	Not applicable
Special Provisions	None
	Proper Shipping Name Transport hazard class(es) Packing group Environmental hazards

IMDG

UN number or ID number	Not regulated
Proper Shipping Name	Not regulated
Transport hazard class(es)	Not regulated
Packing group	Not regulated
Marine pollutant	NP
Special Provisions	None
	Proper Shipping Name Transport hazard class(es) Packing group Marine pollutant

Not applicable 14.7 Maritime transport in bulk according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1	UN number or ID number	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

Europe - BE Page 10/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number 1**

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
1,2-benzisothiazol-3(2H)-one [BIT]	RG 65
2634-33-5	

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

Denmark

Registration number(s) (P-no.) No information available

MAL-Code

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Europe - BE Page 11/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Revision date 07-Feb-2023 Supercedes Date: 07-Feb-2023 **Revision Number 1**

SVHC: Substances of Very High Concern for Authorisation: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals STOT RE: Specific target organ toxicity - Repeated exposure STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

STEL (Short Term Exposure Limit) TWA TWA (time-weighted average) **STEL AGW**

Occupational exposure limit value **BGW** Biological limit value Ceiling Maximum limit value Skin designation

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - Vapour	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		
Skin corrosion/irritation	Calculation method		
Serious eye damage/eye irritation	Calculation method		
Respiratory sensitisation	Calculation method		
Skin sensitisation	Calculation method		
mutagenicity	Calculation method		
Carcinogenicity	Calculation method		
Reproductive toxicity	Calculation method		
STOT - single exposure	Calculation method		
STOT - repeated exposure	Calculation method		
Acute aquatic toxicity	Calculation method		
Chronic aquatic toxicity	Calculation method		
Aspiration hazard	Calculation method		
Ozone	Calculation method		

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 07-Feb-2023

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Europe - BE Page 12/13

BOSTIK FOIL ADHESIVE UNIVERSAL - Part B

Supercedes Date: 07-Feb-2023

Revision date 07-Feb-2023 Revision Number 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 13/13