

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

MOISTURE BARRIER 6030 Supercedes Date: 17-Aug-2021 Revision date 10-Jan-2023 Revision Number 2

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No

1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name MOISTURE BARRIER 6030

Form This substance/ mixture contains nanoforms

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Waterproofing Sealers

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden Tel: +46 42 19 50 00

Fax: +46 42 19 50 00

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction

Europe - BE Page 1/13

Supercedes Date: 17-Aug-2021 Revision Number 2

Revision date 10-Jan-2023

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

MOISTURE BARRIER 6030

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU	CAS No.	Classification	Specific	M-Factor	M-Factor	REACH
	Index No).		according to	concentration limit		(long-ter	registration
			Regulation (EC) No. (SCL)			m)	number
			1272/2008 [CLP]				
1,2-benzisothiazol-3(2H)	(613-088-00-	2634-33-5	Acute Tox. 4 (H302)	Skin Sens. 1 ::	1	-	01-2120761540-
-one [BIT]	6)		Skin Irrit. 2 (H315)	C>=0.05%			60-XXXX
0.01 - < 0.05 %	220-120-9		Eye Dam. 1 (H318)				
			Skin Sens. 1 (H317)				
			Aquatic Acute 1 (H400)				
			Aquatic Chronic 2 (H411)				
reaction mass of	611-341-5	55965-84-9	Acute Tox. 3 (H301)	Eye Dam. 1 ::	100	100	01-2120764691-
5-chloro-2-methyl-2H-iso			Acute Tox. 2 (H310)	C>=0.6% Eye Irrit. 2 ::			48-XXXX
thiazol-3-one and			Acute Tox. 2 (H330)	0.06%<=C<0.6%			
2-methyl-2H-isothiazol-3-			Skin Corr. 1C (H314)	Skin Corr. 1C ::			
one (3:1) [C(M)IT/MIT]			Eye Dam. 1 (H318)	C>=0.6%			
<0.0015 %			Skin Sens. 1A (H317)	Skin Irrit. 2 ::			
			Aquatic Acute 1 (H400)	0.06%<=C<0.6%			
			Aquatic Chronic 1 (H410)	Skin Sens. 1 ::			
				C>=0.0015%			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
1,2-benzisothiazol-3(2 H)-one [BIT]	(613-088-00-6) 220-120-9	2634-33-5	670	-	-	-	-
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and	611-341-5	55965-84-9	100	87.12	0.33	-	-

Europe - BE Page 2/13

MOISTURE BARRIER 6030 Revision date 10-Jan-2023 Supercedes Date: 17-Aug-2021 Revision Number 2

Chemical name	EC No (EU	CAS No	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
	Index No)		mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
2-methyl-2H-isothiazol-							
3-one (3:1) [C(M)IT/MIT]							

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	В
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

vater.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the No information available.

Europe - BE Page 3/13

MOISTURE BARRIER 6030 Revision date 10-Jan-2023 Supercedes Date: 17-Aug-2021 **Revision Number** 2

chemical

Hazardous combustion products Carbon dioxide (CO2).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Extremely slippery when spilled. Use personal protective

equipment as required.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g.

dry sand or earth), then place in a chemical waste container.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal

protection equipment.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink General hygiene considerations

or smoke when using this product. Wash hands before breaks and after work. Take off all

contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 5 and 25 °C.

7.3. Specific end use(s)

Specific use(s)

Waterproofing Sealers.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

Europe - BE Page 4 / 13

MOISTURE BARRIER 6030 Revision date 10-Jan-2023 Supercedes Date: 17-Aug-2021 Revision Number 2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
1,2-benzisothiazol-3(2H)-one	[BIT] (2634-33-5)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	6.81 mg/m³				
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d				

Derived No Effect Level (DNEL)						
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³				
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d				

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)					
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)					
Environmental compartment	Predicted No Effect Concentration (PNEC)				
Freshwater	4.03 μg/l				
Marine water	0.403 μg/l				
Sewage treatment plant	1.03 mg/l				
Freshwater sediment	49.9 μg/l				
Marine sediment	4.99 μg/l				
Soil	3 mg/kg dry weight				

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Hand protection

Tight sealing safety goggles.

Wear protective gloves. Gloves must conform to standard EN 374. Recommended Use:. Wear protective nitrile rubber gloves. Wear protective butyl rubber gloves. Glove thickness > 0.4 mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

Europe - BE Page 5/13

MOISTURE BARRIER 6030 Revision date 10-Jan-2023 Supercedes Date: 17-Aug-2021 Revision Number 2

gloves. Gloves should be replaced regularly and if there is any sign of damage to the

None known

None known

glove material.

Skin and body protection Suitable protective clothing.

Respiratory protectionNone under normal use conditions. During spraying wear suitable respiratory equipment.

Wear a respirator conforming to EN 140 with Type A/P2 filter or better.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous Liquid

Colour Blue

Odour No information available.
Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing point No data available

Initial boiling point and boiling 100 °C

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownPHNo data availableNone known

pH (as aqueous solution) 7.5 - 8.5

Kinematic viscosity No data available

Dynamic viscosity

Water solubility

No data available
Miscible in water.

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk Density
No data available
Liquid Density
1.03 g/cm³

Relative vapour density No data available None known

Particle characteristics

Particle SizeNo information availableParticle Size DistributionNo information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Europe - BE Page 6/13

Supercedes Date: 17-Aug-2021 Revision Number 2

Reactivity No information available.

10.2. Chemical stability

MOISTURE BARRIER 6030

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

Revision date 10-Jan-2023

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
[BIT]			
reaction mass of	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg	= 0.33 mg/L (Rat) 4h

Europe - BE Page 7/13

MOISTURE BARRIER 6030 Revision date 10-Jan-2023 Supercedes Date: 17-Aug-2021 Revision Number 2

5-chloro-2-methyl-2H-isothiazo	(Oryctolagus cuniculus)	
I-3-one and		
2-methyl-2H-isothiazol-3-one		
(3:1) [C(M)IT/MIT]		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	
H)-one [BIT]	13mg/l (activated	mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is	=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		

Europe - BE Page 8/13

Supercedes Date: 17-Aug-2021 Revision Number 2

Revision date 10-Jan-2023

othiazol-3-one and	(Pseudokirchner	(Oncorhynchus	magna) (OECD	
2-methyl-2H-isothiazol-	iella subcapitata)	mykiss) (OECD	202)	
3-one (3:1)	(OECD 201)	211)		
[C(M)IT/MIT]				
55965-84-9				

12.2. Persistence and degradability

MOISTURE BARRIER 6030

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test	-	-	
(TG 301 B)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentThe product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Europe - BE Page 9/13

MOISTURE BARRIER 6030 Revision date 10-Jan-2023 Supercedes Date: 17-Aug-2021 **Revision Number** 2

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Keep from freezing. Note:

Land transport (ADR/RID)

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP 14.6 Special Provisions None 14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Europe - BE Page 10 / 13

MOISTURE BARRIER 6030
Supercedes Date: 17-Aug-2021
Revision Number 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
1,2-benzisothiazol-3(2H)-one [BIT]	RG 65
2634-33-5	

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

Denmark

Registration number(s) (P-no.) No information available

MAL-Code 00-1 (1993)

Norway

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Europe - BE Page 11/13

MOISTURE BARRIER 6030 Revision date 10-Jan-2023 Supercedes Date: 17-Aug-2021 Revision Number 2

Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Europe - BE Page 12/13

Supercedes Date: 17-Aug-2021 Revision Number 2

Revision date 10-Jan-2023

Prepared By Product Safety & Regulatory Affairs

Revision date 10-Jan-2023

MOISTURE BARRIER 6030

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 13/13