

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific
information for OEL

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name MULTI FILLER

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Fillers, putties, plasters, modelling clay

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden

Tel: +46 42 19 50 00 Fax: +46 42 19 50 20

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

 $\hbox{[C(M)IT/MIT]\& 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction} \\$

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

Europe - BE Page 1/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No). | CAS No. | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-ter m) | REACH registration number |
|---|-------------------------|------------|---|---|----------|-----------------------------|---------------------------------|
| Quartz >25 - <40 % | 238-878-4 | 14808-60-7 | [B] | - | - | - | [5] |
| Titanium dioxide 1 - <2.5 % | 236-675-5 | 13463-67-7 | [C] | - | - | - | 01-2119489379- 17-XXXX |
| Ethylene glycol 0.1- <1 % | 203-473-3 | 107-21-1 | STOT RE 2 (H373) Acute Tox. 4 (H302) | - | - | - | 01-2119456816- 28-XXXX |
| Quartz (fine fraction) 0.1- <1 % | 238-878-4 | 14808-60-7 | STOT RE 1 (H372) | - | - | - | [5] |
| 1,2-benzisothiazol-3(2H) -one [BIT] 0.01 - < 0.05 % | 220-120-9 | 2634-33-5 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | Skin Sens. 1 :: C>=0.05% | 1 | - | 01-2120761540- 60-XXXX |
| reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) [C(M)IT/MIT] <0.0015 % | | 55965-84-9 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015% | 100 | 100 | 01-2120764691- 48-XXXX |

Full text of H- and EUH-phrases: see section 16

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

- [B] Substance with a Community workplace exposure limit
- [C] Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Europe - BE Page 2/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

| Chemical name | EC No (EU | CAS No | Oral LD50 | Dermal LD50 | Inhalation | Inhalation | Inhalation |
|--------------------------|-----------|------------|-----------|-------------|-----------------|------------------|-----------------|
| | Index No) | | mg/kg | mg/kg | LC50 - 4 hour - | LC50 - 4 hour - | LC50 - 4 hour - |
| | , | | 0 0 | | dust/mist - | vapour - mg/L | gas - ppm |
| | | | | | mg/L | 1.57 2.5. 11.9/2 | 9-10 |
| Quartz | 238-878-4 | 14808-60-7 | - | - | - | - | - |
| Titanium dioxide | 236-675-5 | 13463-67-7 | - | - | - | - | - |
| Ethylene glycol | 203-473-3 | 107-21-1 | 500 | - | - | - | - |
| Quartz (fine fraction) | 238-878-4 | 14808-60-7 | - | - | - | - | - |
| 1,2-benzisothiazol-3(2 | 220-120-9 | 2634-33-5 | 670 | - | - | - | - |
| H)-one [BIT] | | | | | | | |
| reaction mass of | 611-341-5 | 55965-84-9 | 100 | 87.12 | 0.33 | - | - |
| 5-chloro-2-methyl-2H-is | | | | | | | |
| othiazol-3-one and | | | | | | | |
| 2-methyl-2H-isothiazol- | | | | | | | |
| 3-one (3:1) [C(M)IT/MIT] | | | | | | | |

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

| Chemical name | Notes |
|--|--------|
| Titanium dioxide - 13463-67-7 | V,W,10 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and | В |
| 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9 | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Europe - BE Page 3/15

MULTI FILLER Revision date 12-Oct-2022 Supercedes Date: 12-Jan-2021 Revision Number 1.01

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Silicon dioxide. **Hazardous combustion products**

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin and eyes.

Other information Prevent further leakage or spillage if safe to do so.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. Absorb or cover with dry **Methods for containment**

earth, sand or other non-combustible material and transfer to containers.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Avoid contact with skin and eyes. Advice on safe handling

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 10 and 20 °C.

7.3. Specific end use(s)

Europe - BE Page 4 / 15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022 Revision Number 1.01

Specific use(s)

Fillers, putties, plasters, modelling clay.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

| Chemical name | European Union |
|--------------------------------------|---|
| Quartz 14808-60-7 | TWA: 0.1 mg/m ³ |
| Ethylene glycol 107-21-1 | TWA: 20 ppm TWA: 52 mg/m³ STEL: 40 ppm STEL: 104 mg/m³ |
| Quartz (fine fraction) 14808-60-7 | TWA: 0.1 mg/m ³ |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | |
|---|----------------|--------------------------------|---------------|
| Quartz (14808-60-7) | | | |
| Titanium dioxide (13463-67-7) | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Local health effects | Inhalation | 10 mg/m ³ | |

| Ethylene glycol (107-21-1) | | | |
|-----------------------------------|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term | Dermal | 106 mg/kg bw/d | |
| Systemic health effects worker | Inhalation | 35 mg/m³ | |
| Long term Systemic health effects | | | |

| 1,2-benzisothiazol-3(2H)-one | ,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | | | |
|--|---|--------------------------------|---------------|--|
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | |
| worker Long term Systemic health effects | Inhalation | 6.81 mg/m³ | | |
| worker Long term Systemic health effects | Dermal | 0.966 mg/kg bw/d | | |

Europe - BE Page 5/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

| Derived No Effect Level (DNEL) | | | | | |
|--------------------------------|----------------|--------------------------------|---------------|--|--|
| Titanium dioxide (13463-67-7) | | | | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor | | |
| Consumer | Oral | 700 mg/kg bw/d | | | |
| Long term | | | | | |
| Systemic health effects | | | | | |

| Ethylene glycol (107-21-1) | | | |
|--|------------|--------------------------------|---------------|
| Туре | | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Dermal | 53 mg/kg bw/d | |
| Consumer Long term Local health effects | Inhalation | 7 mg/m³ | |

| Quartz (fine fraction) (14808-60-7) | | | | |
|--|----------------|--------------------------------|---------------|--|
| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | |
| Consumer Long term Systemic health effects | Inhalation | 1.2 mg/m ³ | | |
| Consumer Long term Systemic health effects | Dermal | 0.345 mg/kg bw/d | | |

$\begin{tabular}{ll} \textbf{Predicted No Effect Concentration} & \textbf{No information available.} \\ \textbf{(PNEC)} \end{tabular}$

| Predicted No Effect Concentration (PNEC) | | | | |
|--|--|--|--|--|
| Titanium dioxide (13463-67-7) | | | | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) | | | |
| Marine water | 0.0184 mg/l | | | |
| Freshwater sediment | 1000 mg/kg | | | |
| Freshwater | 0.184 mg/l | | | |
| Marine sediment | 100 mg/kg | | | |
| Soil | 100 mg/kg | | | |
| Microorganisms in sewage treatment | 100 mg/l | | | |
| Freshwater - intermittent | 0.193 mg/l | | | |

| Ethylene glycol (107-21-1) | |
|------------------------------------|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 10 mg/l |
| Marine water | 1 mg/l |
| Freshwater sediment | 37 mg/kg dry weight |
| Marine sediment | 3.7 mg/kg dry weight |
| Soil | 1.53 mg/kg dry weight |
| Microorganisms in sewage treatment | 199.5 mg/l |

| Quartz (fine fraction) (14808-60-7) | |
|--|--|
| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 4.03 μg/l |
| Marine water | 0.403 μg/l |
| Sewage treatment plant | 1.03 mg/l |
| Freshwater sediment | 49.9 μg/l |
| Marine sediment | 4.99 μg/l |

Europe - BE Page 6 / 15

MULTI FILLER Revision date 12-Oct-2022 Supercedes Date: 12-Jan-2021 **Revision Number** 1.01

Soil 3 mg/kg dry weight

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls**

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Wear suitable gloves. Nitrile rubber. Butyl rubber. Glove thickness > 0.1mm. The Hand protection

breakthrough time for the mentioned glove material is in general greater than 240 min.

None known.

Skin and body protection Suitable protective clothing. None under normal use conditions. Respiratory protection

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Paste Colour White

Odour Characteristic.

Odour threshold No information available

Values Remarks • Method Property

= 0 °C 100 °C Melting point / freezing point None known

Initial boiling point and boiling

range

Not applicable for liquids . **Flammability**

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point Not applicable No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

7 - 9

pH (as aqueous solution) No data available Kinematic viscosity > 21 mm²/s No data available Dynamic viscosity Water solubility Miscible in water.

Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk Density No data available Density 1.57 g/cm³

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

Europe - BE Page 7 / 15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Europe - BE Page 8/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022 Revision Number 1.01

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-----------------------|---|-------------------------|
| Quartz | >2000 mg/kg (Rattus) | - | . 1 |
| Titanium dioxide | >10000 mg/kg (Rattus) | LD50 > 5000 mg/Kg | = 5.09 mg/L (Rattus)4 h |
| Ethylene glycol | ATE 500 mg/kg | = 10600 mg/kg (Rattus) = 9530 µL/kg (Oryctolagus cuniculus) | > 2.5 mg/L (Rat)6 h |
| Quartz (fine fraction) | >2000 mg/kg (Rattus) | - | - |
| 1,2-benzisothiazol-3(2H)-one [BIT] | =670 mg/kg (Rattus) | LD50 > 2000 mg/kg (Rattus) | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | = 53 mg/kg(Rat) | LD50 = 87.12 mg/kg (Oryctolagus cuniculus) | = 0.33 mg/L (Rat) 4h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 404: | Rabbit | Dermal | | | Non-irritant |
| Acute Dermal | | | | | |
| Irritation/Corrosion | | | | | |

Quartz (fine fraction) (14808-60-7)

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 405: | Rabbit | Eye | | | Non-irritant |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Results |
|---------------------------------|------------|----------------|-----------------------|
| OECD Test No. 406: Skin | Guinea pig | Dermal | Not a skin sensitiser |
| Sensitisation | - | | |
| OECD Test No. 429: Skin | Mouse | Dermal | Not a skin sensitiser |
| Sensitisation: Local Lymph Node | | | |
| Assay | | | |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Europe - BE Page 9/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic | Fish | Toxicity to | Crustacea | M-Factor | M-Factor |
|-------------------------|--------------------|--------------------|----------------|-----------------|----------|-------------|
| | plants | | microorganisms | | | (long-term) |
| Titanium dioxide | LC50 (96h) | - | - | - | | |
| 13463-67-7 | >10000 mg/l | | | | | |
| | (Cyprinodon | | | | | |
| | variegatus) | | | | | |
| | OECD 203 | | | | | |
| Ethylene glycol | EC50: 6500 - | LC50 96 h = | EC50 = 10000 | EC50: | | |
| 107-21-1 | 13000mg/L (96h, | | mg/L 16 h | =46300mg/L | | |
| | Pseudokirchneri | (| EC50 = 620 | (48h, Daphnia | | |
| | ella subcapitata) | reticulata static) | mg/L 30 min | magna) | | |
| | | | EC50 = 620.0 | | | |
| | | | mg/L 30 min | | | |
| 1,2-benzisothiazol-3(2 | | LC50 (96hr) 2.15 | | EC50(48hr) 2.94 | 1 | |
| H)-one [BIT] | | mg/I Cyprinodon | | mg/l (Daphnia | | |
| 2634-33-5 | sludge) (OECD | variegatus EPA | | Magna) OECD | | |
| | 209) | 540/9-85-006 | | 202 | | |
| reaction mass of | EC50 (72h) | EC50 (96h) = | - | EC50 (48h) =0.1 | 100 | 100 |
| 5-chloro-2-methyl-2H-is | | 0.22 mg/L | | mg/L (Daphnia | | |
| othiazol-3-one and | (Pseudokirchner | | | magna) (OECD | | |
| | iella subcapitata) | | | 202) | | |
| 3-one (3:1) | (OECD 201) | 211) | | | | |
| [C(M)IT/MIT] | | | | | | |
| 55965-84-9 | | | | | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

| Method | Exposure time | Value | Results |
|--------------------------------------|---------------|----------------|---------------------------|
| OECD Test No. 301B: Ready | 28 days | biodegradation | Not readily biodegradable |
| Biodegradability: CO2 Evolution Test | | | |
| (TG 301 B) | | | |

Europe - BE Page 10/15

MULTI FILLER Revision date 12-Oct-2022 Supercedes Date: 12-Jan-2021 **Revision Number** 1.01

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| component internation | |
|--|-----------------------|
| Chemical name | Partition coefficient |
| Ethylene glycol | -1.36 |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 0.7 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and | 0.7 |
| 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

| Chemical name | PBT and vPvB assessment | |
|--|---|--|
| Titanium dioxide | The substance is not PBT / vPvB PBT assessment does | |
| | not apply | |
| Ethylene glycol | The substance is not PBT / vPvB PBT assessment does | |
| | not apply | |
| 1,2-benzisothiazol-3(2H)-one [BIT] | The substance is not PBT / vPvB | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and | The substance is not PBT / vPvB | |
| 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | | |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09.

according to EWC

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated

Europe - BE Page 11/15

MULTI FILLER Revision date 12-Oct-2022 Supercedes Date: 12-Jan-2021 **Revision Number** 1.01

14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP 14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

Europe - BE Page 12/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

National regulations

France

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|------------------------------------|------------------------------------|
| Quartz | RG 25 |
| 14808-60-7 | |
| Ethylene glycol | RG 84 |
| 107-21-1 | RG 5,RG 14,RG 15,RG 15bis,RG 20bis |
| Quartz (fine fraction) | RG 25 |
| 14808-60-7 | |
| 1,2-benzisothiazol-3(2H)-one [BIT] | RG 65 |
| 2634-33-5 | |

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

| Chemical name | Netherlands - List of Carcinogens |
|--------------------------------------|--|
| Quartz 14808-60-7 | Present (respirable dust, crystalline) |
| Quartz (fine fraction) 14808-60-7 | Present (respirable dust, crystalline) |

<u>Sweden</u>

Occupational exposure limits AFS 2018:1

Denmark

Registration number(s) (P-no.) No information available

MAL-Code 00-1

AT-Guide C.0.1 August 2007: Limit values for substances and materials

<u>Norway</u>

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

Europe - BE Page 13/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

- -

H330 - Fatal if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Notes assigned to an entry

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5 μm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value * Skin designation

| Classification procedure | |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - Vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |
| Skin corrosion/irritation | Calculation method |
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitisation | Calculation method |
| Skin sensitisation | Calculation method |
| mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |

Europe - BE Page 14/15

MULTI FILLER

Supercedes Date: 12-Jan-2021

Revision date 12-Oct-2022

Revision Number 1.01

Ozone Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 12-Oct-2022

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 15/15