

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

SILICONE GLASS TUBE TRANSPARENT Supercedes Date: 28-Jan-2022 Revision date 18-Apr-2023 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	SILICONE GLASS TUBE TRANSPARENT
Other means of identification	
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Adhesives and/or sealants
Uses advised against	None known.
1.3. Details of the supplier of the second	afety data sheet
Company Name Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden Tel: +46 42 19 50 00 Fax: +46 42 19 50 20	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone number	_

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request

2.3. Other hazards

Small amounts of acetic acid (CAS 64-19-7) are formed by hydrolysis and released upon curing. Combustible liquid.

SILICONE GLASS TUBE TRANSPARENT

Supercedes Date: 28-Jan-2022

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No).	CAS No.	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Silanetriol, ethyl-, triacetate 1 - <3 %	241-677-4	17689-77-9	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Eye Dam. 1 (H318) (EUH014)	-	-	-	01-2119881778- 15-XXXX
Oligomeric ethyl and methyl acetoxysilanes 1 - <2.5 %	-	UNKNOWN	Skin Corr. 1B (H314) Eye Dam. 1 (H318)	-	-	-	-

Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Acetic acid 64-19-7	(607-002-00-6) 200-580-7	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	Eye Irrit. 2 :: 10%<=C<25% Skin Corr. 1A :: C>=90% Skin Corr. 1B :: 25%<=C<90% Skin Irrit. 2 :: 10%<=C<25%	-	-	01-2119475328- 30-XXXX

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate No information available

Chemical name	EC No (EU Index No)	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Silanetriol, ethyl-, triacetate	241-677-4	17689-77-9	1460	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours. **chemical**

Hazardous combustion products Silicon dioxide.

5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary. **precautions for fire-fighters**

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Do not breathe vapour or mist. Ensure adequate ventilation. Extremely slippery

Supercedes Date: 28-Jan-2022

	when spilled.				
For emergency responders	Use personal protection recommended in Section 8.				
6.2. Environmental precautions					
Environmental precautions	Prevent product from entering 12 for additional Ecological Infe	drains. Do not allow to enter inter	o soil/subsoil. See Section		
6.3. Methods and material for conta	ainment and cleaning up				
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Do not scatter spilled material with high pressure water streams.				
Methods for cleaning up		against static discharges. Dam d transfer to properly labelled co			
Prevention of secondary hazards	Clean contaminated objects an	d areas thoroughly observing e	nvironmental regulations.		
6.4. Reference to other sections					
Reference to other sections	See section 8 for more information. See section 13 for more information.				
SECTION 7: Handling and st	orage				
7.1. Precautions for safe handling	_				
Advice on safe handling	Ensure adequate ventilation. Take precautionary measures against static discharges.				
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off all contaminated clothing and wash it before reuse.				
7.2. Conditions for safe storage, in	cluding any incompatibilities	_			
Storage Conditions	Store in a cool, well ventilated area. Keep in a dry place. Protect from moisture. Keep away from food, drink and animal feedingstuffs.				
7.3. Specific end use(s)					
Specific use(s) Adhesives and/or sealants.					
Risk Management Methods (RMM)	The information required is cor	ntained in this Safety Data Shee	vt.		
Other information	Observe technical data sheet.				
SECTION 8: Exposure control	ols/personal protection				
8.1. Control parameters					
Exposure Limits	Small amounts of acetic acid (curing	CAS 64-19-7) are formed by hyd	drolysis and released upon		
Only European Community Occupa SDS for further information.	ational Exposure Limits will b	e shown in this document. P	lease refer to regional		
Chemical r	name	European	Union		

Acetic acid	TWA: 25 mg/m ³
64-19-7	TWA: 10 ppm
	STEL: 50 mg/m ³
	STEL: 20 ppm

SILICONE GLASS TUBE TRANSPARENT Supercedes Date: 28-Jan-2022

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection standard EN 166. Wear suitable gloves. Recommended Use:. Nitrile rubber. Butyl rubber. Glove thickness Hand protection > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374 None under normal use conditions. Skin and body protection **Respiratory protection** In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas. Organic gases and vapours filter conforming to EN 14387. White. Brown. **Recommended filter type:**

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1. Information on basic physical	and chemical properties	
Physical state	Liquid	
Appearance	Paste	
Colour	Colourless	
Odour	stinging.	
Odour threshold	No information available	
<u>Property</u>	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flammability	Not applicable for liquids .	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	65 °C	None known
Autoignition temperature	>400 °C	None known
Decomposition temperature	>300 °C	None known
рН	No data available	Not applicable. Insoluble in water.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	>1000000 mPa s	@ 23 °C
Water solubility	Insoluble in water.	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk Density	No data available	
Liquid Density	1.03 g/cm ³	
Relative vapour density	No data available	None known

SILICONE GLASS TUBE TRANSPARENT

Supercedes Date: 28-Jan-2022

Particle characteristics Particle Size Particle Size Distribution	No information available No information available		
<u>9.2. Other information</u> Solid content (%) VOC content	No information available	No data available	
9.2.1. Information with regards to Not applicable	physical hazard classes		
9.2.2. Other safety characteristics No information available	;		
SECTION 10: Stability and	reactivity		
10.1. Reactivity			
Reactivity	Product cures with moist	ture.	
10.2. Chemical stability			
Stability	Stable under normal cor	nditions.	
Explosion data			
Sensitivity to mechanical	None.		
impact Sensitivity to static discharge	None.		
10.3. Possibility of hazardous rea	<u>ctions</u>		
Possibility of hazardous reaction	s None under normal proc	essing.	
10.4. Conditions to avoid			
Conditions to avoid		xposure to air or moisture over prolonged periods. Do not freeze. ames, hot surfaces and sources of ignition.	
10.5. Incompatible materials			
Incompatible materials	water reactive material.	Alcohols. Bases.	
10.6. Hazardous decomposition p	roducts		
Hazardous decomposition products	Acetic acid.		
SECTION 11: Toxicological	information		
11.1. Information on hazard clas	ses as defined in Regulat	tion (EC) No 1272/2008	
Information on likely routes of ex	posure_		
Product Information			
Inhalation	Based on available data	, the classification criteria are not met.	
Eve contact	Based on available data, the classification criteria are not met.		

SILICONE GLASS TUBE TRANSPARENT Supercedes Date: 28-Jan-2022 Revision date 18-Apr-2023 Revision Number 2

Ingestion	Based o	Based on available data, the classification criteria are not met.					
Symptoms related to the physical, chemical and toxicological characteristics							
Symptoms	No infor	No information available.					
Acute toxicity	e toxicity						
Numerical measures of to	oxicity						
The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 58,400.00 mg/kg ATEmix (dermal) >5000 mg/kg ATEmix (inhalation-gas) >20000 ppm ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) >20 mg/l							
Delayed and immediate e	effects as well as c	hronic effects from	short and long-ter	m exposure			
Skin corrosion/irritation		essment of the result sion 92/ 69/ EEC.	of testing was done	in accordance with	the guideline of the		
Method	Species	Exposure route	Effective dose	Exposure time	Results		
	Rabbit	Dermal		6 days	Product score <=1 Non-irritant		
Serious eye damage/eye	is void).	ogy to another tested The assessment of t e of the Commission	he result of testing v				
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD 405	Rabbit	eye		6 days	Product score <=1 Non-irritant		
Respiratory or skin sensi	itisation Based of	on available data, the	classification criteria	a are not met.			
Germ cell mutagenicity	Based o	on available data, the	classification criteria	a are not met.			
Carcinogenicity	Based o	n available data, the	classification criteria	a are not met.			
Reproductive toxicity	exicity Based on available data, the classification criteria are not met.						
STOT - single exposure	Deced	Based on available data, the classification criteria are not met.					
	Baseu C	n avaliable data, the	classification chiena	a are not met.			

SILICONE GLASS TUBE TRANSPARENT

Supercedes Date: 28-Jan-2022

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
triacetate 17689-77-9	NOEC (72h): 16 mg/l (Pseudokirchner iella subcapitata)	mg/l´ (Pimephales		EC50 (48h): 84 mg/l (Daphnia magna)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Silanetriol, ethyl-, triacetate	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods Waste from residues/unused products Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None		
IMDG 14.1 UN number or ID number	Not regulated		
14.2 UN proper shipping name	Not regulated		
14.3 Transport hazard class(es) 14.4 Packing group	Not regulated Not regulated		
14.5 Marine pollutant	NP		
14.6 Special precautions for user Special Provisions	None		
14.7 Maritime transport in bulk	None		
according to IMO instruments			
Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable			
Air transport (ICAO-TI / IATA-DGR)	—		
14.1 UN number or ID number 14.2 UN proper shipping name	Not regulated Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group 14.5 Environmental hazards	Not regulated Not applicable		
14.6 Special precautions for user			
Special Provisions	None		

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

SILICONE GLASS TUBE TRANSPARENT

Supercedes Date: 28-Jan-2022

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

France

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) non-hazardous to water (nwg)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands) Not Listed

Sweden Occupational exposure limits AFS 2018:1

DenmarkRegistration number(s)(P-no.)No information availableMAL-Code5-4AT-Guide C.0.1 August 2007: Limit values for substances and materials

Norway Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH014 - Reacts violently with water

SILICONE GLASS TUBE TRANSPARENT

Supercedes Date: 28-Jan-2022

H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage				
 SVHC: Substances of Very High Concern for Authorisation: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals STOT RE: Specific target organ toxicity - Repeated exposure STOT SE: Specific target organ toxicity - Single exposure EWC: European Waste Catalogue LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm) ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IATA: International Air Transport Association ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG: International Maritime Dangerous Goods RID: Regulations concerning the International Carriage of Dangerous Goods by Rail 				
Legend SECTION 8: Exposure controls/personal protection				
TWA TWA (time-weighted average) S	TEL STEL (Short Term Exposure Limit)			
1 1	GW Biological limit value			
Ceiling Maximum limit value *	Skin designation			
Classification procedure				
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used			
Acute oral toxicity	Calculation method			
Acute dermal toxicity	Calculation method			
Acute inhalation toxicity - gas	Calculation method			
Acute inhalation toxicity - Vapour	Calculation method			
Acute inhalation toxicity - dust/mist	Calculation method			
Skin corrosion/irritation	On basis of test data			
Serious eye damage/eye irritation	On basis of test data			
Respiratory sensitisation	Calculation method			
Skin sensitisation	Calculation method			
mutagenicity	Calculation method			
Carcinogenicity	Calculation method			
Reproductive toxicity	Calculation method			
STOT - single exposure	Calculation method			
STOT - repeated exposure	Calculation method			
Acute aquatic toxicity	Calculation method			
Chronic aquatic toxicity	Calculation method			
Aspiration hazard	Calculation method			
Ozone	Calculation method			

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By	Product Safety & Regulatory Affairs
Revision date	18-Apr-2023
Training Advice	No information available

SILICONE GLASS TUBE TRANSPARENT Supercedes Date: 28-Jan-2022 Revision date 18-Apr-2023 Revision Number 2

Further information

No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet