



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK RAPID FILLER

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Fillers, putties, plasters, modelling clay

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik AB
Strandbadsvaegen 22
PO Box 903
25109 Helsingborg, Sweden
Tel: +46 42 19 50 00
Fax: +46 42 19 50 20

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction
EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

P102 - Keep out of reach of children

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No). | CAS No. | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) | REACH registration number |
|---|----------------------|------------|--|--|----------|----------------------|---------------------------|
| Ethylene glycol 0.1- <1 % | 203-473-3 | 107-21-1 | STOT RE 2 (H373) Acute Tox. 4 (H302) | - | - | - | 01-2119456816-28-XXXX |
| Titanium dioxide 0.1- <1 % | 236-675-5 | 13463-67-7 | [C] | - | - | - | 01-2119489379-17-XXXX |
| Sodium hydroxide 0.1- <1 % | 215-185-5 | 1310-73-2 | Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290) | Eye Irrit. 2 :: 0.5%<=C<2% Eye Dam. 1 :: C>=2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2% | - | - | 01-2119457892-27-XXXX |
| 1,2-benzisothiazol-3(2H)-one [BIT] 0.01 - < 0.05 % | 220-120-9 | 2634-33-5 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | Skin Sens. 1 :: C>=0.05% | 1 | - | 01-2120761540-60-XXXX |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] <0.0015 % | 611-341-5 | 55965-84-9 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015% | 100 | 100 | 01-2120764691-48-XXXX |

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

| Chemical name | EC No (EU Index No) | CAS No | Oral LD50 mg/kg | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapour - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|--|---------------------|------------|-----------------|-------------------|---|--|--------------------------------------|
| Ethylene glycol | 203-473-3 | 107-21-1 | 500 | - | - | - | - |
| Titanium dioxide | 236-675-5 | 13463-67-7 | - | - | - | - | - |
| Sodium hydroxide | 215-185-5 | 1310-73-2 | 325 | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 220-120-9 | 2634-33-5 | 670 | - | - | - | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 611-341-5 | 55965-84-9 | 100 | 87.12 | 0.33 | - | - |

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

| Chemical name | Notes |
|---|--------|
| Titanium dioxide - 13463-67-7 | V,W,10 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9 | B |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|-----------------------|---|
| General advice | If medical advice is needed, have product container or label at hand. |
| Inhalation | IF exposed or concerned: Get medical advice/attention. Remove to fresh air. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. |
| Skin contact | In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water. |
| Ingestion | Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin and eyes.

Other information Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid contact with skin and eyes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep from freezing.

Recommended storage temperature Keep at temperatures between 10 and 20 °C.

7.3. Specific end use(s)

Specific use(s)
Fillers, putties, plasters, modelling clay.

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

| Chemical name | European Union |
|-----------------------------|--|
| Ethylene glycol 107-21-1 | TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ * |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | |
|--|----------------|--------------------------------|---------------|
| Ethylene glycol (107-21-1) | | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Systemic health effects | Dermal | 106 mg/kg bw/d | |
| worker Long term Systemic health effects | Inhalation | 35 mg/m ³ | |

| Titanium dioxide (13463-67-7) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Local health effects | Inhalation | 10 mg/m ³ | |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | | | |
|--|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Systemic health effects | Inhalation | 6.81 mg/m ³ | |
| worker Long term Systemic health effects | Dermal | 0.966 mg/kg bw/d | |

| Derived No Effect Level (DNEL) | | | |
|--|----------------|--------------------------------|---------------|
| Ethylene glycol (107-21-1) | | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Dermal | 53 mg/kg bw/d | |
| Consumer | Inhalation | 7 mg/m ³ | |

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

| | | | |
|-----------------------------------|--|--|--|
| Long term Local health effects | | | |
|-----------------------------------|--|--|--|

| Titanium dioxide (13463-67-7) | | | |
|--|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Oral | 700 mg/kg bw/d | |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Inhalation | 1.2 mg/m ³ | |
| Consumer Long term Systemic health effects | Dermal | 0.345 mg/kg bw/d | |

Predicted No Effect Concentration (PNEC) No information available.

| Predicted No Effect Concentration (PNEC) | |
|---|--|
| Ethylene glycol (107-21-1) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 10 mg/l |
| Marine water | 1 mg/l |
| Freshwater sediment | 37 mg/kg dry weight |
| Marine sediment | 3.7 mg/kg dry weight |
| Soil | 1.53 mg/kg dry weight |
| Microorganisms in sewage treatment | 199.5 mg/l |

| Titanium dioxide (13463-67-7) | |
|--------------------------------------|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Marine water | 0.0184 mg/l |
| Freshwater sediment | 1000 mg/kg |
| Freshwater | 0.184 mg/l |
| Marine sediment | 100 mg/kg |
| Soil | 100 mg/kg |
| Microorganisms in sewage treatment | 100 mg/l |
| Freshwater - intermittent | 0.193 mg/l |

| 1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5) | |
|---|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 4.03 µg/l |
| Marine water | 0.403 µg/l |
| Sewage treatment plant | 1.03 mg/l |
| Freshwater sediment | 49.9 µg/l |
| Marine sediment | 4.99 µg/l |
| Soil | 3 mg/kg dry weight |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Hand protection

Nitrile rubber. Butyl rubber. Glove thickness > 0.1mm. The breakthrough time for the mentioned glove material is in general greater than 240 min.

Skin and body protection

Suitable protective clothing.

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

Respiratory protection None under normal use conditions.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|--------------------------|
| Physical state | Solid |
| Appearance | Paste |
| Colour | White |
| Odour | Characteristic. |
| Odour threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|---|----------------------------------|-------------------------|
| Melting point / freezing point | 0 °C | None known |
| Initial boiling point and boiling range | 100 °C | None known |
| Flammability | Not applicable for liquids . | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Flash point | Not applicable No data available | None known |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | | None known |
| pH | 7 - 9 | None known. |
| pH (as aqueous solution) | No data available | None known |
| Kinematic viscosity | > 21 mm ² /s | None known |
| Dynamic viscosity | No data available | |
| Water solubility | Miscible in water. | None known |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Vapour pressure | No data available | None known |
| Relative density | No data available | None known |
| Bulk Density | No data available | |
| Density | 1.53 g/cm ³ | |
| Relative vapour density | No data available | None known |
| Particle characteristics | | |
| Particle Size | No information available | |
| Particle Size Distribution | No information available | |

9.2. Other information

| | | |
|-------------------|--------------------------|-------------------|
| Solid content (%) | No information available | |
| VOC content | | No data available |

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep from freezing.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------|-----------------------|---|----------------------------|
| Ethylene glycol | ATE 500 mg/kg | = 10600 mg/kg (Rattus) = 9530 µL/kg (Oryctolagus cuniculus) | > 2.5 mg/L (Rat) 6 h |
| Titanium dioxide | >10000 mg/kg (Rattus) | LD50 > 5000 mg/Kg | = 5.09 mg/L (Rattus) 4 h |
| Sodium hydroxide | =325 mg/kg (Rattus) | = 1350 mg/kg (Oryctolagus cuniculus) | - |

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

| | | | |
|--|---------------------|---|----------------------|
| 1,2-benzisothiazol-3(2H)-one [BIT] | =670 mg/kg (Rattus) | LD50 > 2000 mg/kg (Rattus) | - |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol 1-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | = 53 mg/kg (Rat) | LD50 = 87.12 mg/kg (Oryctolagus cuniculus) | = 0.33 mg/L (Rat) 4h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|--|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 404: Acute Dermal Irritation/Corrosion | Rabbit | Dermal | | | Non-irritant |

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|---|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 405: Acute Eye Irritation/Corrosion | Rabbit | Eye | | | Non-irritant |

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

| Method | Species | Exposure route | Results |
|---|------------|----------------|-----------------------|
| OECD Test No. 406: Skin Sensitisation | Guinea pig | Dermal | Not a skin sensitiser |
| OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay | Mouse | Dermal | Not a skin sensitiser |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|--|---|--|--|---|----------|----------------------|
| Ethylene glycol 107-21-1 | EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata) | LC50 96 h = 16000 mg/L (Poecilia reticulata static) | EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min | EC50: =46300mg/L (48h, Daphnia magna) | | |
| Titanium dioxide 13463-67-7 | LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203 | - | - | - | | |
| Sodium hydroxide 1310-73-2 | - | LC50: =45.4mg/L (96h, Oncorhynchus mykiss) | - | - | | |
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | EC50 3Hr 13mg/l (activated sludge) (OECD 209) | LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006 | - | EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 | 1 | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9 | EC50 (72h) =0.048 mg/L (Pseudokirchneriella subcapitata) (OECD 201) | EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211) | - | EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202) | 100 | 100 |

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

| Method | Exposure time | Value | Results |
|---|---------------|----------------|---------------------------|
| OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B) | 28 days | biodegradation | Not readily biodegradable |

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|------------------------------------|-----------------------|
| Ethylene glycol | -1.36 |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 0.7 |

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

| | |
|--|-----|
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 0.7 |
|--|-----|

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

| Chemical name | PBT and vPvB assessment |
|--|---|
| Ethylene glycol | The substance is not PBT / vPvB PBT assessment does not apply |
| Titanium dioxide | The substance is not PBT / vPvB PBT assessment does not apply |
| Sodium hydroxide | The substance is not PBT / vPvB PBT assessment does not apply |
| 1,2-benzisothiazol-3(2H)-one [BIT] | The substance is not PBT / vPvB |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | The substance is not PBT / vPvB |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| Waste from residues/unused products | Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations. |
| Contaminated packaging | Handle contaminated packages in the same way as the product itself. |
| European Waste Catalogue | 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 |
| Other information | Waste codes should be assigned by the user based on the application for which the product was used. |

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

| | |
|---------------------------------|----------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 Proper Shipping Name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |
| 14.6 Special Provisions | None |

IMDG

| | |
|-----------------------------|---------------|
| 14.1 UN number or ID number | Not regulated |
|-----------------------------|---------------|

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

14.2 Proper Shipping Name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine pollutant NP
14.6 Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated
14.2 Proper Shipping Name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|-----------------|------------------|
| Ethylene glycol | RG 84 |

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

| | |
|---|--|
| 107-21-1 | RG 5, RG 14, RG 15, RG 15bis, RG 20bis |
| 1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5 | RG 65 |

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

Sweden

Occupational exposure limits AFS 2018:1

Denmark

Registration number(s) (P-no.) No information available

MAL-Code 00-1

AT-Guide C.0.1 August 2007: Limit values for substances and materials

Norway

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Notes assigned to an entry

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supersedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\leq 10 \mu\text{m}$

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value

BGW

Biological limit value

Ceiling Maximum limit value

*

Skin designation

| Classification procedure | |
|---|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used |
| Acute oral toxicity | Calculation method |
| Acute dermal toxicity | Calculation method |
| Acute inhalation toxicity - gas | Calculation method |
| Acute inhalation toxicity - Vapour | Calculation method |
| Acute inhalation toxicity - dust/mist | Calculation method |
| Skin corrosion/irritation | Calculation method |
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitisation | Calculation method |
| Skin sensitisation | Calculation method |
| mutagenicity | Calculation method |
| Carcinogenicity | Calculation method |
| Reproductive toxicity | Calculation method |
| STOT - single exposure | Calculation method |
| STOT - repeated exposure | Calculation method |
| Acute aquatic toxicity | Calculation method |
| Chronic aquatic toxicity | Calculation method |
| Aspiration hazard | Calculation method |
| Ozone | Calculation method |

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGl(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

SAFETY DATA SHEET

BOSTIK RAPID FILLER
Supercedes Date: 14-Feb-2021

Revision date 12-Oct-2022
Revision Number 1.01

Revision date 12-Oct-2022
Training Advice No information available
Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet