

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022

Revision date 05-Dec-2022 Revision Number 1.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name FOAM ALL SEASON GUN

Other means of identification

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden Tel: +46 42 19 50 00

Tel: +46 42 19 50 00 Fax: +46 42 19 50 20

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Category 3 Respiratory irritation	
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Aerosols	Category 1 - (H222, H229)

2.2. Label elements

Contains Diphenylmethane-diisocyanate, isomers and homologues

Europe - BE Page 1/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 Revision Number 1.04



Signal word Danger

Hazard statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

EU Specific Hazard Statements

EUH204 - Contains isocyanates. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P260 - Do not breathe mist/vapours/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents/ container to an approved waste disposal plant

Special provisions concerning the labelling of certain mixtures

Persons already sensitised to disocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. As from 24 August 2023 adequate training is required before industrial or professional use.

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

In case of insufficient ventilation and/or through use, the formation of a explosive/highly flammable mixture is possible. During transportation by car the cans should stand upright in the cargo space. The mentioned hazards are valid for the non-reacted content of the can or of the fresh foam. When foaming the propellants are highly flammable. May be harmful if swallowed.

PBT & vPvE

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Europe - BE Page 2/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 Revision Number 1.04

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU	CAS No.	Classification		M-Factor	M-Factor	_
	Index No).		according to	concentration limit		(long-ter	registration
			Regulation (EC) No.	(SCL)		m)	number
			1272/2008 [CLP]				
Diphenylmethane-diisocy	618-498-9	9016-87-9	STOT SE 3 (H335)	STOT SE 3 :: C>=5%	-	-	[7]
anate, isomers and			STOT RE 2 (H373)	Skin Irrit. 2 :: C>=5%			
homologues 40 - <80 %			Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	Eye Irrit. 2 :: C>=5% Resp. Sens. 1 ::			
40 - <80 %			Resp. Sens. 1 (H334)	C>=0.1%			
			Skin Sens. 1 (H317)	0>=0.170			
			Carc. 2 (H351)				
			Acute Tox. 4 (H332)				
			` ,				
Reaction products of	807-935-0	1244733-77-4	Acute Tox. 4 (H302)	-	-	-	01-2119486772-
phosphoryl trichloride and			Aquatic Chronic 3 (H412)				26-XXXX
2-methyloxirane							
10 - <20 %							
Dimethyl ether	(603-019-00-	115-10-6	Flam. Gas 1 (H220)	-	-	-	01-2119472128-
5 - <10 %	8)		Press. Gas (H280)				37-XXXX
	204-065-8	75.00.5	FI 0 4 (11000)				04.0440405005
Isobutane	(601-004-00-	75-28-5	Flam. Gas 1 (H220)	-	-	-	01-2119485395-
5 - <10 %	0)		Press. Gas (H280)				27-XXXX
	(601-004-01- 8)						
	200-857-2						
Diethylene Glycol	(603-140-00-	111-46-6	Acute Tox. 4 (H302)	_		_	01-2119457857-
0.1 - < 0.3 %	6)	111.40-0	7,0000 107. 4 (11002)				21-XXXX
3.1 40.0 70	203-872-2						21,70000

Full text of H- and EUH-phrases: see section 16

NOTE [7] - No registration number is given for this substance because it is a polymer exempted from registration according to the provisions of Article 2(9) of REACH. All monomers or other substances within the polymer are registered or exempt from registration

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Diphenylmethane-diiso cyanate, isomers and homologues	618-498-9	9016-87-9	-	-	1.5	-	-
Reaction products of phosphoryl trichloride and 2-methyloxirane	807-935-0	1244733-77-4	632	-	-	-	-
Dimethyl ether	(603-019-00-8)	115-10-6	-	-	-	-	-

Europe - BE Page 3/18

FOAM ALL SEASON GUN
Supercedes Date: 25-Aug-2022
Revision Number 1.04

Chemical name	EC No (EU	CAS No	Oral LD50	Dermal LD50		Inhalation	Inhalation
	Index No)		mg/kg	mg/kg		LC50 - 4 hour -	
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
	204-065-8						
Isobutane	(601-004-00-0)	75-28-5	-	-	-	-	-
	(601-004-01-8)						
	200-857-2						
Diethylene Glycol	(603-140-00-6)	111-46-6	1120	-	-	-	-
	203-872-2						

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
Dimethyl ether - 115-10-6	U
Isobutane - 75-28-5	C,U

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. May cause allergic respiratory reaction. If breathing has stopped,

give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see

a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes. Do

not use solvents or thinners to dissolve the material.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give

anything by mouth to an unconscious person. Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required. See section 8 for more information. Avoid breathing vapours or mists.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/

or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Burning sensation. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Europe - BE Page 4/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 Revision Number 1.04

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray.

Full water jet. DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE Unsuitable extinguishing media

STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Product is or contains a sensitiser. May cause sensitisation by inhalation and skin contact. May cause sensitisation by skin contact.

Hazardous combustion products

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides. Nitrogen oxides (NOx). Hydrogen cyanide. Isocyanates. Halogenated compounds.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See Personal precautions

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take

precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid breathing vapours or mists.

Ventilate the area. Refer to protective measures listed in Sections 7 and 8. Other information

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or

spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without Methods for containment

risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor.

Take precautionary measures against static discharges. Dam up. Soak up with inert Methods for cleaning up

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Europe - BE Page 5/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 Revision Number 1.04

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash it before reuse.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store locked up. Keep out of the reach of children. Keep from freezing. Keep/store only in original container. Store in a dry place. Store in a closed container.

Recommended storage temperature

Keep at temperatures between 5 and 25 $^{\circ}\text{C}.$ Do not freeze.

7.3. Specific end use(s)

Specific use(s)

Building and construction work.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union	
Dimethyl ether	TWA: 1000 ppm	

Europe - BE Page 6/18

Revision date 05-Dec-2022

Supercedes Date: 25-Aug-2022 Revision Number 1.04

	
115-10-6	TWA: 1920 mg/m ³

Derived No Effect Level (DNEL) No information available

FOAM ALL SEASON GUN

Derived No Effect Level (DN	Derived No Effect Level (DNEL)					
Reaction products of phosp	horyl trichloride and 2-meth	nyloxirane (1244733-77-4)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	8.2 mg/m³				
worker Short term Systemic health effects	Inhalation	22.6 mg/m³				
worker Long term Systemic health effects	Dermal	2.91 mg/kg bw/d				

Dimethyl ether (115-10-6)			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
worker	Inhalation	1894 mg/m³	
Long term			
Systemic health effects			

Diethylene Glycol (111-46-6)	Diethylene Glycol (111-46-6)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	44 mg/m³				
worker Long term Local health effects	Inhalation	60 mg/m ³				
worker Long term Systemic health effects	Dermal	4440 mg/kg bw/d				

Derived No Effect Level (DNEL)						
Reaction products of phosphoryl trichloride and 2-methyloxirane (1244733-77-4)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term Systemic health effects	Inhalation	1.45 mg/m³				
Consumer Short term Systemic health effects	Inhalation	5.6 mg/m³				
Consumer Long term Systemic health effects	Dermal	1.04 mg/kg bw/d				
Consumer Long term Systemic health effects	Oral	0.52 mg/kg bw/d				
Consumer Short term Systemic health effects	Oral	2 mg/kg bw/d				

Dimethyl ether (115-10-6)

Europe - BE Page 7/18

FOAM ALL SEASON GUN
Supercedes Date: 25-Aug-2022
Revision Number 1.04

			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
Consumer	Inhalation	471 mg/m³	
Long term			
Systemic health effects			

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)				
Reaction products of phosphoryl trichloride and 2-methyloxirane (1244733-77-4)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.32 mg/l			
Marine water	0.032 mg/l			
Sewage treatment plant	19.1 mg/l			
Freshwater sediment	11.5 mg/kg dry weight			
Marine sediment	1.15 mg/kg dry weight			
Soil	0.34 mg/kg dry weight			
Freshwater - intermittent	0.51 mg/l			

Dimethyl ether (115-10-6)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.155 mg/l			
Marine water	0.016 mg/l			
Microorganisms in sewage treatment	160 mg/l			
Freshwater sediment	0.681 mg/kg dry weight			
Soil	0.45 mg/kg dry weight			

Diethylene Glycol (111-46-6)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	10 mg/l			
Marine water	1 mg/l			
Sewage treatment plant	199 mg/l			
Freshwater sediment	20.9 mg/kg dry weight			
Marine sediment	2.09 mg/kg dry weight			
Soil	1.53 mg/kg dry weight			

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Glove thickness > 0.7mm. Butyl rubber. Nitrile rubber. The

breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform

to standard EN 374

Skin and body protection

Wear appropriate personal protective clothing to prevent skin contact.

Respiratory protection Ensure adequate respiratory protection during spray applications. In case of insufficient

ventilation, wear suitable respiratory equipment.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. Wear a respirator conforming

to EN 140 with Type A filter or better.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Europe - BE Page 8/18

FOAM ALL SEASON GUN Revision date 05-Dec-2022 Supercedes Date: 25-Aug-2022 **Revision Number** 1.04

Physical state Aerosol **Appearance** Foam Yellow Colour

Characteristic. Slight. Odour **Odour threshold** No information available

Property Values Remarks • Method

Melting point / freezing point No data available None known Initial boiling point and boiling Not applicable, Aerosol . Not applicable, Aerosol

range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive 18.6 Vol%

limits

Lower flammability or explosive 1.7 Vol%

limits

Flash point Not applicable, Aerosol . Not applicable, Aerosol

Autoignition temperature 235 °C

Decomposition temperature

None known Not applicable. Insoluble in water.

None known

No data available pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

Dynamic viscosity No data available Water solubility Immiscible in water.

Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure 6-7 bar

Relative density No data available

Bulk Density No data available Density 1.002 g/cm3 Relative vapour density No data available

None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available European directive n°2010/75/UE

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

Minimum Ignition Temperature 235

(°C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical

impact

None.

Europe - BE Page 9/18

Supercedes Date: 25-Aug-2022 Revision Number 1.04

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

FOAM ALL SEASON GUN

Conditions to avoid Product cures with moisture. Heat, flames and sparks. Excessive heat. Do not freeze.

Protect from moisture. Keep away from open flames, hot surfaces and sources of

Revision date 05-Dec-2022

ignition. Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents. Water. Alcohols. Amines.

Incompatible with oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. Specific test data for the substance or mixture is not available. May cause sensitisation in susceptible persons. (based on components). May cause irritation of

respiratory tract. Harmful by inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged

skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitisation by skin contact. Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. May cause additional

affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation.

nausea, vomiting and diarrhoea. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing,

tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause

redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,361.60 mg/kg ATEmix (inhalation-dust/mist) 3.47 mg/l

Europe - BE Page 10/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 Revision Number 1.04

Component Information

Chemical name	Oral LD50 Dermal LD50		Inhalation LC50
Diphenylmethane-diisocyanate,	LD50 > 10000 mg/kg (Rattus)	LD 50 > 9400 mg/kg	=1.5 mg/L (Rattus) 4 h
isomers and homologues		(Oryctolagus cuniculus)	-
Reaction products of	LD50 > 500 - 2000 mg/kg	LD50 >2000 mg/Kg (Rattus)	LD50 >7 mg/L (4h)(Rattus)
phosphoryl trichloride and	(males); LD50 = 632 mg/kg	(OECD 402)	(OECD 403)
2-methyloxirane	(females)(Rattus)		
Dimethyl ether	-	1	=164000 ppm (Rattus) 4 h
Isobutane	-	-	=658 mg/L (Rattus) 4 h
Diethylene Glycol	=1120 mg/kg bw (human)	= 11890 mg/kg (Oryctolagus	> 4600 mg/m³ (Rattus) 4 h
		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Reaction products of phosphoryl trichloride and 2-methyloxirane (1244733-77-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 404	Rabbit	Dermal			Non-irritant

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Reaction products of phosphoryl trichloride and 2-methyloxirane (1244733-77-4)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 405	Rabbit	eye			Non-irritant

Respiratory or skin sensitisation May cause sensitisation by inhalation. May cause sensitisation by skin contact.

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin	Mouse		sensitising
Sensitisation: Local Lymph Node			
Assay			

Reaction products of phosphoryl trichloride and 2-methyloxirane (1244733-77-4)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin	Mouse		Did not cause sensitisation on
Sensitisation: Local Lymph Node			laboratory animals
Assay			·

Germ cell mutagenicity Based on available data, the classification criteria are not met.

CarcinogenicityContains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

Component Information

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Europe - BE Page 11/18

Revision date 05-Dec-2022

Supercedes Date: 25-Aug-2022 Revision Number 1.04

Method	Species	Results			
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic			
Toxicity/Carcinogenicity Studies					

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

FOAM ALL SEASON GUN

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Diphenylmethane-diiso cyanate, isomers and homologues 9016-87-9	ErC50 (72h) >1640 mg/L Algae (scenedesmus subspicatus) (OECD 201)	CL50 (96h) >1000 mg/L (Danio rerio)	-	EC50 (24H) >1000 mg/L Daphnia magna		
Reaction products of phosphoryl trichloride and 2-methyloxirane 1244733-77-4	EC50 (72h) = 82 mg/L (Pseudokirchner iella subcapitata) OECD 201	mg/L		LC50 (48h) = 131 mg/L Daphnia magna		
Dimethyl ether 115-10-6	-	LC50: >4.1g/L (96h, Poecilia reticulata)	-	> 4400 mg/L (Daphnia) (NEN 6501)		
Diethylene Glycol 111-46-6	-	LC50: =75200mg/L (96h, Pimephales promelas)	-	EC50: =84000mg/L (48h, Daphnia magna)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Europe - BE Page 12/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 **Revision Number** 1.04

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Exposure time	Value	Results
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable
Biodegradability: Modified MITI Test		-	
(II)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information	
Chemical name	Partition coefficient
Reaction products of phosphoryl trichloride and	2.68
2-methyloxirane	
Dimethyl ether	-0.18
Isobutane	2.8
Diethylene Glycol	-1.98

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Reaction products of phosphoryl trichloride and 2-methyloxirane	The substance is not PBT / vPvB
Dimethyl ether	The substance is not PBT / vPvB
Isobutane	The substance is not PBT / vPvB PBT assessment does
	not apply
Diethylene Glycol	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Contaminated packaging

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

according to EWC

Waste codes / waste designations Waste codes should be assigned by the user based on the application for which the product was used.

European Waste Catalogue 08 05 01* waste isocyanates

16 05 04* gases in pressure containers (including halons) containing dangerous

substances

17 06 04 insulation materials other than those mentioned in 17 06 01 and 17 06 03

Europe - BE Page 13/18

FOAM ALL SEASON GUN Revision date 05-Dec-2022 Supercedes Date: 25-Aug-2022 **Revision Number** 1.04

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Keep from freezing. Note:

Land transport (ADR/RID)

14.1 UN number or ID number UN1950 14.2 Proper Shipping Name Aerosols 14.3 Transport hazard class(es) Labels 2.2 + 6.1

14.4 Packing group Not regulated UN1950, Aerosols, 2 (6.1), (D) Description

14.5 Environmental hazards Not applicable 14.6 Special Provisions 190, 327, 344, 625

Classification code 5T **Tunnel restriction code** (D) Limited quantity (LQ) 120 mL

IMDG

14.1 UN number or ID number UN1950 14.2 Proper Shipping Name Aerosols 14.3 Transport hazard class(es) 22

14.4 Packing group Not regulated

Description UN1950, Aerosols, 2.2

14.5 Marine pollutant

14.6 Special Provisions 63,190, 277, 327, 344, 381, 959

Limited Quantity (LQ) See SP277 F-D, S-U **EmS-No** 14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN1950

14.2 Proper Shipping Name Aerosols, non-flammable

14.3 Transport hazard class(es) 2.2 Subsidiary hazard class 6.1

14.4 Packing group Not regulated

Description UN1950, Aerosols, non-flammable, 2.2 (6.1)

14.5 Environmental hazards Not applicable 14.6 Special Provisions A1, A145, A167, A802

Forbidden Limited quantity (LQ) **ERG Code** 2P

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Europe - BE Page 14/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 Revision Number 1.04

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Diphenylmethane-diisocyanate, isomers and homologues	9016-87-9	56 74.
Diisocyantes		74

56

If product supplied to the general public with substance ≥0.1%, then gloves must be provided with the product

74 If product supplied to the industrial or professional users with total monomeric diisocyanates ≥ 0.1%, then its packaging must mention "As from 24 August 2023 adequate training is required before industrial or professional use"

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Dangerous substance category per Seveso Directive (2012/18/EU)

P3a - FLAMMABLE AEROSOLS P3b - FLAMMABLE AEROSOLS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Diphenylmethane-diisocyanate, isomers and homologues 9016-87-9	RG 62
Dimethyl ether 115-10-6	RG 84
Isobutane 75-28-5	RG 84
Diethylene Glycol 111-46-6	RG 84

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

Flammable liquid (R10), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 3

Europe - BE Page 15/18

FOAM ALL SEASON GUN
Supercedes Date: 25-Aug-2022
Revision Number 1.04

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TRGS - 510 Storage Class Storage Class 2B : Aerosols

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

Sweden

Occupational exposure limits AFS 2018:1

Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. AFS 2012:3

AFS 2011: 19 - Chemical working environment risks (Amended and reprinted in AFS 2014: 43), §§37a-q

Denmark

Registration number(s) (P-no.) 2499686 MAL-Code 1-3

AT-Guide C.0.1 August 2007: Limit values for substances and materials

Norway

Registration number(s) (PRN-no.) 617527

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers

Note U (Table 3): When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)

Press. Gas (Liq.)

Press. Gas (Ref. Liq.)

Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2)

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Europe - BE Page 16/18

Revision date 05-Dec-2022

Supercedes Date: 25-Aug-2022 Revision Number 1.04

STOT RE: Specific target organ toxicity - Repeated exposure STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

FOAM ALL SEASON GUN

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value * Skin designation

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - Vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	
Flammable aerosol	On basis of test data	

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 05-Dec-2022

Training Advice AS FROM 24 AUGUST 2023 ADEQUATE TRAINING IS REQUIRED BEFORE

INDUSTRIAL OR PROFESSIONAL USE

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Europe - BE Page 17/18

FOAM ALL SEASON GUN Supercedes Date: 25-Aug-2022 Revision date 05-Dec-2022 Revision Number 1.04

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 18/18