

A Strength that Surfaces

SMART TILING SOLUTIONS





TABLE OF CONTENTS

Introduction Symbols at a Glance 3 Introduction to FIXALL Range **FIXALL FIXALL PLUS** 8 **FIXALL EXCEL** 9 **FIXALL ULTRA** 10 **FIXALL FS FIXALL FLEX** 12 FIXALL Range Performance Table Introduction to Grout and Other 14 Tiling Solutions **NEVER MOLDZ** 16 **NEVER MOLDZ POWERFIX** 18

Bostik, the leading brand of smart adhesives, offers an unrivaled range of products for all tiling applications From cementitious tiling adhesives suitable interior and exterior walls and floors, to large-format tiles, and from ready-mix adhesives, to fine, wide and specialty grouts and additives, these products are the preferred choice of contractors, builders and consumers. Whatever the tile material, function or conditions, a Bostik tiling solution can be trusted for quality and lasting performance.



Symbols at a Glance



Electric Mixer



Squeegee/ Pallete



Extended Open Time



Hand Trowel



Tile Adhesive Bed



Wear Mask



Saw-Toothed Trowel



Tiles



Keep Out of Children's Reach



Notched Trowel



Application Area Inside & Outside



The FIXALL Range

Adhesive solutions for different tiling and installation requirements





Bostik's commitment to continuous innovation has resulted in refining an already excellent product: FIXALL Tile Adhesive. Now in 6 different variants—FIXALL, FIXALL Plus, FIXALL Excel, FIXALL Ultra, FIXALL Fast Setting, and FIXALL Flex. This high-strength and high quality product now has a specific variant that's ideally suited to the kind of tile you're using as well as your installation requirement. Whether for vertical, horizontal, immersion or large format use, your tiles have met their match in FIXALL.







FIXALL Standard Tile Adhesive 25 kg

A superior quality and economical cement-based tile adhesive offering high tensile adhesion strength. FIXALL is ideal for all types and sizes of ceramic tiles, especially when used in residential applications such as on walls and floors. It can also be used for dry applications of fully vitrified tiles like porcelain and mosaic.

Excellent bond on ceramic tiles

Superior workability

For thick and thin bed applications



















FIXALL PLUS

Heavy Duty Tile Adhesive

25 kg

A heavy duty, cement-based tile adhesive that packs excellent workability and optimum performance. Its superior tensile strength, long pot life, and non-toxic properties make it perfect for ceramic tiles outdoor applications. FIXALL Plus features bond strength that matches porcelain tiles.

> Excellent for outdoor ceramic tile applications

Superior bond strength on porcelain tiles

For thick and thin bed applications



















FIXALL EXCEL

High Performance Tile Adhesive 25 kg

This ultra-high strength cement-based tile adhesive features a special additive that enhances open time without compromising bond strength. FIXALL Excel is ideal for all types of porcelain tiles and wet environments such as swimming pool tile installations. Its long pot life allows greater flexibility in application of mosaic and natural stones, and high-absorbent bricks and stones.

> Excellent bond for ceramic and porcelain tiles on wet or immersed applications

Ideal for swimming pool tile installations

Conforms to EN 12004/ISO 13007/ AS 4992 testing method-C1E





















FIXALL ULTRA

Deformable Tile Adhesive

25 kg

A unique deformable feature enables this multipurpose, cementbased tile adhesive to withstand heavy traffic and strong vibrations. It prevents tiles from popping out and can support fully vitrified largeformat tiles. FIXALL Ultra is the ideal choice for large porcelain tiles out door applications as well as in areas subjected to certain high thermal changes causing contraction and expansion. It is suitable for tile-ontile setups without additive.

> Deformable - can accommodate movement and heavy traffic

Ideal for fully vitrified large format tiles

Conforms to EN 12004/ISO 13007/ AS 4992 testing method-C2S1E





















FIXALL FS

Fast Setting, High Strength Tile Adhesive 25 kg

FIXALL FS combines fast setting and ultra high strength for high-grade performance. It can achieve standard tensile adhesion strength in 6 hours. It is ideal for fully vitrified or impervious tiles and ceramic tiles of all types, sizes, and applications. It can withstand high traffic and can be applied outdoor or subjected to expansion, contraction or vibration.

> Ideal for overnight repair, sets in 6 hours

Excellent adhesion for indoor and outdoor repair or retiling

Conforms to EN 12004/ISO 13007/ AS 4992 testing method-C1ET





















FIXALL FLEX

Single Component, Highly Flexible **Tile Adhesive**

16 kg

A single-component, multipurpose silyl-modified polymer-based tile adhesive specially designed for high-movement substrates. The easy-to-use, highly flexible FIXALL Flex works with all types, sizes, and applications of ceramic tiles, glass mosaic, and homogenous tiles. FIXALL Flex is the tile adhesive of choice for building facade and similar areas with high movement and vibration. It works with large-format tiles and applications with continuous immersion.

Highly flexible

Ideal for vertical applications subjected to movements and vibrations

Non-sag

















Comparative Performance Chart

Products at a glance

	FIXALL		FIXALL PLUS		FIXALL EXCEL		FIXALL ULTRA	
MATLS/SIZE/APPLICATIONS	CERAMIC ALL SIZES	PORCELAIN MAX 30X30	CERAMIC ALL SIZES	PORCELAIN MAX 60X60	CERAMIC ALL SIZES	PORCELAIN MAX 80X80	CERAMIC ALL SIZES	PORCELAIN LARGE FORMAT
WALL	VERY GOOD	GOOD	EXCELLENT	VERY GOOD	OVER SPECIFIED	EXCELLENT	OVER SPECIFIED	EXCELLENT
FLOOR	EXCELLENT	VERY GOOD	EXCELLENT	EXCELLENT	OVER SPECIFIED	EXCELLENT	OVER SPECIFIED	EXCELLENT
WET	EXCELLENT	GOOD	EXCELLENT	VERY GOOD	OVER SPECIFIED	EXCELLENT	OVER SPECIFIED	EXCELLENT
IMMERSION	VERY GOOD	GOOD	EXCELLENT	VERY GOOD	OVER SPECIFIED	EXCELLENT	OVER SPECIFIED	EXCELLENT
LOW MOVEMENT	GOOD	FAIR	EXCELLENT	VERY GOOD	EXCELLENT	EXCELLENT	OVER SPECIFIED	EXCELLENT
HIGH MOVEMENT	FAIR	FAIR	VERY GOOD	FAIR	EXCELLENT	VERY GOOD	EXCELLENT	VERY GOOD
HEAVY TRAFFIC	GOOD	FAIR	VERY GOOD	GOOD	EXCELLENT	VERY GOOD	EXCELLENT	EXCELLENT



EXCELLENT

Fast-setting cement-based tile adhesive ideal for fully vitrified or impervious tiles and ceramic tiles of all types, sizes, and applications. It can be used in both wet and dry outdoor applications.



FIXALL

FLEX

Highly flexible tile adhesive especially designed for high movement substrate such as large format tiles applied in building facades. Non-sag and ideal for vertical applications.



Grout and Other Tiling Solutions

Find the other tiling solutions to match your installation needs

A strong line of grout and other tiling solutions complement Bostik's wide range of FIXALL tile adhesives, all designed to match varying installation needs. NEVER MOLDZ advanced anti-bacterial tile grout and POWERFIX multi-purpose acrylic latex admixture make grout application easy, enhances tile appearance, and speeds up installation.









NEVER MOLDZ

Advanced Antibacterial Tile Grout

2 kg

Bostik NEVER MOLDZ is a hydrophobic, cementitious tile grout that has Z-Technology. It has Zone of Inhibition technology (Z-Tech) that prohibits the growth of microorganisms in a certain space away from the tile grout, thus, improving the resistance against algae and fungi (e.g. mold, mildew etc.). It's hydrophobic property is shown by the formation of beads on the surface of the tile grout as a result of reduced water absorption.

Hydrophobic

Mold and mildew resistant

Smooth appearance & easy to clean















Available Colors



FEATURES AND BENEFITS

- Hydrophobic
- Smooth appearance / easy to apply & cleanFungi (mold & mildew) and Algae resistant
- High compressive & flexural strength for tile grout
- Applicable for large joints up to 15mm without cracking

RECOMMENDED USES

- Internal and external wall & floor applications
- Maximum joint width of 15mm without cracking
- Kitchens
- Bathrooms





POWERFIX

Multi-Purpose Acrylic Latex Admixture

4 liter

A multipurpose additive designed to boost the performance of FIXALL and FIXALL PLUS tile adhesive. Its acrylic latex mixture features improved deformability and flexibility, ideal for outdoor, immersed, and movement-prone areas. POWERFIX enhances the bond strength of tile adhesives. It can also be used to enhance the bond strength of NEVER MOLDZ

> Multi-purpose for tile adhesive and tile grout

Added derformability/flexibility for exterior, immersed, movement-prone areas

Prevents cracking in tile grout applications

















Other Smart Solutions from Bostik

WATERPROOFING

SEALANTS

WALL SYSTEMS

FLOORING

SPECIALTY BUILDING SOLUTIONS



Smart help : (632) 7900-5656

BOSTIK PHILIPPINES, INC.

35/F Raffles Corporate Center, F. Ortigas Jr. Road, Ortigas Business Center, Pasig City 1600, Philippines

www.bostik.com an Arkema company

