



Weathering the Challenges

SMART WATERPROOFING SOLUTIONS





TABLE OF CONTENTS

Introduction	2
Summary at a Glance	3
Introduction to Waterproofing Range	4
Bosco seal PU-X	6
Bosco seal Top-LT	8
Bosco seal Top-HT	8
Bosco seal WX	10
Bosco seal AC	10
Boscolastic	11
Boscoflex	11
Bosco seal Slurry	12
Bosco seal Torch-On	13
Bosco seal PU	14
Bosco seal PU-W	14
Bosco seal Admix	16
Bosco seal Concentrate	17
Waterproofing Selection Guide	18

Secure your high rise building, roof garden, swimming pool, industrial plant or any other structure with an impermeable layer of protection. Waterproofing—an integral part in the construction of concrete structures—can be done painlessly and effectively using the best products in the market.

Bostik boasts decades of experience in supplying waterproofing products in 50 countries worldwide. It offers the most comprehensive and innovative range of professional grade products ideal for both new build and renovation projects and designed to perform reliably even in the most extreme conditions.



Symbols at a Glance



Concrete Mixer



Roller



Torch



Electric Mixer



Application Area Inside Outside Wall



Wear Mask



Brush



Application Area Inside Outside Floor



Keep Out of Children's Reach



Comprehensive Line of Waterproofing Solutions

Professional-grade waterproofing solutions





Leveraging its expertise in waterproofing products, Bostik's portfolio of professional-grade solutions is designed to meet customer's varying requirements. The Boscoseal line of products, which comprises the Boscoseal PU-X, Boscoseal Top-LT, Boscoseal Top-HT, Boscoseal AC, Boscoseal WX, Boscolastic, Boscoflex, Boscoseal Slurry, Boscoseal Torch-on, Boscoseal PU, Boscoseal PU-W, Boscoseal Concentrate and Boscoseal Admix ensures high quality and waterproofing that lasts for many years.



Bosco seal PU-X

Polyurethane-Based Exposed type Waterproofing Membrane

25 kg pail

A ready-to-use highly elastic cold-applied polyurethane waterproofing in conjunction with BOSCOSEAL HT or BOSCOSEAL LT. The single component has excellent abrasion, mechanical, chemical, thermal and UV resistance. The BOSCOSEAL PU-X features high adhesion to deeply penetrate all mineral and concrete surfaces. It resists water, root penetration, UV rays and bridges cracks up to 2 mm.

Seamless waterproofing

Excellent abrasion, mechanical, chemical resistance

Mechanical properties unaffected by UV and other weather conditions





This picture is for application reference only



This picture is for application reference only

Bosco seal PU-X Top coatings

A single component aliphatic polyurethane topcoat that further enhance resistance to abrasion, UV wear and weather for BOSCOSEAL PU-X system.



Bosco seal PU-X coated with **Bosco seal Top-LT**

25 kg pail

Recommended waterproofing system for foot traffic areas



Bosco seal PU-X coated with **Bosco seal Top-HT**

25 kg pail

Is the ideal waterproofing system for vehicular or high traffic areas





This picture is for application reference only.



This picture is for application reference only.



This picture is for application reference only

Bosco seal WX

Modified Water-based Polyurethane Waterproofing Membrane

25 kg pail

A highly elastic and UV resistant one component water-based waterproofing membrane. This has an excellent adhesion on porous and non-porous substrates. It is ideal for waterproofing with light occasional foot traffic.



Bosco seal AC

Flexible Acrylic Waterproofing Membrane

25 kg pail

Water-based acrylic coating that cures into a tough elastic water proofing membrane designed for vertical application, like firewalls and parapet walls. May also be used for flat roofs not subject to frequent foot traffic like canopy, eaves and ledges.





This picture is for application reference only

Boscolastic

Flexible Cementitious Waterproofing

35 kg set

A flexible cementitious waterproofing solution with good weathering resistance and crack bridging properties. It is ideal for bathrooms, balconies, terraces, canopies and planter boxes. It can be used on concrete water tanks, swimming pools, pool deck, waters features and ponds. The Boscolastic is a two-component solution for mixing on-site. This elastic product can be resurfaced on concrete and other construction materials and can be painted over.



Boscoflex

Semi-flexible Cementitious Waterproofing Membrane

30 kg set

A semi-flexible cementitious waterproofing membrane. This two-component polymer modified liquid is easy to apply but adheres strongly to many substrates, including concrete and cement render. The Boscoflex waterproofing solution is weather and abrasion-resistant. This non-toxic product is applicable on damp substrate and paintable with elastic paint, ideal for bathrooms, balconies, swimming pools, ponds, retaining walls and even outdoor deckings.





This picture is for application reference only

Bosco seal Slurry

Rigid Cementitious Waterproofing System

25 kg set


A rigid cement-based alkali reactive polymer modified waterproofing. The Bosco seal Slurry is an excellent choice for below grade areas with hydrostatic pressure. This two-component solution has strong adhesion to concrete, steel and metal. It also works well in damp surfaces. It protects concrete from carbonation and resists abrasion and tough handling. Bosco seal Slurry is good for areas with topping applications.

Suitable for areas not subject for cracking

Resistant to continuous water immersion

Good for areas with topping applications





This picture is for application reference only

Boscoseal Torch-On

APP Modified Bituminous Membrane

4 kg and 3mm

The Boscoseal Torch-On is an atactic polypropylene plastomeric bituminous membrane featuring excellent durability and stability. It is ideal for roof, plaza decks, landscaped areas and re-waterproofing with minimal protrusion. The APP solution adopts a specially formulated bituminous compound of distilled asphalt with selected high-grade visco-elastic polymers and inert-filler. It comes in either 3mm sanded or 4kg granulated.

Elastic and durable

Can deflect UV-rays, atmospheric agent, and thermal shock

Withstands thermal shock



Bosco seal PU

Liquid bitumen-modified Polyurethane Waterproofing Membrane

21 kg pail

Bosco seal PU is single-component bitumen-modified polyurethane liquid membrane. This waterproofing solution is coal tar-free and can be applied using brush, roller or trowel. This also provides a tough high elastomeric and impervious barrier. It is ideal for masonry and similar foundations. It is non re-emulsifying and does not brittle over time.



Bosco seal PU-W

Water-based Modified Polyurethane Bituminous Waterproofing Membrane

20 kg pail

Bosco seal PU-W is a single component water-based modified polyurethane bituminous waterproofing membrane that provides a tough and highly elastomeric impervious moisture barrier. This no-mix solution has strong adhesion to masonry and does not re-emulsify nor brittle with age. This can be applied by brush, roller or trowel. It is ideal for masonry walls, foundations, basements, roof lap slabs, balconies, beneath terrazzo, paving and quarry tiles.





This picture is for application reference only



This picture is for application reference only



This picture is for application reference only

Boscoseal Admix

Integral Waterproofing by Crystallization

20 kg pail

Designed for treating concrete for protection and waterproofing, this admix solution offers exceptional durability and resistance to chemicals such as chloride attacks. It can seal static cracks up to 0.4mm and withstands extreme hydrostatic pressure.

Withstand extreme hydrostatic pressure

Maximizes waterproofing within concrete

Seals static cracks up to 0.4mm





This picture is for application reference only

Bosco seal Concentrate

Slurry Waterproofing by Crystallization

20 kg pail

Slurry waterproofing solution combining Portland cement, specially treated quartz sand and active chemical compounds. Bosco seal Concentrate adopts the crystallization process to ensure deep seal penetration and permanent protection against freshness and salt water. It is for below-grade negative-side waterproofing.

Can withstand high hydrostatic pressure

Durable - lasts as long as the concrete

Can be applied both internally and externally



Waterproofing Selection Guide

ABOVE GRADE

BELOW GRADE

	BURIED		EXPOSED			INTEGRAL	POSITIVE	NEGATIVE
	Low Movement	High Movement	Vertical		Horizontal			
				< 200 SQM	> 200 SQM			
Boscoseal PU-X	👉👉👉	👉👉👉	👉👉👉	👉👉👉	👉👉👉	👉👉👉		
Boscoseal WX			👉👉	👉👉	👉👉			
Boscoseal AC			👉👉	👉👉				
Boscolastic	👉👉	👉	👉👉	👉			👉👉	
Boscoflex	👉		👉				👉	
Boscoseal Slurry							👉	👉
Boscoseal Torch-On (3mm)	👉👉	👉					👉	
Boscoseal Torch-On (4kg)	👉👉	👉		👉				
Boscoseal PU	👉👉👉	👉👉👉					👉👉👉	
Boscoseal PU-W	👉👉👉	👉👉					👉👉	
Boscoseal Admix						👉👉👉		
Boscoseal Concentrate							👉👉👉	👉👉👉



Smart Solutions from Bostik

TILING

WATERPROOFING

SEALANTS

WALL SYSTEMS

FLOORING

SPECIALTY BUILDING SOLUTIONS



**Smart help :
(632) 7900-5656**

BOSTIK PHILIPPINES, INC.

35/F Raffles Corporate Center, F. Ortigas Jr. Road,
Ortigas Business Center, Pasig City 1600, Philippines

www.bostik.com
an ARKEMA Company

ARKEMA
INNOVATIVE CHEMISTRY