



# Kizen<sup>®</sup>

**NEXT-GENERATION HOT MELT ADHESIVES  
FOR CASE AND CARTON SEALING**





## SOLVE YOUR PACKAGING PROBLEMS WITH KIZEN®

End-of-line packaging companies face unique challenges that can lead to slowdowns and increased production costs. Kizen, Bostik's range of case and carton sealing adhesives, can solve these challenges and give you peace of mind.

### **Prevent Pop-opens and Blocking Issues**

The dependable performance of Kizen-family adhesives eliminates pop-opens that can cause downtime, field failures and increased costs. With free-flowing pellets at room temperature, Kizen helps you avoid common blocking issues.

### **Bond Challenging Substrates**

Switching between adhesives for different package types takes time, adds cost and increases the risk of error, which is why Kizen products allow bonding across multiple substrates for various applications.

### **Consolidate SKUs**

Kizen adhesives offer robust performance, allowing a single grade to be used for an array of package types to keep your lines moving and streamline your inventory.



## Cutting edge adhesive solutions, driven by Arkema expertise.

The next generation of hot melt adhesives for case and carton sealing, Kizen is formulated with cutting-edge, functional technology and designed for maximum ease of use, strong bond performance and unparalleled efficiency.

	<b>Kizen</b> FORCE	<b>Kizen</b> ICE	<b>Kizen</b> HEAT	<b>Kizen</b> PROS
<b>Key Features</b>	<ul style="list-style-type: none"> <li>Versatile adhesive for high-efficiency packaging</li> <li>Ultra precise drops</li> </ul>	<ul style="list-style-type: none"> <li>Designed for frozen food applications</li> <li>Medium to difficult substrates</li> </ul>	<ul style="list-style-type: none"> <li>Designed for hot-filling applications</li> <li>High temperature resistance</li> </ul>	<ul style="list-style-type: none"> <li>Strong bonds to the most challenging substrates</li> <li>Performance across a wide temperature range</li> </ul>
<b>Application Temperature</b>	163 - 177°C (325 - 350°F)	163 - 177°C (325 - 350°F)	177 - 191°C (350 - 375°F)	162 - 177°C (325 - 350°F)
<b>Viscosity</b>	930cP @ 177°C (350°F)	1125cP @ 177°C (350°F)	1165cP @ 191°C (375°F)	1132cP @ 177°C (350°F)
<b>Softening Point</b>	109°C (221°F)	107°C (221°F)	107°C (224°F)	105°C (221°F)

For optimal productivity and peace of mind...



**Comfort**




**Security**




**Efficiency**





## EUROPE

Austria	France	Norway	The Netherlands
Belgium	Germany	Poland	Turkey
Denmark	Ireland	Portugal	UK
Estonia	Italy	Russia	
Finland	Latvia	Spain	
	Lithuania	Sweden	



## AFRICA-MIDDLE EAST

Egypt  
Morocco

## AMERICAS

Argentina Mexico  
Brazil USA  
Canada

## ASIA-PACIFIC

Australia New Zealand  
China Philippines  
Hong Kong Singapore  
India South Korea  
Indonesia Thailand  
Japan Vietnam  
Malaysia

BOSTIK PRESENCE

- R&D CENTERS OF EXCELLENCE  
- OFFICES  
- FACTORIES  
- TECHNICAL CENTERS

### IMPORTANT – PLEASE READ BEFORE USING THIS BROCHURE TERMS & CONDITIONS

Bostik offers this Brochure for descriptive and informational use only. The Brochure is not a contract and is not a substitute for expert or professional advice.

The statements, technical information, data, and recommendations contained herein are not exhaustive, are believed to be accurate as of the date hereof, and are not warranted in any way. The Brochure relies upon your knowledge and input, and as such, its results are based solely upon the information you provide and the choices that you make. Since the conditions and methods of use of the products and the information referred to herein are beyond our control, Bostik expressly disclaims any and all liability and damages that may arise from any use of the Brochure, the products, the results therefrom, or reliance on the information contain herein, and you hereby agree to waive any and all claims against Bostik relating in anyway thereto.

The Brochure is one of several tools that may be used to help you find the product best suited for your needs. It is used at your own risk, and by using it, you are knowingly accepting and assuming any and all risks associated with its use, recommendations, output and your selections. You are responsible to test the suitability of any product in advance for any intended use. Bostik does not guarantee the reliability, completeness, use,

or function of the Brochure or any recommendations arising therefrom. The data and information are provided 'AS IS'.

The information provided herein relates only to the specific products designated and may not be applicable when such products are used in combination with other materials or in any process. **Bostik encourages you to read and understand the Technical Data Sheet and the Safety Data Sheet for all products**, which are located on our corporate website.

NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR WARRANTY OF MERCHANTABILITY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE PRODUCTS DESCRIBED OR THE INFORMATION PROVIDED HEREIN, AND SUCH WARRANTIES ARE HEREBY DISCLAIMED. Bostik disclaims any liability for direct, incidental, consequential, or special damages to the maximum extent allowed by law. Nothing contained herein constitutes a license to practice under any patent, and it should not be construed as an inducement to infringe any patent. You are advised to take appropriate steps to be sure that any proposed use of the products will not result in patent infringement.

**By using this Brochure, you are hereby consenting to the above terms and conditions of use, and you agree to waive certain rights as set forth above.**

**Bostik**  
an Arkema company  
[www.bostik.com](http://www.bostik.com)