

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK ARDATEC FLEXDICHT Supercedes Date: 07-Sep-2020 Revision date 28-Oct-2020 Revision Number 3.04

\_\_\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BOSTIK ARDATEC FLEXDICHT

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use**Uses advised against
Dispersion. Coatings.
None known.

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik GmbH An der Bundesstrasse 16 33829 Borgholzhausen, Germany Tel: +49 (0) 5425 / 801 0

Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

**Emergency Telephone** 

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

## 2.2. Label Elements

Contains: 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT], reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



Signal word WARNING

## **Hazard statements**

H317 - May cause an allergic skin reaction.

## **Precautionary statements**

Europe - BE Page 1/14

Revision date 28-Oct-2020

**Revision Number** 3.04

Supercedes Date: 07-Sep-2020

P102 - Keep out of reach of children.

P261 - Avoid breathing vapours/spray.

P280 - Wear protective gloves.

**BOSTIK ARDATEC FLEXDICHT** 

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents/ container to an approved waste disposal plant.

## 2.3. Other Hazards

No information available

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz (fine fraction)	238-878-4	14808-60-7	1 - <5	STOT RE 1 (H372)		[4]
Titanium dioxide	236-675-5	13463-67-7	0.1- <1	Carc. 2 (H351i)		01-2119489379- 17-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - <0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
2-Bromo-2-nitro-1,3-prop anediol	200-143-0	52-51-7	0.01 - <0.05	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)		01-2119980938- 15-XXXX

Europe - BE Page 2/14

BOSTIK ARDATEC FLEXDICHT
Supercedes Date: 07-Sep-2020
Revision Number 3.04

						1
				Aquatic Chronic		
				1 (H410)		
				M Factor Acute		
				=10		
2-methyl-2H-isothiazol-3	220-239-6	2682-20-4	0.0015 - < 0.01	Skin Corr. 1B	Skin Sens. 1 ::	01-2120764690-
one [MIT]				(H314)	C>=0.0015%	50-xxxx
, ,				Eye Dam. 1		
				(H318)		
				Skin Sens. 1A		
				(H317)		
				Acute Tox. 3		
				(H301)		
				Acute Tox. 3		
				(H311)		
				Acute Tox. 2		
				(H330)		
				Aquatic Acute 1		
				•		
				(H400) Aquatic Chronic		
				•		
				1 (H410) (M Factor Acute		
	044.044.5	55005 04 O	0.0045	=10)		04.0400704004
reaction mass of	611-341-5	55965-84-9	<0.0015	Acute Tox. 3	Eye Dam. 1 ::	01-2120764691-
5-chloro-2-methyl-2H-iso				(H301)	C>=0.6% Irrit. 2 ::	48-XXXX
thiazol-3-one and				Acute Tox. 2	0.06%<=C<0.6%	
2-methyl-2H-isothiazol-3				(H310)	Skin Corr. 1C ::	
-one (3:1) [C(M)IT/MIT]				Acute Tox. 2	C>=0.6%	
				(H330)	Skin Irrit. 2 ::	
				Skin Corr. 1C	0.06%<=C<0.6%	
				(H314)	Skin Sens. 1 ::	
				Eye Dam. 1	C>=0.0015%	
				(H318)		
				Skin Sens. 1A		
				(H317)		
				Aquatic Acute 1		
				(H400)		
				Aquatic Chronic		
				1 (H410)		
				M Factor Acute =		
				100		
				M Factor Chronic		
				= 100		

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**General advice** If medical advice is needed, have product container or label at hand.

**Inhalation** Remove to fresh air. (Call a doctor if symptoms occur).

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Europe - BE Page 3/14

Supercedes Date: 07-Sep-2020

Wash with soap and water. In the case of skin irritation or allergic reactions see a doctor. Skin contact

Ingestion Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is

conscious). Call a doctor or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Itching. Rashes. Hives. **Symptoms** 

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

## SECTION 5: Firefighting measures

5.1. Extinguishing media

**BOSTIK ARDATEC FLEXDICHT** 

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable extinguishing media

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Revision date 28-Oct-2020

Revision Number 3.04

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO2). Oxides of sulphur. Silicon oxides.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid Personal precautions

contact with skin, eyes or clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

Europe - BE Page 4 / 14

Supercedes Date: 07-Sep-2020 Revision Number 3.04

### 7.1. Precautions for safe handling

**BOSTIK ARDATEC FLEXDICHT** 

Advice on safe handling Ensure adequate ventilation. Avoid breathing vapours or mists. Use personal protection

equipment. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off all contaminated clothing and wash it before reuse.

Revision date 28-Oct-2020

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing. Keep containers tightly closed in a dry, cool and well-ventilated

place. Keep at temperatures between 5 and 35 °C.

#### 7.3. Specific end use(s)

## Specific Use(s)

Dispersion. Coatings.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

**Exposure Limits** This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of

crystalline silica is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	
Quartz (fine fraction)	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	

## Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Titanium dioxide (13463-67-7)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Local health effects	Inhalation	10 mg/m³				

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	6.81 mg/m <sup>3</sup>				
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d				

## **Derived No Effect Level (DNEL)**

Europe - BE Page 5/14

BOSTIK ARDATEC FLEXDICHT
Supercedes Date: 07-Sep-2020
Revision Number 3.04

Quartz (fine fraction) (14808-60-7) Titanium dioxide (13463-67-7)							
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d					

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term	Inhalation	1.2 mg/m³				
Systemic health effects  Consumer	Dermal	0.345 mg/kg bw/d				
Long term Systemic health effects	20	5.5 .5g, ng 2.4/4				

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Quartz (fine fraction) (14808-60-7)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	4.03 μg/l			
Marine water	0.403 μg/l			
Sewage treatment plant	1.03 mg/l			
Freshwater sediment	49.9 μg/l			
Marine sediment	4.99 μg/l			
Soil	3 mg/kg dry weight			

### 8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use:.

Neoprene™. Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced

regularly and if there is any sign of damage to the glove material.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** Ensure adequate ventilation, especially in confined areas. During spraying wear suitable

respiratory equipment.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Europe - BE Page 6 / 14

Revision date 28-Oct-2020

Supercedes Date: 07-Sep-2020 Revision Number 3.04

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Viscous
Colour Grey Brown
Characterists

**BOSTIK ARDATEC FLEXDICHT** 

Odour Characteristic Slight
Odour threshold No information available

Property Values Remarks • Method

pH 6 - 10

Melting point / freezing point

Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

6 - 10
0 °C
100 °C
Not applicable .
No data available
Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure 120 hPa @ 50 °C

Relative vapour density No data available

Relative density 1.1 - 1.3 None known

Water solubility Miscible in water Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available approx 15 - 25 Pa.s **Dynamic viscosity Explosive properties** No data available

Explosive properties No data available Oxidising properties No data available

9.2. Other information

Solid content (%)No information availableVOC Content (%)< .? g/L / 3 %</th>Density1.1 - 1.3 g/cm³

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** Stable under recommended storage conditions.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Europe - BE Page 7/14

Revision date 28-Oct-2020

**Revision Number** 3.04

Supercedes Date: 07-Sep-2020

Conditions to avoid Keep from freezing.

10.5. Incompatible materials

**BOSTIK ARDATEC FLEXDICHT** 

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

None under normal use conditions.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Information on likely routes of exposure

**Product Information** 

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact.

Based on available data, the classification criteria are not met. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives.

Numerical measures of toxicity

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rattus)		
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	
2-Bromo-2-nitro-1,3-propanedi ol 52-51-7	=180 mg/kg (Rattus)	= 1600 mg/kg (Rattus)	=800 mg/m³ (Rattus) 4 h > 5 g/m³ (Rattus) 6 h
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	

Europe - BE Page 8/14

BOSTIK ARDATEC FLEXDICHT
Supercedes Date: 07-Sep-2020
Revision Number 3.04

55965-84-9		

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Component Information								
Quartz (fine fraction) (148	Quartz (fine fraction) (14808-60-7)							
Titanium dioxide (13463-	Titanium dioxide (13463-67-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results			
OECD Test No. 404:					Non-irritant			
Acute Dermal								
Irritation/Corrosion								

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

Component Information				
Titanium dioxide (13463-67-7)				
2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)				
Method	Species	Exposure route	Results	
OECD Test No. 406: Skin	Guinea pig	Dermal	Sensitizing	
Sensitisation			-	

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide	Carc. 2
13463-67-7	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

STOT - repeated exposure This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of

crystalline silica is unlikely to occur from exposure to this product.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1. Toxicity

Ecotoxicity .

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor

Europe - BE Page 9/14

BOSTIK ARDATEC FLEXDICHT
Supercedes Date: 07-Sep-2020
Revision Number 3.04

	plants		microorganisms			(long-term)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		, ,
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)	LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006	-	EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	1
2-Bromo-2-nitro-1,3-pro panediol 52-51-7	EC50 (72h) = 0,068 mg/l (Anabaena flos aqua) (OECD 201)	LC50 (96h) = 3 mg/L (Oncorhynchus mykiss) (OECD 203)	EC50 = 0.41 mg/L 30 min EC50 = 0.50 mg/L 15 min EC50 = 0.91 mg/L 5 min	EC50 (48h) =1.4 mg/L (Daphnia magna, static) (OECD 202)	10	1
2-methyl-2H-isothiazol- 3-one [MIT] 2682-20-4	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)	EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203	-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner	EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)	-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

## 12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information 2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)				
Method	Exposure time	Value	Results	
OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems		Half-life	1.28-2.1 days	
OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test		biodegradation Half-life	Readily biodegradable 4.1 days	

## 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

## **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	0.7	6.95
2-Bromo-2-nitro-1,3-propanediol 52-51-7	0.22	3.15
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	-0.32	3.16
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-	3.16

Europe - BE Page 10 / 14

BOSTIK ARDATEC FLEXDICHT
Supercedes Date: 07-Sep-2020
Revision Number 3.04

[C(M)IT/MIT]	
55965-84-9	

### 12.4. Mobility in soil

**Mobility in soil** No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

. The components in this formulation do not meet the criteria for classification as PBT or

Chemical name	PBT and vPvB assessment
Titanium dioxide	The substance is not PBT / vPvB
13463-67-7	PBT assessment does not apply
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	The substance is not PBT / vPvB
2-Bromo-2-nitro-1,3-propanediol 52-51-7	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste from residues/unused

products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international

regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

**European Waste Catalogue** 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

**Note:** Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

Europe - BE Page 11/14

BOSTIK ARDATEC FLEXDICHT
Supercedes Date: 07-Sep-2020
Revision Number 3.04

#### **IMDG**

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated

14.5 Marine pollutant NP14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

## **Section 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

Europe - BE Page 12/14

Revision date 28-Oct-2020

Supercedes Date: 07-Sep-2020 Revision Number 3.04

\_\_\_\_\_

## National regulations

**BOSTIK ARDATEC FLEXDICHT** 

#### France

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Quartz (fine fraction) 14808-60-7	RG 25
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	RG 65

#### Germany

#### Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

TRGS - 510 Storage Class Storage Class 12 : Non-combustible liquids

**Netherlands** 

# List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands
Quartz (fine fraction)	Present (respirable dust, crystalline)
14808-60-7	

## **Denmark**

### **Norway**

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H335 - May cause respiratory irritation

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value
\* Skin designation

Europe - BE Page 13/14

Revision date 28-Oct-2020

Supercedes Date: 07-Sep-2020 Revision Number 3.04

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

### Key literature references and sources for data

No information available

**BOSTIK ARDATEC FLEXDICHT** 

Prepared By Product Safety & Regulatory Affairs

Revision date 28-Oct-2020

Indication of changes

**Revision note** SDS sections updated, 3.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Europe - BE Page 14/14