

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK STIX A320 TEX PROJECT Supercedes Date: 05-Aug-2019

Revision date 05-Aug-2019 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BOSTIK STIX A320 TEX PROJECT

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik SA 420 rue d'Estienne d'Orves 92700 Colombes FRANCE

Tel: +33 (0)1 49 00 90 00

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

2.2. Label Elements

Contains: 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT], reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [CIT/MIT]



Signal word WARNING

Hazard statements

H317 - May cause an allergic skin reaction

Europe - BE Page 1 / 11

BOSTIK STIX A320 TEX PROJECT Supercedes Date: 05-Aug-2019 Revision date 05-Aug-2019 Revision Number 1

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing vapours

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

No information available

PBT and vPvB assessment

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	0.1- <1	۸		Exempt
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	0.0015 - <0.01	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.0015%	No data available
Zinc pyrithione	236-671-3	13463-41-7	<0.0015	Eye Dam. 1 (H318) Acute Tox. 3 (H301) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		01-2119511196- 46-XXXX

Full text of H- and EUH-phrases: see section 16

Europe - BE Page 2/11

Revision date 05-Aug-2019

Supercedes Date: 05-Aug-2019 **Revision Number** 1

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

BOSTIK STIX A320 TEX PROJECT

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Wash with soap and water. May cause an allergic skin reaction. In the case of skin Skin contact

irritation or allergic reactions see a doctor.

Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never Ingestion

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

Carbon monoxide, Carbon dioxide (CO2), Hydrocarbons, **Hazardous combustion products**

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal **Personal precautions**

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Europe - BE Page 3 / 11

Supercedes Date: 05-Aug-2019 Revision Number 1

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

6.2. Environmental precautions

BOSTIK STIX A320 TEX PROJECT

Environmental precautionsDo not flush into surface water or sanitary sewer system. Do not allow to enter into

soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment

Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Revision date 05-Aug-2019

Take off contaminated clothing and wash it before reuse.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash thoroughly after handling. Take off all

contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Keep from freezing.

7.3. Specific end use(s)

Specific Use(s) Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz 14808-60-7	TWA: 0.1 mg/m³

Europe - BE Page 4/11

Supercedes Date: 05-Aug-2019 Revision Number 1

Revision date 05-Aug-2019

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

areas. Use explosion-proof ventilating equipment.

Personal Protective Equipment

BOSTIK STIX A320 TEX PROJECT

Derived No Effect Level (DNEL)

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.

Respiratory protection During spraying wear suitable respiratory equipment.

No information available

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceviscousColourBeigeOdourSlight

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7 - 8

Melting point / freezing point

Boiling point / boiling range

No data available

No data available

Flash point > 100 °C CC (closed cup)

Evaporation rate No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapour pressure Vapour density No data available Relative density No data available Water solubility No data available Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available

Dynamic viscosity 25000 - 35000 mPa s @ 23 °C

Explosive properties

Oxidising properties

No data available

No data available

9.2. Other information

Solid content (%) \Rightarrow 74.5

Softening Point
Molecular weight
VOC Content (%)
No information available
No information available

Density 1.38

Bulk density No information available

Europe - BE Page 5/11

BOSTIK STIX A320 TEX PROJECT
Supercedes Date: 05-Aug-2019
Revision Number 1

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep from freezing.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information .

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture

is not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

Acute Toxicity

Europe - BE Page 6/11

BOSTIK STIX A320 TEX PROJECT Supercedes Date: 05-Aug-2019

Revision Number 1

Revision date 05-Aug-2019

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 14,091.50 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rat)		
2-methyl-2H-isothiazol-3-one	LD50 =285 mg/Kg (Rat)	LD50 >2000 mg/Kg (Rat)	= 0.11 mg/L (Rat) 4 h
[MIT] 2682-20-4	(,		
Zinc pyrithione 13463-41-7	= 177 mg/kg (Rat)	= 100 mg/kg(Rabbit)	4 h = 1.03 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity .

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor
	plants		Micro-organisms		
Zinc pyrithione	-	-	-	EC50 (48h) =0.038	-
13463-41-7				mg/L Crustaceans	
				(Ilyocypris	
				dentifera)	

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Europe - BE Page 7/11

Revision date 05-Aug-2019 Supercedes Date: 05-Aug-2019 **Revision Number** 1

Bioaccumulation There is no data for this product.

Component Information

BOSTIK STIX A320 TEX PROJECT

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz	-	0
14808-60-7		
2-methyl-2H-isothiazol-3-one [MIT]	-0.32	3.16
2682-20-4		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	The substance is not PBT / vPvB
Zinc pyrithione 13463-41-7	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: Keep from freezing.

Land transport (ADR/RID)

14.1 UN Number Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing Group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

IMDG

14.1 UN number Not regulated 14.2 Proper Shipping Name Not regulated

Europe - BE Page 8/11

BOSTIK STIX A320 TEX PROJECT
Supercedes Date: 05-Aug-2019
Revision Number 1

14.3 Transport hazard class(es)14.4 Packing groupNot regulatedNot regulated

14.5 Marine Pollutant Np 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Air transport (ICAO-TI / IATA-DGR)

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

Europe - BE Page 9 / 11

Revision date 05-Aug-2019

Revision Number 1

BOSTIK STIX A320 TEX PROJECT Supercedes Date: 05-Aug-2019

France

Chemical name	French RG number
Quartz	RG 25
14808-60-7	

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

WGK 1 Water hazard class (WGK)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands
Quartz	Present (respirable dust, crystalline)
14808-60-7	

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend SECTION 8: Exposure controls/personal protection

TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit) TWA

Maximum limit value Skin designation Ceiling

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT RE Specific target organ toxicity - Repeated exposure

STOT SE Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Europe - BE Page 10/11

Revision date 05-Aug-2019

Supercedes Date: 05-Aug-2019 Revision Number 1

Revision date 05-Aug-2019

Indication of changes

BOSTIK STIX A320 TEX PROJECT

Revision note SDS sections updated: 2, 3.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 11 / 11