

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX Supercedes Date: 14-Dec-2015 Revision Date 29-May-2017 Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Pure substance/mixture BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against

Adhesives, sealants. None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik SA Immeuble "Le Jade" 253 Avenue du President Wilson 93211 La Plaine Saint Denis France Tel: +33 (0)1 55 99 90 00 Fax: +33 (0)1 55 99 90 01

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word No signal word

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use

P102 - Keep out of reach of children

P101 - If medical advice is needed, have product container or label at hand

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX

Supercedes Date: 14-Dec-2015

2.3. Other Hazards

General Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silane, ethenyltrimethoxy-	220-449-8	2768-02-7	1 - <3	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) STOT RE 2 (H373)		01-2119513215-52 -XXXX
1-Propanamine, 3-(trimethoxysilyl)-	237-511-5	13822-56-5	1 - <3	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		01-2119510159-45 -XXXX

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).
Self-protection of the first aider	First aider: Pay attention to self-protection.
4.2 Most important symptoms an	d offects, both soute and delayed

4.2. Most important symptoms and effects, both acute and delayed

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX

Supercedes Date: 14-Dec-2015

Symptoms	None known.		
4.3. Indication of any immed	diate medical attention and special treatment needed		
Note to doctors	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.		
Section 5: FIRE-FIGHTING MEASURES			

5.1. Extinguishing media

Suitable Extinguishing Media Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Unsuitable Extinguishing Media

Full water jet

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for Containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Fire prevention measures. No special measures are necessary.

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX

Supercedes Date: 14-Dec-2015

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Protect from moisture. Keep away from food, drink and animal feedingstuffs. Recommended storage temperature. 10 - 35 °C. Keep container tightly closed and dry. Product cures with moisture.

7.3. Specific end use(s)

Specific Use(s)

Sealant. Observe technical data sheet.

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical Name	European Union
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³
	S*

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ve

Ensure adequate ventilation, especially in confined areas.

Personal Protective EquipmentEye/Face ProtectionTight sealing safety goggles.Skin and Body ProtectionSuitable protective clothing.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Paste
Colour	White
Odour	Slight
Odour Threshold	Not applicable

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX Supercedes Date: 14-Dec-2015

<u>Property</u>	<u>Values</u>	Remarks • Method
pH		
Melting point/freezing point	No information available	
Boiling Point	No information available	
Flash Point	> 100 °C / > 212 °F	CC (closed cup)
Evaporation Rate	No information available	
Flammability (solid, gas) Flammability Limit in Air	No information available	Not applicable for liquids
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	No information available	
Water Solubility	Insoluble in water	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	7000 - 13000 mPa s	@ 20 °C
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Density Bully Density	1.4 g/cm ³ No Data Available	
Bulk Density	NU Data Avaliable	
VOC content (%)		

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Protect from moisture. Product cures with moisture.

10.5. Incompatible materials

No information available.

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX

Supercedes Date: 14-Dec-2015

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information

In vitro Bovine Corneal Opacity and Permeability tests (BCOP test; OECD 437) have been carried out on this product.

Inhalation Eye contact Skin Contact Ingestion Sensitisation	No Data Available. The test item induced a mean In-vitro irritancy score ≤ 3, the test item was considered as a test chemical not requiring classification for eye irritation or serious eye damage (UN GHS No Category). No Data Available. No Data Available. No Data Available.		
Skin Corrosion/Irritation	Not applicable.		
Serious eye damage/eye irritation	Not applicable.		
Sensitisation	Not applicable.		
Germ Cell Mutagenicity	Not applicable.		
Carcinogenicity	Not applicable.		
Reproductive Toxicity	No information available.		
STOT - Single Exposure	No information available.		
STOT - Repeated Exposure	No information available.		
Target Organ Effects	Eyes, Lungs, Respiratory system, Skin.		
Aspiration Hazard	No information available.		
Numerical measures of toxicity			
Acute Toxicity			
The following values are calculate ATEmix (inhalation-vapour)	d based on chapter 3.1 of the GHS document mg/kg mg/l 367.00 mg/l		
Component Information			

Toxicity Data

No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy-	LD 50 = 7120 -7236 mg/kg (Rat)	= 3360 µL/kg (Rabbit)	-
2768-02-7	OECD 401		
Bis(2,2,6,6-tetramethyl-4-piperidyl)	LD50 (rat)> 2000 mg/kg	LD50 (rat) > 3 170 mg/kg	= 500 mg/m ³ (Rat) 4 h
sebacate	OECD 423	OECD 402	
52829-07-9			

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX Supercedes Date: 14-Dec-2015

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Silane, ethenyltrimethoxy-	EC 50 (72h) > 957 mg/l	L50 (96h) = 191 mg/l	EC50(48hr) 168.7mg/l	
2768-02-7	(Desmodesmus subspicatus)	(Oncorhynchus mykiss)	(Daphnia magna)	
	EU Method C.3			
1-Propanamine,	EC50 (72h) > 1000 mg/l	LC50 (96h) > >934 mg/L	EC50 (48h) = 331 mg/L	
3-(trimethoxysilyl)-	(Desmodesmus subspicatus)	(Danio rerio)	(Daphnia magna)	
13822-56-5	EU Method C.3 (Algal	OECD 203	OECD 202	
	Inhibition test)			

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient

No information available

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.	
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09	

Section 14: TRANSPORTATION INFORMATION

ADR		
14.1	UN/ID	no

Not regulated

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX Supercedes Date: 14-Dec-2015

14.2 Proper Shipping Name14.3 Hazard Class14.4 Packing Group14.5 Environmental Hazard14.6 Special Provisions	Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group 14.5 Marine Pollutant 14.6 Special Provisions 14.7 Transport in bulk according	Not regulated Not regulated Not regulated Not regulated Np None to Annex II of MARPOL 73/78 and the IBC Code No information available
<u>RID</u> 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not applicable None
ICAO (air) 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IATA 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental Hazard 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX

Supercedes Date: 14-Dec-2015

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
2,2,4-trimethyl-1-oxa-4-aza-2-silacyclohexane	93925-43-0	3
		20
		40

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

France

<u>Germany</u>

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) WGK 1

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands) Not Listed

<u>Denmark</u>

MAL-Code 0-1 (1993)

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour H315 - Causes skin irritation H318 - Causes serious eye damage

H332 - Harmful if inhaled

Legend

BOSTIK MSP 112 MENUISERIE TOUS MATERIAUX Supercedes Date: 14-Dec-2015

Revision Date 29-May-2017 Version 3

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWATWA (time-weighted average)STELCeilingMaximum limit value*PBTPersistent, Bioaccumulative, and Toxic (PBT) Chemicals*STOT (RE):Specific target organ toxicity - Repeated exposureSTOT (SE):Specific target organ toxicity - Single exposureEWC:European Waste Catalogue

STEL (Short Term Exposure Limit) Skin designation

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	29-May-2017
Indication of changes	
Revision Note	SDS sections updated, 2, 3, 11.
Training Advice	No information available
Additional information	No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet