

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
 Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 3.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Resin.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH
 An der Bundesstrasse 16
 33829 Borgholzhausen, Germany
 Tel: +49 (0) 5425 / 801 0
 Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label Elements

Contains: 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, 2-(2-[2-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane; 2-(2-[4-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane; 2-(4-[4-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane, Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.



Signal word
 WARNING

Hazard statements

Europe - BE

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.

EU Specific Hazard Statements

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Precautionary statements

P261 - Avoid breathing vapours/spray.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.
P501 - Dispose of contents/ container to an approved waste disposal plant.

Additional information

Please refer also to Safety Data Sheet of Part B.

2.3. Other Hazards

No information available

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		[4]
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	216-823-5	1675-54-3	10 - <20	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	01-2119456619-26-xxxx
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane	701-263-0	--	5 - <10	Aquatic Chronic 2 (H411) Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119454392-40-XXXX
Crystobalite	238-455-4	14464-46-1	5 - <10	-		--

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

Titanium dioxide	236-675-5	13463-67-7	1 - <5	Carc. 2 (H351i)		01-2119489379-17-XXXX
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	271-846-8	68609-97-2	1 - <5	Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119485289-22-XXXX
Quartz (fine fraction)	238-878-4	14808-60-7	0.1- <1	STOT RE 1 (H372)		[4]

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.
Skin contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating gases and vapours.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Do not breathe vapour or mist. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Do not breathe vapour or mist. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Please refer also to Safety Data Sheet of Part B.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)
Resin.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
 Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 3.01

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz 14808-60-7	TWA: 0.1 mg/m ³
Crystobalite 14464-46-1	TWA: 0.1 mg/m ³
Quartz (fine fraction) 14808-60-7	TWA: 0.1 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Quartz (14808-60-7)			
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Short term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Long term Systemic health effects	Dermal	8.33 mg/kg bw/d	
worker Short term Systemic health effects	Dermal	8.33 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	29,39 mg/m ³	
worker Long term Systemic health effects	Dermal	104,15 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m ³	

Derived No Effect Level (DNEL)			
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)			
Type	Exposure route	Derived No Effect Level	Safety factor

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

		(DNEL)	
Consumer Long term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.75 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	0.75 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	8,7 mg/m ³	
Consumer Long term Systemic health effects	Dermal	62,5 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	6,25 mg/kg bw/d	

Titanium dioxide (13463-67-7)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

Quartz (fine fraction) (14808-60-7)

Predicted No Effect Concentration (PNEC) No information available.

Predicted No Effect Concentration (PNEC)

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.006 mg/l
Marine water	0.001 mg/l
Sewage treatment plant	10 mg/l
Freshwater sediment	0.996 mg/kg dry weight
Marine sediment	0.1 mg/kg dry weight
Soil	0.196 mg/kg dry weight

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0,003 mg/l
Freshwater - intermittent	0,025 mg/l
Sewage treatment plant	10 mg/l
Marine water	0 mg/l
Freshwater sediment	0,294 mg/kg dry weight
Marine sediment	0,029 mg/kg dry weight
Soil	0,237 mg/kg dry weight

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

Crystobalite (14464-46-1)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Quartz (fine fraction) (14808-60-7)

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166
Hand protection	Recommended Use: Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Unsuitable gloves materials: Disposable gloves. Leather. Gloves must conform to standard EN 374
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	During spraying wear suitable respiratory equipment. In case of inadequate ventilation wear respiratory protection.
Recommended filter type:	Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapours filter conforming to EN 14387.
Environmental exposure controls	Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Colour	White Beige
Odour	Characteristic
Odour threshold	No information available

Property	Values	Remarks • Method
pH	No data available	Not applicable
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	154 °C	CC (closed cup)
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	1.7 - 1.8	
Water solubility	Insoluble in water	

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information

Solid content (%)	No information available
VOC Content (%)	No information available
Density	1.7 - 1.8 g/cm ³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.
Eye contact Causes serious eye irritation.
Skin contact May cause sensitisation by skin contact. Causes skin irritation.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
 Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 3.01

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane 1675-54-3	=11300 µL/kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane --	LD50 > 5000 mg/kg (rattus)	LD50 > 2000 mg/kg (rattus) OECD Guideline 402	
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	=17100 mg/kg (Rattus)	LD50 >4000 mg/Kg Rabbit	
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rattus)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal		24 hours	Product score 5.75 irritant

Quartz (fine fraction) (14808-60-7)

Serious eye damage/eye irritation Causes serious eye irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	Corneal			Product score 2 irritant
---	--------	---------	--	--	-----------------------------

Respiratory or skin sensitisation May cause an allergic skin reaction.

Component Information			
Titanium dioxide (13463-67-7)			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	sensitising

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide 13463-67-7	Carc. 2

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy methylene)]bisoxirane 1675-54-3	EC50 (72h) = 9.4 mg/L (Scenedesmus capricornutum) EPA-660/3-75-09	1.5 mg/l 96Hr (Oncorhynchus mykiss) (OECD 203)	-	LD50 (48h) =2.7 mg/L (Daphnia magna) (OECD 202)		
2-(2-{ [2-(oxiran-2-ylmethoxy) phenyl]methyl} phenoxy)methyl)oxirane ; 2-(2-{ [4-(oxiran-2-ylmethoxy) phenyl]methyl} phenoxy)methyl)oxirane	EC50 (72h) = 1.8 mg/l	LC50 (96h) = 2.54 mg/l	-	EC50 (48h) = 2.55 mg/l (Daphnia magna)		

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
 Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 3.01

; 2-(4-{ [4-(oxiran-2-ylmethoxy) phenyl]methyl} phenoxy)methyl)oxirane --						
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz 14808-60-7	-	0
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane 1675-54-3	3.78	-
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane --	3.6	-
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	3.77	-

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane 1675-54-3	The substance is not PBT / vPvB
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl } phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl } phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl } phenoxy)methyl)oxirane --	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supercedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

13463-67-7	PBT assessment does not apply
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Group II Chemical	-

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable. Uncured product should be disposed of as hazardous waste.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances 15 01 10*: Packaging containing residues of or contaminated by dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supercedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Chemical name	French RG number
Quartz 14808-60-7	RG 25
Crystobalite 14464-46-1	RG 25
Quartz (fine fraction) 14808-60-7	RG 25

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands
Quartz 14808-60-7	Present (respirable dust, crystalline)
Crystobalite 14464-46-1	Present (respirable dust, crystalline)
Quartz (fine fraction) 14808-60-7	Present (respirable dust, crystalline)

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H372 - Causes damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date: 07-Oct-2020

Indication of changes

Revision note SDS sections updated: 3, 8, 11, 12, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY OLD WHITE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 3.01

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020Revision Date: 07-Oct-2020
Revision Number 1.08**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product Identifier****Product Name** BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Pure substance/mixture Mixture**1.2. Relevant identified uses of the substance or mixture and uses advised against****Recommended use** Resin.
Uses advised against None known.**1.3. Details of the supplier of the safety data sheet****Company Name**Bostik GmbH
An der Bundesstrasse 16
33829 Borgholzhausen, Germany
Tel: +49 (0) 5425 / 801 0
Fax: +49 (0) 5425 / 801 140**E-mail address** SDS.box-EU@bostik.com**1.4. Emergency telephone number****Emergency Telephone****SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label Elements

Contains: 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, 2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane, Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

**Signal word**
WARNING**Hazard statements**

Europe - BE

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 - Avoid breathing vapours/spray.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/ container to an approved waste disposal plant.

Additional information

Please refer also to Safety Data Sheet of Part B.

2.3. Other Hazards

No information available

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		[4]
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	216-823-5	1675-54-3	10 - <20	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	01-2119456619-26-xxxx
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane	701-263-0	--	5 - <10	Aquatic Chronic 2 (H411) Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119454392-40-XXXX

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

Crystobalite	238-455-4	14464-46-1	5 - <10	-		--
Oxirane, mono[(C12-14-alkyloxy) methyl] derivs.	271-846-8	68609-97-2	1 - <5	Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119485289- 22-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1- <1	Carc. 2 (H351i)		01-2119489379- 17-XXXX
Quartz (fine fraction)	238-878-4	14808-60-7	0.1- <1	STOT RE 1 (H372)		[4]

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.
Skin contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating gases and vapours.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supercedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Do not breathe vapour or mist. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Please refer also to Safety Data Sheet of Part B.

General hygiene considerations When using do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)
Resin.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
 Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 1.08

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz 14808-60-7	TWA: 0.1 mg/m ³
Crystobalite 14464-46-1	TWA: 0.1 mg/m ³
Quartz (fine fraction) 14808-60-7	TWA: 0.1 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Quartz (14808-60-7)			
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Short term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Long term Systemic health effects	Dermal	8.33 mg/kg bw/d	
worker Short term Systemic health effects	Dermal	8.33 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	29,39 mg/m ³	
worker Long term Systemic health effects	Dermal	104,15 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m ³	

Derived No Effect Level (DNEL)			
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)			
Type	Exposure route	Derived No Effect Level	Safety factor

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

		(DNEL)	
Consumer Long term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.75 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	0.75 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	8,7 mg/m ³	
Consumer Long term Systemic health effects	Dermal	62,5 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	6,25 mg/kg bw/d	

Titanium dioxide (13463-67-7)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

Quartz (fine fraction) (14808-60-7)

Predicted No Effect Concentration (PNEC) No information available.

Predicted No Effect Concentration (PNEC)

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.006 mg/l
Marine water	0.001 mg/l
Sewage treatment plant	10 mg/l
Freshwater sediment	0.996 mg/kg dry weight
Marine sediment	0.1 mg/kg dry weight
Soil	0.196 mg/kg dry weight

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0,003 mg/l
Freshwater - intermittent	0,025 mg/l
Sewage treatment plant	10 mg/l
Marine water	0 mg/l
Freshwater sediment	0,294 mg/kg dry weight
Marine sediment	0,029 mg/kg dry weight
Soil	0,237 mg/kg dry weight

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

Crystobalite (14464-46-1)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Quartz (fine fraction) (14808-60-7)

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

Hand protection

Recommended Use: Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Unsuitable gloves materials: Disposable gloves. Leather. Gloves must conform to standard EN 374

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

During spraying wear suitable respiratory equipment. In case of inadequate ventilation wear respiratory protection.

Recommended filter type:

Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Colour	Grey
Odour	Characteristic
Odour threshold	No information available

Property	Values	Remarks • Method
pH	No data available	Not applicable
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	154 °C	CC (closed cup)
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids .	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	1.7 - 1.8	
Water solubility	Insoluble in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information

Solid content (%)	No information available
VOC Content (%)	No information available
Density	1.7 - 1.8 g/cm ³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Causes serious eye irritation.
Skin contact	May cause sensitisation by skin contact. Causes skin irritation.
Ingestion	Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
 Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 1.08

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis oxirane 1675-54-3	=11300 µL/kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane --	LD50 > 5000 mg/kg (rattus)	LD50 > 2000 mg/kg (rattus) OECD Guideline 402	
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	=17100 mg/kg (Rattus)	LD50 >4000 mg/Kg Rabbit	
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rattus)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal		24 hours	Product score 5.75 irritant

Quartz (fine fraction) (14808-60-7)

Serious eye damage/eye irritation Causes serious eye irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye	Rabbit	Corneal			Product score 2 irritant

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

Irritation/Corrosion					
----------------------	--	--	--	--	--

Respiratory or skin sensitisation May cause an allergic skin reaction.

Component Information			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	sensitising

Titanium dioxide (13463-67-7)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide 13463-67-7	Carc. 2

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy methylene)]bisoxirane 1675-54-3	EC50 (72h) = 9.4 mg/L (Scenedesmus capricornutum) EPA-660/3-75-0 09	1.5 mg/l 96Hr (Oncorhynchus mykiss) (OECD 203)	-	LD50 (48h) =2.7 mg/L (Daphnia magna) (OECD 202)		
2-(2-{[2-(oxiran-2-ylmethoxy) phenyl]methyl} phenoxy)methyl)oxirane ; 2-(2-{[4-(oxiran-2-ylmethoxy) phenyl]methyl} phenoxy)methyl)oxirane ; 2-(4-{[4-(oxiran-2-ylmethoxy)	EC50 (72h) = 1.8 mg/l	LC50 (96h) = 2.54 mg/l	-	EC50 (48h) = 2.55 mg/l (Daphnia magna)		

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
 Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 1.08

phenyl]methyl]phenoxy)methyl]oxirane --						
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz 14808-60-7	-	0
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy)methylene]]bisoxirane 1675-54-3	3.78	-
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane --	3.6	-
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	3.77	-

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or vPvB. .

Chemical name	PBT and vPvB assessment
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy)methylene]]bisoxirane 1675-54-3	The substance is not PBT / vPvB
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane --	The substance is not PBT / vPvB
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supercedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

13463-67-7	PBT assessment does not apply
------------	-------------------------------

12.6. Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Group II Chemical	-

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable. Uncured product should be disposed of as hazardous waste.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Chemical name	French RG number
Quartz 14808-60-7	RG 25
Crystobalite 14464-46-1	RG 25
Quartz (fine fraction) 14808-60-7	RG 25

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

(Netherlands)

Chemical name	Netherlands
Quartz 14808-60-7	Present (respirable dust, crystalline)
Crystobalite 14464-46-1	Present (respirable dust, crystalline)
Quartz (fine fraction) 14808-60-7	Present (respirable dust, crystalline)

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date: 07-Oct-2020

Indication of changes

Revision note SDS sections updated: 3, 8, 11, 12, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY MEDIUM GREY - PART A
Supersedes Date: 15-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 1.08

any process, unless specified in the text.

End of Safety Data Sheet

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
 Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
 Revision Number 1.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Resin.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH
 An der Bundesstrasse 16
 33829 Borgholzhausen, Germany
 Tel: +49 (0) 5425 / 801 0
 Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label Elements

Contains: 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, 2-(2-[2-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane; 2-(2-[4-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane; 2-(4-[4-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane, Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.



Signal word
 WARNING

Hazard statements

Europe - BE

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 - Avoid breathing vapours/spray.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/ container to an approved waste disposal plant.

Additional information

Please refer also to Safety Data Sheet of Part B.

2.3. Other Hazards

No information available

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		[4]
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	216-823-5	1675-54-3	10 - <20	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	01-2119456619-26-xxxx
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane	701-263-0	--	5 - <10	Aquatic Chronic 2 (H411) Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119454392-40-XXXX

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

Crystobalite	238-455-4	14464-46-1	5 - <10	-		--
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	271-846-8	68609-97-2	1 - <5	Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119485289-22-XXXX
Quartz (fine fraction)	238-878-4	14808-60-7	0.1- <1	STOT RE 1 (H372)		[4]
Titanium dioxide	236-675-5	13463-67-7	0.1- <1	Carc. 2 (H351i)		01-2119489379-17-XXXX

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.
Skin contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating gases and vapours.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supercedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Do not breathe vapour or mist. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Do not breathe vapour or mist. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Please refer also to Safety Data Sheet of Part B.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)
Resin.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
 Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
 Revision Number 1.04

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz 14808-60-7	TWA: 0.1 mg/m ³
Crystobalite 14464-46-1	TWA: 0.1 mg/m ³
Quartz (fine fraction) 14808-60-7	TWA: 0.1 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Quartz (14808-60-7)			
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Short term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Long term Systemic health effects	Dermal	8.33 mg/kg bw/d	
worker Short term Systemic health effects	Dermal	8.33 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	29,39 mg/m ³	
worker Long term Systemic health effects	Dermal	104,15 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m ³	

Derived No Effect Level (DNEL)			
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)			
Type	Exposure route	Derived No Effect Level	Safety factor

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

		(DNEL)	
Consumer Long term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.75 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	0.75 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	8,7 mg/m ³	
Consumer Long term Systemic health effects	Dermal	62,5 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	6,25 mg/kg bw/d	

Quartz (fine fraction) (14808-60-7)			
Titanium dioxide (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

Predicted No Effect Concentration (PNEC) No information available.

Predicted No Effect Concentration (PNEC)	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.006 mg/l
Marine water	0.001 mg/l
Sewage treatment plant	10 mg/l
Freshwater sediment	0.996 mg/kg dry weight
Marine sediment	0.1 mg/kg dry weight
Soil	0.196 mg/kg dry weight

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0,003 mg/l
Freshwater - intermittent	0,025 mg/l
Sewage treatment plant	10 mg/l
Marine water	0 mg/l
Freshwater sediment	0,294 mg/kg dry weight
Marine sediment	0,029 mg/kg dry weight
Soil	0,237 mg/kg dry weight

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

Crystobalite (14464-46-1)	
Quartz (fine fraction) (14808-60-7)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Please refer also to Safety Data Sheet of Part B.

Personal Protective Equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

Hand protection Recommended Use: Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Unsuitable gloves materials: Disposable gloves. Leather. Gloves must conform to standard EN 374

Skin and body protection Wear suitable protective clothing.

Respiratory protection During spraying wear suitable respiratory equipment. In case of inadequate ventilation wear respiratory protection.

Recommended filter type: Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Colour	Grey
Odour	Characteristic
Odour threshold	No information available

Property	Values	Remarks • Method
pH	No data available	Not applicable
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	154 °C	CC (closed cup)
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	1.7 - 1.8	
Water solubility	Insoluble in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information

Solid content (%)	No information available
VOC Content (%)	No information available
Density	1.7 - 1.8 g/cm ³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Causes serious eye irritation.

Skin contact May cause sensitisation by skin contact. Causes skin irritation.

Ingestion Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
 Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
 Revision Number 1.04

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis oxirane 1675-54-3	=11300 µL/kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane --	LD50 > 5000 mg/kg (rattus)	LD50 > 2000 mg/kg (rattus) OECD Guideline 402	
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	=17100 mg/kg (Rattus)	LD50 >4000 mg/Kg Rabbit	
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rattus)		
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal		24 hours	Product score 5.75 irritant

Quartz (fine fraction) (14808-60-7)

Serious eye damage/eye irritation Causes serious eye irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye	Rabbit	Corneal			Product score 2 irritant

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

Irritation/Corrosion					
----------------------	--	--	--	--	--

Respiratory or skin sensitisation May cause an allergic skin reaction.

Component Information			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	sensitising

Titanium dioxide (13463-67-7)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide 13463-67-7	Carc. 2

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy methylene)]bisoxirane 1675-54-3	EC50 (72h) = 9.4 mg/L (Scenedesmus capricornutum) EPA-660/3-75-009	1.5 mg/l 96Hr (Oncorhynchus mykiss) (OECD 203)	-	LD50 (48h) =2.7 mg/L (Daphnia magna) (OECD 202)		
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane ; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane ; 2-(4-{[4-(oxiran-2-ylmethoxy)	EC50 (72h) = 1.8 mg/l	LC50 (96h) = 2.54 mg/l	-	EC50 (48h) = 2.55 mg/l (Daphnia magna)		

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

phenyl]methyl]phenoxy)methyl]oxirane --						
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz 14808-60-7	-	0
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy)methylene]]bisoxirane 1675-54-3	3.78	-
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane --	3.6	-
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	3.77	-

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy)methylene]]bisoxirane 1675-54-3	The substance is not PBT / vPvB
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl]oxirane --	The substance is not PBT / vPvB
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

13463-67-7	PBT assessment does not apply
------------	-------------------------------

12.6. Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Group II Chemical	-

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable. Uncured product should be disposed of as hazardous waste.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Chemical name	French RG number
Quartz 14808-60-7	RG 25
Crystobalite 14464-46-1	RG 25
Quartz (fine fraction) 14808-60-7	RG 25

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

(Netherlands)

Chemical name	Netherlands
Quartz 14808-60-7	Present (respirable dust, crystalline)
Crystobalite 14464-46-1	Present (respirable dust, crystalline)
Quartz (fine fraction) 14808-60-7	Present (respirable dust, crystalline)

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H372 - Causes damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date: 07-Oct-2020

Indication of changes

Revision note SDS sections updated 3, 8, 11, 12, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY ANTHRACITE RESIN
Supersedes Date: 23-Jul-2020

Revision Date: 07-Oct-2020
Revision Number 1.04

any process, unless specified in the text.

End of Safety Data Sheet

BK ARDACOLOR XTREM EASY BEIGE RESIN
 Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 2.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BK ARDACOLOR XTREM EASY BEIGE RESIN
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Resin.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH
 An der Bundesstrasse 16
 33829 Borgholzhausen, Germany
 Tel: +49 (0) 5425 / 801 0
 Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label Elements

Contains: 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, 2-(2-[2-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane; 2-(2-[4-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane; 2-(4-[4-(oxiran-2-ylmethoxy)phenyl]methyl)phenoxy)methyl]oxirane, Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.



Signal word
 WARNING

Hazard statements

Europe - BE

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supercedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H412 - Harmful to aquatic life with long lasting effects.

EU Specific Hazard Statements

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Precautionary statements

P261 - Avoid breathing vapours/spray.
P280 - Wear protective gloves and eye/face protection.
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/ container to an approved waste disposal plant.

Additional information

Please refer also to Safety Data Sheet of Part B.

2.3. Other Hazards

No information available

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		[4]
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxyethylene)]bisoxirane	216-823-5	1675-54-3	10 - <20	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	01-2119456619-26-xxxx
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}	701-263-0	--	5 - <10	Aquatic Chronic 2 (H411) Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119454392-40-XXXX

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

phenoxyethyl)oxirane						
Crystobalite	238-455-4	14464-46-1	5 - <10	-		--
Oxirane, mono[(C12-14-alkyloxy) methyl] derivs.	271-846-8	68609-97-2	1 - <5	Skin Irrit. 2 (H315) Skin Sens. 1 (H317)		01-2119485289- 22-XXXX
Titanium dioxide	236-675-5	13463-67-7	1 - <2.5	Carc. 2 (H351i)		01-2119489379- 17-XXXX
Quartz (fine fraction)	238-878-4	14808-60-7	0.1- <1	STOT RE 1 (H372)		[4]

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

Specific hazards arising from the chemical Product is or contains a sensitiser. May cause sensitisation by skin contact.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Do not breathe vapour or mist. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid breathing vapours or mists. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Please refer also to Safety Data Sheet of Part B.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)
Resin.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
 Supercedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 2.01

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Quartz 14808-60-7	TWA: 0.1 mg/m ³
Crystobalite 14464-46-1	TWA: 0.1 mg/m ³
Quartz (fine fraction) 14808-60-7	TWA: 0.1 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)

Quartz (14808-60-7)

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Short term Systemic health effects	Inhalation	12.25 mg/m ³	
worker Long term Systemic health effects	Dermal	8.33 mg/kg bw/d	
worker Short term Systemic health effects	Dermal	8.33 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl } phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl } phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl } phenoxy)methyl)oxirane (--)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	29,39 mg/m ³	
worker Long term Systemic health effects	Dermal	104,15 mg/kg bw/d	

Titanium dioxide (13463-67-7)

Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m ³	

Derived No Effect Level (DNEL)

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
 Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 2.01

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	3.571 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.75 mg/kg bw/d	
Consumer Short term Systemic health effects	Dermal	0.75 mg/kg bw/d	

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	8,7 mg/m ³	
Consumer Long term Systemic health effects	Dermal	62,5 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	6,25 mg/kg bw/d	

Titanium dioxide (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

Quartz (fine fraction) (14808-60-7)

Predicted No Effect Concentration (PNEC) No information available.

Predicted No Effect Concentration (PNEC)	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.006 mg/l
Marine water	0.001 mg/l
Sewage treatment plant	10 mg/l
Freshwater sediment	0.996 mg/kg dry weight
Marine sediment	0.1 mg/kg dry weight
Soil	0.196 mg/kg dry weight

2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane (--)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0,003 mg/l
Freshwater - intermittent	0,025 mg/l
Sewage treatment plant	10 mg/l
Marine water	0 mg/l
Freshwater sediment	0,294 mg/kg dry weight

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
 Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
 Revision Number 2.01

Marine sediment	0,029 mg/kg dry weight
Soil	0,237 mg/kg dry weight

Crystobalite (14464-46-1)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Quartz (fine fraction) (14808-60-7)

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Please refer also to Safety Data Sheet of Part B.

Personal Protective Equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

Hand protection Wear suitable gloves: Nitrile rubber. Butyl rubber. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Unsuitable gloves materials: Leather. Disposable gloves. Gloves must conform to standard EN 374

Skin and body protection Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection. During spraying wear suitable respiratory equipment.

Recommended filter type: Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Colour	Beige
Odour	Characteristic
Odour threshold	No information available

Property	Values	Remarks • Method
pH	No data available	Not applicable
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	154 °C	CC (closed cup)
Evaporation rate	No data available	
Flammability (solid, gas)	Not applicable for liquids .	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	1.7 - 1.8	
Water solubility	Insoluble in water	

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information

Solid content (%)	No information available
VOC Content (%)	No information available
Density	1.7 - 1.8 g/cm ³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation. May cause sensitisation by skin contact.

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane 1675-54-3	=11300 µL/kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane; 2-(4-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane --	LD50 > 5000 mg/kg (rattus)	LD50 > 2000 mg/kg (rattus) OECD Guideline 402	
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	=17100 mg/kg (Rattus)	LD50 >4000 mg/Kg Rabbit	
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rattus)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal		24 hours	Product score 5.75 irritant

Quartz (fine fraction) (14808-60-7)

Serious eye damage/eye irritation Causes serious eye irritation.

Component Information					
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)					
Method	Species	Exposure route	Effective dose	Exposure time	Results

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	Corneal			Product score 2 irritant
---	--------	---------	--	--	-----------------------------

Respiratory or skin sensitisation May cause an allergic skin reaction.

Component Information			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. (68609-97-2)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	sensitising

Titanium dioxide (13463-67-7)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide 13463-67-7	Carc. 2

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxy)methylene]bisoxirane 1675-54-3	EC50 (72h) = 9.4 mg/L (Scenedesmus capricornutum) EPA-660/3-75-09	1.5 mg/l 96Hr (Oncorhynchus mykiss) (OECD 203)	-	LD50 (48h) =2.7 mg/L (Daphnia magna) (OECD 202)		
2-(2-{[2-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane ; 2-(2-{[4-(oxiran-2-ylmethoxy)phenyl]methyl}phenoxy)methyl)oxirane	EC50 (72h) = 1.8 mg/l	LC50 (96h) = 2.54 mg/l	-	EC50 (48h) = 2.55 mg/l (Daphnia magna)		

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

; 2-(4-{ [4-(oxiran-2-ylmethoxy) phenyl]methyl} phenoxy)methyl)oxirane --						
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz 14808-60-7	-	0
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane 1675-54-3	3.78	-
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane --	3.6	-
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	3.77	-

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or vPvB. .

Chemical name	PBT and vPvB assessment
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane 1675-54-3	The substance is not PBT / vPvB
2-(2-{ [2-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(2-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane; 2-(4-{ [4-(oxiran-2-ylmethoxy)phenyl]methyl} phenoxy)methyl)oxirane --	The substance is not PBT / vPvB
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	The substance is not PBT / vPvB

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

68609-97-2	
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Group II Chemical	-

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable. Uncured product should be disposed of as hazardous waste.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Chemical name	French RG number
Quartz 14808-60-7	RG 25
Crystobalite 14464-46-1	RG 25
Quartz (fine fraction) 14808-60-7	RG 25

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids

Netherlands

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands
Quartz 14808-60-7	Present (respirable dust, crystalline)
Crystobalite 14464-46-1	Present (respirable dust, crystalline)
Quartz (fine fraction) 14808-60-7	Present (respirable dust, crystalline)

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H372 - Causes damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects

Legend

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date: 07-Oct-2020

Indication of changes

Revision note SDS sections updated: 3, 8, 11, 12, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

SAFETY DATA SHEET

BK ARDACOLOR XTREM EASY BEIGE RESIN
Supersedes Date: 16-Sep-2020

Revision Date: 07-Oct-2020
Revision Number 2.01

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet