

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

RAPID 3 Supercedes Date: 01-Jun-2015 Revision Date 14-Mar-2019 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name RAPID 3
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work. Hydraulic Cement, Mortar, Grout and Concrete.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH An der Bundesstrasse 16 33829 Borgholzhausen, Germany Tel: +49 (0) 5425 / 801 0 Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)

2.2. Label Elements

Contains: Cement, portland, chemicals (Chromium VI reduced), Calcium oxide



Signal word DANGER

Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

Europe - BE Page 1/11

RAPID 3

Revision Date 14-Mar-2019

Supercedes Date: 01-Jun-2015

Revision Number 1.01

Precautionary statements

P102 - Keep out of reach of children

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

Additional information

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

2.3. Other Hazards

Product dust may be irritating to eyes, skin and respiratory system

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	۸		Exempt
Cement, portland, chemicals (Chromium VI reduced)	266-043-4	65997-15-1	10 - <20	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		No data available
Calcium oxide	215-138-9	1305-78-8	1 - <2.5	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		01-2119475325- 36-XXXX
Quartz (fine fraction)	238-878-4	14808-60-7	0.1- <1	STOT RE 1 (H372)		Exempt

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Europe - BE Page 2/11

RAPID 3 Revision Date 14-Mar-2019 Supercedes Date: 01-Jun-2015 Revision Number 1.01

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Remove to fresh air. (Call a doctor if symptoms occur). Inhalation

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Do NOT induce vomiting. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of Ingestion

water. Never give anything by mouth to an unconscious person. Call a doctor or poison

control centre immediately.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye damage. Inhalation of dust in high concentration may cause irritation

of respiratory system. Irritating to skin.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Non-combustible.

5.3. Advice for firefighters

Special protective equipment for

Wear self contained breathing apparatus for fire fighting if necessary.

fire-fighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Use

personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Europe - BE Page 3/11

RAPID 3

Revision Date 14-Mar-2019

Supercedes Date: 01-Jun-2015

Revision Number 1.01

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containmentCover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry.

Prevent dust cloud.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Use

personal protective equipment as required. Avoid contact with skin, eyes or clothing.

General hygiene considerations Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when

using this product. Wash hands before breaks and after work. Take off contaminated

clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep the packing dry and well sealed to prevent contamination and absorption of

humidity. After absorption of moisture or exceeding the shelf life the reducing agent for

chromate will lose its efficiency and sensitisation by skin contact may occur.

7.3. Specific end use(s)

Specific Use(s)

Building and construction work. Hydraulic Cement, Mortar, Grout and Concrete.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical Name	European Union
Quartz	TWA: 0.1 mg/m ³
14808-60-7	
Quartz (fine fraction)	TWA: 0.1 mg/m ³
14808-60-7	-

Derived No Effect Level (DNEL) No information available

Europe - BE Page 4/11

RAPID 3

Supercedes Date: 01-Jun-2015

Revision Date 14-Mar-2019

Revision Number 1.01

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face protection Tight sealing safety goggles, Wear safety glasses with side shields (or goggles). Eye

protection must conform to standard EN 166.

Hand protection Gloves must conform to standard EN 374. Wear protective nitrile rubber gloves. Ensure

that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Unsuitable gloves

materials:. Leather.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Ensure adequate ventilation, especially in confined areas. In case of insufficient

ventilation, wear suitable respiratory equipment. Particle filter device (DIN EN 143).

Recommended filter type: High efficiency particulate air filter.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Solid
Appearance Powder
Colour Grey

Odour Characteristic Slight
Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available

pH (as aqueous solution) > 11

Melting point / freezing point
Boiling point / boiling range
Flash Point
Evaporation Rate
Flammability (solid, gas)
No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour PressureNo data availableVapour DensityNo data availableRelative DensityNo data available

Water Solubility Cement based products react and

solidify in contact with water

No data available Solubility(ies) Partition coefficient No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available **Kinematic Viscosity** No data available **Dynamic Viscosity** No data available **Explosive properties** No data available **Oxidising properties** No data available

9.2. Other information

Solid content (%)

Softening Point No information available

Europe - BE Page 5/11

RAPID 3

Revision Date 14-Mar-2019

Supercedes Date: 01-Jun-2015

Revision Number 1.01

Molecular WeightNo information availableVOC (volatile organic compound)No information availableDensityNo information available

Bulk Density 1.4 - 1.5 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product information

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact Causes serious eye damage.

Skin contact Causes skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

Europe - BE Page 6/11

RAPID 3

Revision Date 14-Mar-2019

Supercedes Date: 01-Jun-2015

Revision Number 1.01

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rat)		
14808-60-7			
Calcium oxide	>2000 mg/kg (Rat)	LD50 > 2500 mg/kg (rabbit)	
1305-78-8			
Quartz (fine fraction)	>2000 mg/kg (Rat)		
14808-60-7			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical Name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor
	plants		Micro-organisms		
Calcium oxide	EC50	LC50 96 h = 50.6	EC50 (Bacteria):	EC50 (48h) = 49.1	-
1305-78-8	(Pseudokirchneriell	mg/L	229,2 mg/l	mg/l(Daphnia	
	a subcapitata	(Oncorhynchus	Exposure time: 3 h	magna) OECD 202	
	(green algae)):	mykiss)	Test Type: static		
	106,02 mg/l		test		
	End point: Growth		Method: OECD		
	rate		Test Guideline 209		
	Exposure time: 72		GLP: yes		
	h		-		
	Test Type: static				
	test				
	Method: OECD				
	Test Guideline 201				
	GLP: yes				

Europe - BE Page 7/11

RAPID 3

Supercedes Date: 01-Jun-2015

Revision Date 14-Mar-2019

Revision Number 1.01

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulative potential No information available.

Chemical Name	Partition coefficient	Bioconcentration factor (BCF)
Quartz	-	0
14808-60-7		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The components in this formulation do not meet the criteria for classification as PBT or

vPvB.

Chemical Name	PBT and vPvB assessment	
Calcium oxide	The substance is not PBT / vPvB	
1305-78-8	PBT assessment does not apply	

12.6. Other adverse effects

Other Adverse Effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging

Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

European Waste Catalogue

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09

01, 17 09 02 and 17 09 03

Other information

Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN NumberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

IMDG

14.1 UN Number Not regulated
14.2 Proper Shipping Name Not regulated

Europe - BE Page 8/11

RAPID 3

Revision Date 14-Mar-2019

Supercedes Date: 01-Jun-2015

Revision Number 1.01

14.3 Transport hazard class(es)14.4 Packing GroupNot regulatedNot regulated

14.5 Marine PollutantNp14.6 Special ProvisionsNone

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Air transport (ICAO-TI / IATA-DGR)

14.1UN NumberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing GroupNot regulated14.5Environmental hazardsNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No.	Restricted substance per REACH Annex XVII
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	item 47

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

<u>France</u>

Europe - BE Page 9/11

RAPID 3

Revision Date 14-Mar-2019

Supercedes Date: 01-Jun-2015

Revision Number 1.01

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Quartz	RG 25
14808-60-7	
Cement, portland, chemicals (Chromium VI reduced)	RG 8,RG 10
65997-15-1	
Quartz (fine fraction)	RG 25
14808-60-7	

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) WGK 1

TRGS - 510 Storage Class Storage Class 13 : Non-combustible solids

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical Name	Netherlands
Quartz	Present (respirable dust, crystalline)
14808-60-7	
Quartz (fine fraction)	Present (respirable dust, crystalline)
14808-60-7	

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H335 - May cause respiratory irritation

H315 - Causes skin irritation

H318 - Causes serious eye damage

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 14-Mar-2019

Europe - BE Page 10 / 11

RAPID 3

Supercedes Date: 01-Jun-2015

Revision Date 14-Mar-2019

Revision Number 1.01

Indication of changes

Revision note SDS sections updated, 1, 2, 4, 5, 6, 7, 8, 11.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 11 / 11