

**BOSTIK TARBICOL KPA (East)**  
Supersedes Date: 30-Aug-2017

Revision Date 23-Oct-2017  
Version 1.02

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** BOSTIK TARBICOL KPA (East)  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesives.  
**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik SA  
Immeuble "Le Jade"  
253 Avenue du President Wilson  
93211 La Plaine Saint Denis  
France  
Tel: +33 (0)1 55 99 90 00  
Fax: +33 (0)1 55 99 90 01

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**Emergency Telephone** No information available

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

<b>Serious eye damage/eye irritation</b>	Category 2 - (H319)
--	---------------------

### 2.2. Label Elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**



**Signal Word**  
WARNING

**Hazard statements**  
H319 - Causes serious eye irritation

# Safety Data Sheet

**BOSTIK TARBICOL KPA (East)**  
**Supersedes Date:** 30-Aug-2017

**Revision Date** 23-Oct-2017  
**Version** 1.02

## Special provisions concerning the labelling of certain mixtures

EUH066 - Repeated exposure may cause skin dryness or cracking

## Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use

P102 - Keep out of reach of children

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P101 - If medical advice is needed, have product container or label at hand

## 2.3. Other Hazards

### General Hazards

In use may form flammable/explosive vapour-air mixture.

### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Methyl acetate	201-185-2	79-20-9	10 - <20	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)		01-2119459211-47 -XXXX
Ethyl acetate	205-500-4	141-78-6	1 - <3	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)		01-2119475103-46 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General Advice

If medical advice is needed, have product container or label at hand.

#### Inhalation

Remove to fresh air.

#### Skin Contact

Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

# Safety Data Sheet

**BOSTIK TARBICOL KPA (East)**  
Supercedes Date: 30-Aug-2017

**Revision Date** 23-Oct-2017  
**Version** 1.02

---

<b>Eye contact</b>	Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor immediately. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Ingestion</b>	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
<b>Self-Protection of the First Aider</b>	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

## **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** None known.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Treat symptomatically.

## **Section 5: FIRE-FIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

Use CO<sub>2</sub>, dry chemical, or foam. Move containers from fire area if you can do it without risk.

#### **Unsuitable Extinguishing Media**

Use water spray or fog; do not use straight streams

### **5.2. Special hazards arising from the substance or mixture**

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### **5.3. Advice for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **Personal Precautions**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

#### **For emergency responders**

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### **6.2. Environmental precautions**

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

### **6.3. Methods and material for containment and cleaning up**

#### **Methods for Containment**

Dyke far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

#### **Methods for cleaning up**

Take up mechanically, placing in appropriate containers for disposal.

### **6.4. Reference to other sections**

# Safety Data Sheet

**BOSTIK TARBICOL KPA (East)**  
Supersedes Date: 30-Aug-2017

**Revision Date** 23-Oct-2017  
**Version** 1.02

**Reference to other sections** See Section 12: ECOLOGICAL INFORMATION  
Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ ventilating/ lighting/ equipment.

#### **General Hygiene Considerations**

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep only in the original container/package in a cool well-ventilated place.

### 7.3. Specific end use(s)

#### **OTHER INFORMATION**

Recommendation(s). Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

#### **Personal Protective Equipment**

<b>Eye/Face Protection</b>	Tight sealing safety goggles.
<b>Hand Protection</b>	Wear protective gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.
<b>Skin and Body Protection</b>	Suitable protective clothing.
<b>Respiratory Protection</b>	In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. In case of inadequate ventilation wear respiratory protection.
<b>Recommended filter type:</b>	Organic gases and vapours filter conforming to EN 14387.

**Environmental Exposure Controls** No information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Solid
<b>Appearance</b>	Paste
<b>Colour</b>	Beige
<b>Odour</b>	Fruity
<b>Odour Threshold</b>	No information available

# Safety Data Sheet

BOSTIK TARBICOL KPA (East)  
Supersedes Date: 30-Aug-2017

Revision Date 23-Oct-2017  
Version 1.02

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling Point	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	No information available	
Water Solubility	Insoluble in water	
Solubility in Other Solvents	Completely soluble: Acetone	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	28000 - 48000 mPa s	
<b>9.2. Other information</b>		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	84	
Density	1.7 g/cm <sup>3</sup>	
Bulk Density	No data available	
VOC content (%)		

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Stable under recommended storage conditions.

### 10.2. Chemical stability

Stable under recommended storage conditions.

#### Explosion Data

Sensitivity to Mechanical Impact None.  
Sensitivity to Static Discharge None.

### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

None under normal processing.

### 10.4. Conditions to avoid

Keep away from heat, sparks and flames.

### 10.5. Incompatible materials

# Safety Data Sheet

BOSTIK TARBICOL KPA (East)  
Supercedes Date: 30-Aug-2017

Revision Date 23-Oct-2017  
Version 1.02

Strong acids and bases.

## 10.6. Hazardous decomposition products

None under normal use conditions.

## **Section 11: TOXICOLOGY INFORMATION**

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

##### **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

<b>Inhalation</b>	No data available.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin Contact</b>	No data available.
<b>Ingestion</b>	No data available.
<b>Sensitisation</b>	No data available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin Corrosion/Irritation</b>	Not applicable.
<b>Serious eye damage/eye irritation</b>	Not applicable.
<b>Sensitisation</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - Single Exposure</b>	No information available.
<b>STOT - Repeated Exposure</b>	No information available.
<b>Target Organ Effects</b>	Blood, Central nervous system, Eyes, Liver, Reproductive System, Respiratory system, Skin.
<b>Aspiration hazard</b>	No information available.

#### Numerical measures of toxicity

##### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document mg/kg  
ATEmix (dermal) 28,600.00 mg/kg mg/l

##### Component Information

**Toxicity Data** Data obtained on the component(s) include

<b>Chemical Name</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
Methyl acetate 79-20-9	> 5 g/kg ( Rat )	> 5 g/kg ( Rabbit )	= 16000 ppm ( Rat ) 4 h
Ethyl acetate 141-78-6	= 5620 mg/kg ( Rat )	> 20 mL/kg ( Rabbit ) > 18000 mg/kg ( Rabbit )	LC0 29.3 mg/l air

# Safety Data Sheet

BOSTIK TARBICOL KPA (East)  
Supercedes Date: 30-Aug-2017

Revision Date 23-Oct-2017  
Version 1.02

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity** No information available

### Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Methyl acetate 79-20-9	EC50 72 h > 120 mg/L (Desmodesmus subspicatus)	LC50 96 h 250 - 350 mg/L (Brachydanio rerio static) LC50 96 h 295 - 348 mg/L (Pimephales promelas flow-through)	EC50 48 h = 1026.7 mg/L (Daphnia magna )	
Ethyl acetate 141-78-6	EC50 48 h = 3300 mg/L (Desmodesmus subspicatus)	LC50 96 h 220 - 250 mg/L (Pimephales promelas flow-through) LC50 96 h 352 - 500 mg/L (Oncorhynchus mykiss semi-static) LC50 96 h = 484 mg/L (Oncorhynchus mykiss flow-through)	EC50 48 h = 560 mg/L (Daphnia magna Static)	

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

**Partition coefficient** No information available

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

No information available

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Improper disposal or reuse of this container may be dangerous and illegal.

# Safety Data Sheet

BOSTIK TARBICOL KPA (East)  
Supersedes Date: 30-Aug-2017

Revision Date 23-Oct-2017  
Version 1.02

**European Waste Catalogue** 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous substances

**OTHER INFORMATION** Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORTATION INFORMATION

### ADR

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

### IMDG

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

### RID

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

### ICAO (air)

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

### IATA

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work



# Safety Data Sheet

**BOSTIK TARBICOL KPA (East)**  
Supercedes Date: 30-Aug-2017

Revision Date 23-Oct-2017  
Version 1.02

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

### **EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

### **EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

### **Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

### **Persistent Organic Pollutants**

Not applicable

## National Regulations

### France

#### **Occupational Illnesses (R-463-3, France)**

Chemical Name	French RG number
Methyl acetate 79-20-9	RG 84
Ethyl acetate 141-78-6	RG 84

### Germany

#### **Ordinance on Industrial Safety and Health - Germany - BetrSichV**

No flammable liquids in accordance with BetrSichV

### Netherlands

#### **List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)**

## 15.2. Chemical safety assessment

No information available

## **Section 16: OTHER INFORMATION**

### Key or legend to abbreviations and acronyms used in the safety data sheet

# Safety Data Sheet

**BOSTIK TARBICOL KPA (East)**  
**Supersedes Date:** 30-Aug-2017

**Revision Date** 23-Oct-2017  
**Version** 1.02

---

## Full text of H-Statements referred to under section 3

H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H225 - Highly flammable liquid and vapour  
EUH066 - Repeated exposure may cause skin dryness or cracking

## **Legend**

SVHC: Substances of Very High Concern for Authorisation:

## **Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals  
STOT (RE): Specific target organ toxicity - Repeated exposure  
STOT (SE): Specific target organ toxicity - Single exposure  
EWC: European Waste Catalogue

## **Key literature references and sources for data**

Classification and labeling data calculated from data received from raw material suppliers

**Prepared By** Product Safety & Regulatory Affairs

**Revision Date** 23-Oct-2017

## Indication of changes

**Revision Note** SDS sections updated: 8.

**Training Advice** Provide adequate information, instruction, and training for operator

**Additional information** No information available

**This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**