

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
This SDS is for generic information purposes and does not reflect required country specific information for OEL

**BOSTIK ACRYL FIX** 

Supercedes Date: 25-May-2017

Revision Date 05-Sep-2017

Version 2

\_\_\_

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name BOSTIK ACRYL FIX

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Fillers, putties, plasters, modelling clay.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik SA Immeuble "Le Jade" 253 Avenue du President Wilson 93211 La Plaine Saint Denis France

Tel: +33 (0)1 55 99 90 00 Fax: +33 (0)1 55 99 90 01

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

# Section 2: HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### 2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Signal Word

No signal word

### Special provisions concerning the labelling of certain mixtures

EUH210 - Safety data sheet available on request

#### 2.3. Other Hazards

Europe - BE Page 1/10

BOSTIK ACRYL FIX Revision Date 05-Sep-2017

Version 2

\_\_\_

### **General Hazards**

No information available.

#### PBT and vPvB assessment

Supercedes Date: 25-May-2017

This preparation contains substances considered to be persistent, bio-accumulating and toxic (PBT) or to be very persistent or very bioaccumulating (vPvB)

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
NONYLPHENOL, ETHOXYLATED	-	9016-45-9	0.1- <1	Aquatic Chronic 3 (H412)		No data available

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No	SVHC candidates
NONYLPHENOL, ETHOXYLATED	9016-45-9	X

# Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Do not rub affected area. If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If symptoms persist, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Treat symptomatically.

# Section 5: FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

#### Suitable Extinguishing Media

Europe - BE Page 2/10

BOSTIK ACRYL FIX
Supercedes Date: 25-May-2017
Version 2

\_\_\_\_\_

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

None known

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

### Section 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Evacuate personnel to safe areas. Use personal protection recommended in Section 8.

#### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Keep people away from and upwind of spill/leak.

### 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Stop leak if you can do it without risk.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand,

earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

appropriate containers for disposal. Clean containinated surface thoroughly.

#### 6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Do not re-use container.

# **General Hygiene Considerations**

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

# OTHER INFORMATION

Europe - BE Page 3/10

BOSTIK ACRYL FIX Revision Date 05-Sep-2017

Recommendation(s). Observe technical data sheet.

O ( O EVENOUE CONTROL COMPONENT PROTECTI

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Supercedes Date: 25-May-2017

**Exposure Limits** As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not

expected to be available as an airborne hazard (dust, mist, or spray) under normal

Version 2

condition of uses.

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined

areas. Use explosion-proof ventilating equipment.

**Personal Protective Equipment** 

Eye/Face Protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

**Skin and Body Protection**Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing.

**Respiratory Protection** During spraying wear suitable respiratory equipment.

Environmental Exposure Controls Local authorities should be advised if significant spillages cannot be contained. Do not

allow into any sewer, on the ground or into any body of water. Prevent product from

entering drains.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical StateLiquidAppearancePasteColourWhiteOdourSlight

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.5 - 9
Melting point / freezing point 0 °C / °F

Boiling Point 100 °C / 212 °F

Flash Point > 100 °C / > 212 °F Ceta Closed Cup

Evaporation Rate

No information available

No information available

Flammability (solid, gas) No information available Not applicable for liquids Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapour Pressure
Vapour Density

No information available
No information available
No information available

Relative Density
Water Solubility
Solubility in Other Solvents
Partition Coefficient
Autoignition Temperature
No information available
No information available
No information available

Decomposition Temperature

No information available

No information available

No information available

No information available

Europe - BE Page 4/10

BOSTIK ACRYL FIX
Supercedes Date: 25-May-2017
Version 2

Explosive Limits
Upper
Lower
No information available

**Dynamic Viscosity** 220 - 450 Pa.s

9.2. Other information

Softening Point
Molecular Weight
No information available
No information available
No information available

Solid content (%) 76 Density 1.45

Bulk Density No data available

VOC content (%)

# Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# 10.3. Possibility of hazardous reactions

# **Hazardous Polymerisation**

None known.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# Section 11: TOXICOLOGY INFORMATION

# 11.1. Information on toxicological effects

### Information on likely routes of exposure

#### **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.

Europe - BE Page 5/10

**BOSTIK ACRYL FIX** Revision Date 05-Sep-2017 Supercedes Date: 25-May-2017 Version 2

Skin Contact Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Ingestion

Sensitisation No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

**Germ Cell Mutagenicity** Not applicable.

Carcinogenicity Not applicable.

**Reproductive Toxicity** No information available.

**STOT - Single Exposure** No information available.

**STOT - Repeated Exposure** No information available.

Eyes, Lungs, Respiratory system, Skin. **Target Organ Effects** 

**Aspiration hazard** No information available.

Numerical measures of toxicity

**Acute Toxicity** 

**Component Information** 

**Toxicity Data** Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium hydroxide	>2000 mg/kg (Rat)	-	-
1336-21-6			

# Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

No information available **Ecotoxicity** 

### **Component Information**

Data obtained on the component(s) include

### 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

Europe - BE Page 6/10

BOSTIK ACRYL FIX Revision Date 05-Sep-2017

\_\_\_

12.4. Mobility in soil

Supercedes Date: 25-May-2017

Mobility in soil No information available.

# 12.5. Results of PBT and vPvB assessment

This preparation contains substances considered to be persistent, bio-accumulating and toxic (PBT). or to be very persistent or very bioaccumulating (vPvB).

#### 12.6. Other adverse effects

No information available

#### **Endocrine Disruptor Information**

•

Chemical Name	·	EU - Endocrine Disruptors - Evaluated
	List	Substances
NONYLPHENOL, ETHOXYLATED 9016-45-9	Group III Chemical	

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

Version 2

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

OTHER INFORMATION Waste codes should be assigned by the user based on the application for which the

product was used.

# Section 14: TRANSPORTATION INFORMATION

#### **ADR**

14.1	UN/ID no	Not regulated
14.2	<b>Proper Shipping Name</b>	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	<b>Environmental Hazard</b>	Not applicable
	O	A.I.

**14.6 Special Provisions** None

IMDG

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np

14.5 Marine Pollutant Np 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

# <u>RID</u>

<u> </u>	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable

**14.6 Special Provisions** None

Europe - BE Page 7/10

BOSTIK ACRYL FIX
Supercedes Date: 25-May-2017
Version 2

\_\_\_

#### ICAO (air)

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard ClassNot regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable14.6 Special ProvisionsNone

IATA

14.1UN/ID noNot regulated14.2Proper Shipping NameNot regulated14.3Hazard ClassNot regulated14.4Packing GroupNot regulated14.5Environmental HazardNot applicable

14.6 Special Provisions None

### Section 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical Name	CAS No	
NONYLPHENOL, ETHOXYLATED	9016-45-9	

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
NONYLPHENOL, ETHOXYLATED	9016-45-9	46[b]. 46a.

### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

# Regulation (EC) No. 689/2008 of the European parliament and of the council concerning the export and import of dangerous chemicals

This product contains substances which are regulated pursuant to Regulation (EC) No. 689/2008 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical Name	European Export/Import Restrictions per (EC) 689/2008 - Annex	
	Number	
NONYLPHENOL, ETHOXYLATED - 9016-45-9	l.1	
	V	

Europe - BE Page 8/10

BOSTIK ACRYL FIX Revision Date 05-Sep-2017

Version 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

**Persistent Organic Pollutants** 

Supercedes Date: 25-May-2017

Not applicable

**National Regulations** 

**France** 

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

**Netherlands** 

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

15.2. Chemical safety assessment

No information available

### Section 16: OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H400 - Very toxic to aquatic life

H335 - May cause respiratory irritation

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

#### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Europe - BE Page 9/10

BOSTIK ACRYL FIX
Supercedes Date: 25-May-2017
Version 2

Revision Date 05-Sep-2017

Indication of changes

**Revision Note** SDS sections updated: 1.

Training Advice No information available

Additional information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Europe - BE Page 10 / 10