

# SAFETY DATA SHEET

## Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name** Bostik Clear Bond

#### Other information

Blandning.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**RECOMMENDED USES:** Moisture curing sealant based on silane modified polymer. (SMP)

#### 1.3. Details of the supplier of the safety data sheet

##### NATIONAL MANUFACTURER/IMPORTER

**Enterprise** Bostik AB  
**Address** Strandbadsvägen 22  
**Postal code** 251 09 Helsingborg  
**Country** Sweden  
**Email** Info.se@bostik.com  
**Internet** www.bostik.se  
**Tel** +46 42 19 50 00

##### CONTACT PERSON

Name	Email	Tel	Country
Bostik AB Miljöavdelningen		+46 42 19 50 00	

#### 1.4. Emergency telephone number

Emergency Phone	Type of assistance	Opening Hours
+46 8 331231	Swedish Poisons Informations Centre	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### DPD

**Classification:** Classification according to Directive 1999/45 / EC DPD. The product is not classified as dangerous according to Directive 1999/45 / EC and its amendments..

##### CLP

**Classification:** Classification according to Regulation (EC) No 1272/2008 CLP / GHS: not classified..

##### Most serious

**harmful effects::** None known. .

#### 2.2. Label elements

**Signal word:** None

##### SUPPLEMENTAL HAZARD INFORMATION (EU)

During hardening a small amount methanol.Safety data sheet available on request.

#### 2.3. Other hazards

None known.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

# SAFETY DATA SHEET

## Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

Ingredient name	Reg. no.	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
trimethoxivinyilsilane	01-2119513215-52	2204498	2768-02-7	1 < 5 %	Xn,R10 - R20	Flam. Liq. 3 H226 Acute Tox. 4 H332
3-Aminopropyl)trimethoxysilane	01-2119510159-45	2375115	13822-56-5	1 < 5 %	Xi,R38 - R41	Skin Irrit. 2 H315 Eye Dam. 1 H318

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### INHALATION

Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Contact physician if irritation persists.

#### INGESTION

If swallowed, rinse the mouth and consult a doctor.

#### SKIN

Wash skin thoroughly with soap and water.

#### EYES

Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

#### BURNS

Not applicable.

#### GENERAL

If possible, show the label.

### 4.2. Most important symptoms and effects, both acute and delayed

During hardening, small amounts of methanol are formed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this Material Safety Datasheet to the doctor. During hardening, small amounts of methanol are formed.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING MEDIA:

Extinguish with powder, carbon dioxide, foam or fine water mist.

#### UNSUITABLE EXTINGUISHING MEDIA

Do not use a direct water jet that could spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Carbon dioxide is formed when heated or in a fire.

# SAFETY DATA SHEET

Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

---

## 5.3. Advice for firefighters

Wear a self contained breathing apparatus. Prevent discharges into the sewage system, watercourses or ground.

### OTHER INFORMATION

Show this safety data sheet, if possible.

---

## SECTION 6: Accidental release measures

---

### 6.1. Personal precautions, protective equipment and emergency procedures

#### PERSONAL PRECAUTIONS

Wear necessary protective equipment.

#### FOR NON-EMERGENCY PERSONNEL

NB! Risk of slipping due to spillage. Avoid direct contact.

#### FOR EMERGENCY RESPONDERS

Keep unnecessary people away, isolate hazard area and deny entry.

---

### 6.2. Environmental precautions

Prevent discharges into the sewage system, watercourses or ground.

---

### 6.3. Methods and material for containment and cleaning up

#### METHODS AND MATERIAL

Bank and absorb with inert material (e.g. sand) and treat in accordance with local regulations.

---

### 6.4. Reference to other sections

See section 13 for waste disposal.

### OTHER INFORMATION

Show this safety data sheet, if possible.

---

## SECTION 7: Handling and storage

---

### 7.1. Precautions for safe handling

Use personal protective equipment. Good working hygiene must always be observed when handling product. Provide good ventilation.

---

### 7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep in a dry, cool and well-ventilated place. Keep containers tightly closed in closed original packaging or other closed metal or plastic vessel.

---

### 7.3. Specific end use(s)

See Technical Data Sheet.

---

## SECTION 8: Exposure controls/personal protection

---

### 8.1. Control parameters

#### OTHER INFORMATION REGARDING LIMIT VALUES AND MONITORING

During hardening a small amount methanol. Long-term exposure limit, 8h: 200 ppm, 266 mg/m<sup>3</sup>. Short-term exposure limit 15 min. 250 ppm, 333 mg/m<sup>3</sup>.

# SAFETY DATA SHEET

## Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

### 8.2. Exposure controls

#### EXPOSURE SCENARIOS

Use the product under well-ventilated conditions.

#### APPROPRIATE ENGINEERING CONTROLS

The work place and work methods shall be organized in such a way that direct contact with the product is prevented.

#### EYE PROTECTION

Eye protection is recommended when there is a risk of direct contact or splashes

#### SKIN PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

#### HAND PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact. Protective gloves (butyl rubber, nitrile rubber, polyethylene).

#### RESPIRATORY PROTECTION

If ventilation is insufficient, use a breathing mask with filter for organic vapours (type A).

#### OTHER INFORMATION

Wash your hands thoroughly after handling and before eating or smoking.

#### LIMITATION OF ENVIRONMENTAL EXPOSURE

Prevent discharge into the sewage system or the immediate environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**STATE** Paste

**COLOUR** Clear

**SOLUBILITY** Uncured product in white spirit.

Parameter	Value/unit	Method/reference	Observation
pH (concentrate)	No data		
pH (solution for use)	No data		
Melting point	No data		
Freezing point	No data		
Initial boiling point and boiling range	> 100 °C		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explosion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temperature	No data		
Decomposition temperature	No data		
Viscosity	No data		

### 9.2. Other information

Parameter	Value/unit	Method/reference	Observation
Density	1,47 - g/cm <sup>3</sup>		

# SAFETY DATA SHEET

Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

Note no.	Comments
----------	----------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known. Cures under the influence of air humidity.

### 10.2. Chemical stability

Stable under recommended storage and handling conditions.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Avoid contact with moisture and water.

### 10.5. Incompatible materials

Strong alkalis. Strong acids.

### 10.6. Hazardous decomposition products

Stable under recommended storage and handling conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

Ingestion of large quantities may cause stomach ache, nausea and diarrhoea.

#### Acute toxicity - dermal

Prolonged exposure may cause irritation.

#### Acute toxicity - inhalation

The during curing released substances may irritate respiratory tracts if work takes place in confined badly ventilated rooms.

#### Serious eye damage/eye irritation

May cause irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### ACUTE AQUATIC TEST RESULTS

No information available

#### ECOTOXICITY

No information available

### 12.2. Persistence and degradability

# SAFETY DATA SHEET

Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

No information available

## 12.3. Bioaccumulative potential

No information available

## 12.4. Mobility in soil

No information available

## 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

## 12.6. Other adverse effects

No information available

## OTHER INFORMATION

Prevent discharges into the sewage system, watercourses or ground.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### GENERAL REGULATIONS

Dried product in limited volumes may be treated as normal industrial waste. When handling larger volumes consult local authorities and local waste disposal organisation.

#### CATEGORY OF WASTE

EWC-Code 080410

## SECTION 14: Transport information

Classified as Dangerous Goods: No

### Land transport (ADR/RID)

14.1. UN number	Not applicable	14.4. Packing group	Not applicable
14.2. UN proper shipping name	Not applicable	14.5. Environmental hazards	Not applicable
14.3. Transport hazard class(es)	Not applicable		
Hazard label(s)	Not applicable		
Hazard identification number	Not applicable	Tunnel restriction code	Not applicable

# SAFETY DATA SHEET

Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

## Inland water ways transport (ADN)

14.1. UN number	Not applicable	14.4. Packing group	Not applicable
14.2. UN proper shipping name	Not applicable	14.5. Environmental hazards	Not applicable
14.3. Transport hazard class(es)	Not applicable		
Hazard label(s)	Not applicable		
Environmental hazard in tank vessels	Not applicable		

## Sea transport (IMDG)

14.1. UN number	Not applicable	14.4. Packing group	Not applicable
14.2. UN proper shipping name	Not applicable	14.5. Environmental hazards	Not applicable
14.3. Transport hazard class(es)	Not applicable		
Hazard label(s)	Not applicable		
Sub Risk:	Not applicable		
IMDG Code segregation group	Not applicable		
Marine pollutant	Not applicable		
Substance name(s) on marine pollutant	Not applicable		
EMS:	Not applicable		

## Air transport (ICAO-TI / IATA-DGR)

14.1. UN number	Not applicable	14.4. Packing group	Not applicable
14.2. UN proper shipping name	Not applicable		
14.3. Transport hazard class(es)	Not applicable		
Hazard label(s)	Not applicable		

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### PROVISIONS

Safety, health and environmental regulations / legislation specific for the substance or mixture. EU Regulation (EC) No 1907/2006 (REACH).EH40/2005 Workplace exposure limits incl. supplement from October 2007.

### 15.2. Chemical safety assessment

#### OTHER INFORMATION

Chemical safety assessment has not been performed.

# SAFETY DATA SHEET

Bostik Clear Bond

Last changed: 28/01/2015

Internal No: P0200

## SECTION 16: Other information

ISSUED: 28/01/2015

### VENDOR NOTES

The product is not classified as dangerous to the environment according to Scandinavian or ECC criteria and information available and known to us.

#### LIST OF RELEVANT R-PHRASES

R10	Flammable.
R20	Harmful by inhalation.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.

#### LIST OF RELEVANT H-STATEMENTS

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.

### USER NOTES

Version 2.

### OTHER INFORMATION

The information on this Safety Data Sheet is based on our present knowledge and applicable EU and national laws. The product should not be used for other purposes than as specified in paragraph 1, without a prior written instruction from the supplier. It is always the full responsibility of the user to follow the requirements according to the law. The information on the Safety Data Sheet is intended to describe the security requirements of the product and is not a guarantee for the product quality.