

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK FLYT 360

Supercedes Date: No information available

Revision Date 02-May-2016 Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Pure substance/mixture BOSTIK FLYT 360 Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against Cement. None known.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik SA Immeuble "Le Jade" 253 Avenue du President Wilson 93211 La Plaine Saint Denis France Tel: +33 (0)1 55 99 90 00 Fax: +33 (0)1 55 99 90 01

E-mail address

SDS.box-EU@bostik.com

- 1.4. Emergency telephone number
- Emergency Telephone

No information available

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)

Unknown acute toxicity Unknown aquatic toxicity 6 % of the mixture consists of ingredient(s) of unknown toxicity 16% of the mixture consists of components(s) of unknown hazards to the aquatic environment

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Cement, portland, chemicals

BOSTIK FLYT 360 Supercedes Date: No information available



Signal Word DANGER

Hazard statements

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use

- P101 If medical advice is needed, have product container or label at hand
- P102 Keep out of reach of children

P280 - Wear protective gloves and eye/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

General Hazards

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Cement, portland, chemicals	266-043-4	65997-15-1	5 - <10	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)	No Data Available
Flue dust, portland cement	270-659-9	68475-76-3	0.1- <1	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)	01-2119486767-17-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

Section 4: FIRST AID MEASURES

BOSTIK FLYT 360

Supercedes Date	No information available

4.1. Description of first aid measures

Inhalation	Remove to fresh air. If symptoms persist, call a doctor.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a doctor. Brush off loose particles from skin.	
Eye contact	If symptoms persist, call a doctor. In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.	
Ingestion	Do NOT induce vomiting. Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.	
Self-protection of the first aider	Use personal protective equipment as required.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	None known.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to doctors	May cause sensitisation of susceptible persons.	

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media None known

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Hazardous Combustion Products Carbon oxides.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.

For emergency responders

Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.		
7.3. Specific end use(s)		
Other Information Recommendation(s); Observe technic	cal data sheet	
Section 8: EXPOSURE CONT	ROLS/PERSONAL PROTECTION	
8.1. Control parameters		
Only European Community Occupation further information.	onal Exposure Limits will be shown in this document. Please refer to regional SDS for	
Derived No Effect Level (DNEL)	No information available	
Predicted No Effect Concentration (PNEC)	No information available.	
8.2. Exposure controls		
Engineering Controls	Ensure adequate ventilation, especially in confined areas.	
Personal Protective Equipment Eye/Face Protection	Tight sealing safety goggles. Wear safety glasses with side shields (or goggles).	

9.1. Information on basic physical and chemical properties

Revision Date 02-May-2016 Version 1

Supercedes Date: No information available

Methods for cleaning up

BOSTIK FLYT 360

Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

of shill down. Down of for one diversely a set of shifts we have or evenesive mainture. Keep the peoking dry and K S

7

(

8

(

8

F

	Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
	Skin and Body Protection	Suitable protective clothing. Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact.
	Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust.
	Recommended Filter type:	Particle filter device (DIN EN 143).
Env	vironmental Exposure Controls	Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

BOSTIK FLYT 360 Supercedes Date: No information available

Physical State	Solid
Appearance	Powder
Colour	No informatio
Odour	No informatio
Odour Threshold	No informatio
Property_	Values
рН	No informatio
Melting point/freezing point	No informatio
Boiling Point	No informatio
Flash Point	No informatio
Evaporation Rate	No informatio
Flammability (solid, gas)	No informatio
Flammability Limit in Air	
Upper Flammability Limit	No informatio
Lower Flammability Limit	No informatio
Vapour Pressure	No informatio
Vapour Density	No informatio
Specific Gravity	1 - 1.5
Water Solubility	Partially solul
Solubility in Other Solvents	
Partition Coefficient	No informatio
Autoignition Temperature	No informatio
Decomposition Temperature	No informatio
Explosive Properties	No informatio
Explosive Limits	No informatio
Upper	No informatio
Lower	No informatio
Oxidising Properties	No informatio
Kinematic Viscosity	No informatio
Dynamic Viscosity	No informatio
9.2. Other information	
Softening Point	No informatio
Molecular Weight	No informatio
Solvent content (%)	No informatio
	100

on available on available on available

on available on available on available on available on available on available

on available on available on available on available ıble on available on available

on available

on available

on available on available No information available 100 No Data Available No Data Available

Remarks • Method

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Solid content (%)

VOC content (%)

Density **Bulk Density**

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

Revision Date 02-May-2016 Version 1

BOSTIK FLYT 360

Supercedes Date: No information available

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.
Sensitisation	No Data Available.

Component Information

Toxicity Data	No information available
Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Eyes, Lungs, Respiratory system, Skin.
Aspiration Hazard	No information available.
Unknown acute toxicity	6 % of the mixture consists of ingredient(s) of unknown toxicity

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

No information available

Component Information

Data obtained on the component(s) include

12.2. Persistence and degradability

BOSTIK FLYT 360

Supercedes Date: No information available

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 $$
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORTATION INFORMATION

ADR

ADR	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None
IMDG	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according	No information available
to Annex II of MARPOL 73/78 and	
the IBC Code	

RID

BOSTIK FLYT 360 Supercedes Date: No information available

 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group 14.5 Environmental Hazard 14.6 Special Provisions 	Not regulated Not regulated Not regulated Not regulated Not applicable None
ICAO (air)	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
	•
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None
IATA	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Cement, portland, chemicals	65997-15-1	

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

France

Occupational Illnesses (R-463-3, France)

BOSTIK FLYT 360

Supercedes Date: No information available

Chemical Name	French RG number
Cement, portland, chemicals	RG 8,RG 10
65997-15-1	

<u>Germany</u>

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H335 - May cause respiratory irritation

H315 - Causes skin irritation

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

Legend

SVHC: Substances of Very High Concern for Authorisation: Substance(s) of Very High Concern PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	02-May-2016
Indication of changes	
Revision Note	Not applicable.
Training Advice	No information available
Additional information	No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.