

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

RENOGRUND PU RAPID 11 KG (30606117)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

1-part polyurethane coating - moisture curing. - for the professional user

Product Categories [PC]

PC1 - Adhesives, sealants

Uses advised against

The product is NOT intended for private use.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Bostik GmbH

Street :

An der Bundesstraße 16

Postal code/city :

33829 Borgholzhausen

Telephone :

+49 (0) 5425-801-0

Telefax :

+49 (0) 5425-801-140

Information contact :

msds.germany@bostik.com

1.4 Emergency telephone number

out of office hours: +49 (0) 5425 / 951-220

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 ; H332 - Acute toxicity (inhalative) : Category 4 ; Harmful if inhaled.

Carc. 2 ; H351 - Carcinogenicity : Category 2 ; Suspected of causing cancer.

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2A ; Causes serious eye irritation.

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

Resp. Sens. 1 ; H334 - Sensitisation to the respiratory tract : Category 1 ; May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

STOT SE 3 ; H335 - STOT-single exposure : Category 3 ; May cause respiratory irritation.

STOT RE 2 ; H373 - STOT-repeated exposure : Category 2 ; May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Health hazard (GHS08) · Exclamation mark (GHS07)

Signal word

Danger

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

Hazard components for labelling

4,4'-METHYLENEDIPHENYL DIISOCYANATE ; CAS No. : 26447-40-5
DIPHENYLMETHANE-4,4'-DIISOCYANATE, ISOMERES AND HOMOLOGUES ; CAS No. : 9016-87-9

Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.
H332 Harmful if inhaled.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe vapours/spray.
P280 Wear protective gloves and eye/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P402+P404 Store in a dry place. Store in a closed container.
P501 Dispose of contents/container according with local regulations.

Special rules for supplemental label elements for certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.
EUH204A Persons already sensitised to diisocyanates may develop allergic reactions when using this product.
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3 Other hazards

None

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Hazardous ingredients

4,4'-METHYLENEDIPHENYL DIISOCYANATE ; EC No. : 247-714-0; CAS No. : 26447-40-5

Weight fraction : $\geq 25 - < 50$ %

Classification 1272/2008 [CLP]: Resp. Sens. 1; H334 Carc. 2; H351 STOT RE 2; H373 Acute Tox. 4; H332 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335

DIPHENYLMETHANE-4,4'-DIISOCYANATE, ISOMERES AND HOMOLOGUES ; CAS No. : 9016-87-9

Weight fraction : $\geq 20 - < 25$ %

Classification 1272/2008 [CLP]: Resp. Sens. 1; H334 Carc. 2; H351 STOT RE 2; H373 Acute Tox. 4; H332 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. If medical advice is needed, have product container, label or safety data sheet at hand.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. Consult a physician in case of symptoms.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

After inhalation: Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. Subsequent observance for pneumonia and lung oedema.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂) Extinguishing powder Water spray alcohol resistant foam

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide. Carbon dioxide (CO₂) Nitrogen oxides (NO_x) Vapours of isocyanates. Traces of Hydrogen cyanide (hydrocyanic acid)

5.3 Advice for firefighters

Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Do not breathe vapour. Avoid contact with skin and eyes. Provide adequate ventilation.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Absorb with moist liquid-binding material (sand, diatomite, acid binders, universal binders, saw dust). Take up material after approx. 1 hour in waste containers. Do not close the containers (development of

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

CO₂!). Keep wet and put it for a few days out door in a safe place. Then dispose of the material collected according to regulations.

6.4 Reference to other sections

See chapter 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Ensure good ventilation / exhaustion at the working place. Avoid: Generation/formation of aerosols
Do not breathe vapour. Avoid contact with skin and eyes.

Measures to prevent fire

No particular measures required.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

No particular measures required.

Hints on joint storage

Keep away from Food and feedingstuffs

Storage class (TRGS 510) : 10

Further information on storage conditions

Protect against Humidity. Containers should be kept dry and sealed. Recommended storage temperature 10 °C - 35 °C.

7.3 Specific end use(s)

1-part polyurethane coating - moisture curing. - for the professional user - Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

4,4'-METHYLENEDIPHENYL DIISOCYANATE ; CAS No. : 26447-40-5

Limit value type (country of origin) : TRGS 900 (D)
Parameter : measured as the inhaleable fraction
Limit value : 0,05 mg/m³
Peak limitation : 1/2=(I)
Remark : H; Sa, Y
Version : 02.07.2009

DIPHENYLMETHANE-4,4'-DIISOCYANATE, ISOMERES AND HOMOLOGUES ; CAS No. : 9016-87-9

Limit value type (country of origin) : TRGS 900 (D)
Parameter : E: inhalable fraction
Limit value : 0,05 mg/m³
Peak limitation : 1;2=(I)
Remark : H, Sah, Y
Version :

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

Use safety glasses. - DIN EN 166

Skin protection

Hand protection

Wear suitable gloves. - DIN EN 374

Suitable material (and thickness) : CR (polychloroprene, chloroprene rubber - 0,75 mm) - NBR (Nitrile rubber - 0,85 mm) - IIR (Butyl caoutchouc / butyl rubber - 0,7 mm) - FKM (fluoro rubber - 0,65 mm) -

Unsuitable material : NR (natural rubber, natural latex) Disposable gloves.

Breakthrough time (maximum wearing time) : The permeation time (max. usage time) of the gloves depends on material and thickness as well as temperature. The data are available from the manufacturer of the specific gloves. The permeation time for the mentioned glove materials is in general > 480 min.

Recommended glove articles : Appropriate gloves are available e.g. from Mapa-Professionel (F-92205 Neuilly sur Seine - France): STANZOIL ® (CR - 0,85 mm) - ULTRANITRIL ® (491, 492, 494 oder 495 - NBR - 0,55mm) - ULTRIL ® 377 (NBR - 1,3 mm) - COBRA ® (FKM - 0,65 mm) -

Body protection

Wear suitable protective clothing.

Respiratory protection

Breathing protection equipment required in inadequately ventilated places and during spraying. For short term use: Filtering device (DIN EN 147) combination filter - type A-P2 (for gases and vapours of organic compounds, boiling point above 65 °C / particles, colour code: brown / white)

General health and safety measures

The usual precautionary measures for the handling of chemicals have to be observed. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : liquid

Colour : colourless to yellow

Odour

Earthy, musty.

Odour threshold

No data available

Safety relevant basis data

Initial boiling point and boiling range :

not applicable

Flash point :

>

200 °C

c,c,

Vapour pressure : (50 °C)

No data available

Density : (20 °C)

1,2 g/cm³

Water solubility : (20 °C)

Reacts with water

pH :

not applicable

9.2 Other information

The product is not self-igniting. The product is not explosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

Product cures with moisture.

10.2 Chemical stability

Product is stable under normal conditions.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Amines. Alcohols Acid bases. In contact with water (moisture) CO₂ is formed which leads to an excess pressure in closed containers.

10.4 Conditions to avoid

From about 230°C polymerisation, separation of CO₂.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No dangerous decomposition products during appropriate storage and handling.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Assessment/classification

Health hazards

Acute toxicity (oral) : No - Based on available data, the classification criteria are not met.

Acute toxicity (dermal) : No - Based on available data, the classification criteria are not met.

Acute toxicity (inhalation) : Category 4 - Harmful if inhaled.

Skin Corrosion / Irritation : Category 2 - Causes skin irritation.

Serious eye damage / eye irritation : Category 2A - Causes serious eye irritation.

Specific target organ toxicity (single exposure) : No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (Respiratory tract irritation) : Category 3 - May cause respiratory irritation.

Specific target organ toxicity (Narcosis) : No - Based on available data, the classification criteria are not met.

Aspiration hazard : No - Based on available data, the classification criteria are not met.

Sensitisation (Respiratory) : Category 1 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sensitisation (Skin) : Category 1 - May cause an allergic skin reaction.

Germ cell mutagenicity : No - Based on available data, the classification criteria are not met.

Carcinogenicity : Category 2 - Suspected of causing cancer.

Reproductive toxicity : No - Based on available data, the classification criteria are not met.

Reproductive toxicity, Effects on or via lactation : No - Based on available data, the classification criteria are not met.

Specific target organ toxicity (Repeated exposure) : Category 2 - May cause damage to organs through prolonged or repeated exposure.

Additional information

Oversensitive persons may show reaction even at very small concentration - below the OEL already.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

The mixture has been checked following the conventional method for eco-toxicological properties. If classified as eco-toxic see section 2 for details.

12.2 Persistence and degradability

In accordance with the required stability the product is poorly biodegradable.

12.3 Bioaccumulative potential

No information available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Contains no PBT / vBvP-substance.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Uncured product: Special waste.

Cured product: household garbage or trade garbage - observe local regulations.

Waste codes/waste designations according to EWC/AVV

08 04 09*: Waste adhesives and sealants containing organic solvents or other dangerous substances.

Waste treatment options

Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

13.2 Additional information

Please note: The classification of waste for this product may change according to the field of its application. Please observe Directive 2001/118/EC.

SECTION 14: Transport information

14.1 UN number

No dangerous goods in sense of this transport regulation.

14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

14.4 Packing group

No dangerous goods in sense of this transport regulation.

14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

14.6 Special precautions for user

Protect against moisture. Avoid heat influence.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : RENOGRUND PU RAPID 11 KG
Revision date : 04.11.2015
Print date : 03.03.2016

Version (Revision) : 8.0.0 (7.0.1)

Observe in addition any national regulations!

Restrictions of occupation

Please consider possible restrictions of occupation after maternity protection guideline regulation or law for the protection of young workers.

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : 70 - 75 %

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

Other regulations, restrictions and prohibition regulations

If this product is marketed in Germany the "Chemikalien-Verbotsverordnung" (ChemVerbotsV) does apply. § 4 ChemVerbotsV

Betriebssicherheitsverordnung (BetrSichV)

No flammable liquid according to BetrSichV.

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 15. Technische Anleitung Luft (TA-Luft)

16.2 Abbreviations and acronyms

BCF - Bioconcentration Factor
CMR - Carcinogenic-Mutagenic-toxic for Reproduction
DNEL - Derived No Effect Level
EWC - European Waste Catalogue
NOEC - No Observed Effect Concentration
NOEL - No Observed Effect Level
OEL - Occupational Exposure Limit
PBT - Persistent, Bioaccumulative, Toxic
PNEC - Predicted No Effect Concentration
STOT - Specific Target Organ Toxicity
SVHC - Substance of Very High Concern
vPvB - very Persistent, very Bioaccumulative

16.3 Key literature references and sources for data

Regulations for prevention of accidents, safety rules and recommendations provided by professional associations.
Observe technical data sheet.

16.4 Relevant H- and EUH-phrases (Number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

16.5 Training advice

When working with hazardous materials, regular training of operators is required by law.

16.6 Additional information

