

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK MSP 108 (WHITE) Revision Date 04-May-2017 Supercedes Date: 04-May-2017

Version 1

1.1. Product Identifier

BOSTIK MSP 108 (WHITE) Product Name

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Adhesives, sealants. Recommended use

Not to be used in production of toys or childcare articles. Uses advised against

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik SA Immeuble "Le Jade" 253 Avenue du President Wilson 93211 La Plaine Saint Denis France

Tel: +33 (0)1 55 99 90 00 Fax: +33 (0)1 55 99 90 01

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

No information available **Emergency Telephone**

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word

No signal word

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use

P102 - Keep out of reach of children

P101 - If medical advice is needed, have product container or label at hand

2.3. Other Hazards

Europe - EN Page 1/10

BOSTIK MSP 108 (WHITE) Revision Date 04-May-2017

Supercedes Date: 04-May-2017 Version 1

General Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silane, ethenyltrimethoxy-	220-449-8	2768-02-7		Acute Tox. 4 (H332) Flam. Liq. 3 (H226) STOT RE 2 (H373)		01-2119513215-52 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Remove contaminated clothing and shoes. If medical advice is needed, have product

container or label at hand.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin Contact Wash off immediately with soap and plenty of water. In the case of skin irritation or

allergic reactions see a doctor.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Hold eyelids apart and consult an

physician.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label. If swallowed, rinse mouth with water (only if the person is conscious).

Self-protection of the first aider First aider: Pay attention to self-protection.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Europe - EN Page 2/10

BOSTIK MSP 108 (WHITE)

Supercedes Date: 04-May-2017

Version 1

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Unsuitable Extinguishing Media

Full water jet

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand,

earth or other non-combustible absorbent material. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Fire prevention measures. No special measures are necessary.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Europe - EN Page 3/10

BOSTIK MSP 108 (WHITE)

Supercedes Date: 04-May-2017

Version 1

Storage Conditions

Protect from moisture. Keep away from food, drink and animal feedingstuffs. Recommended storage temperature. 10 - 35 °C. Keep container tightly closed and dry. Product cures with moisture.

7.3. Specific end use(s)

Specific Use(s)

Sealant. Observe technical data sheet.

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. The components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal

condition of use.

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical Name	European Union
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³
	S*

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Skin and Body ProtectionTight sealing safety goggles.
Suitable protective clothing.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical StateLiquidAppearancePasteColourWhiteOdourSlight

Odour Threshold No information available

Property Values Remarks • Method

pH
 Melting point/freezing point
 Boiling Point
 No information available
 No information available
 No information available

Flash Point $> 100 \, ^{\circ}\text{C} \, / > 212 \, ^{\circ}\text{F}$ CC (closed cup)

Evaporation Rate No information available

Flammability (solid, gas) No information available Not applicable for liquids

Flammability Limit in Air

Europe - EN Page 4/10

BOSTIK MSP 108 (WHITE)

Supercedes Date: 04-May-2017

Version 1

•

Upper Flammability Limit
Lower Flammability Limit
Vapour Pressure
Vapour Density
Relative Density
Water Solubility
Solubility in Other Solvents
No information available
No information available
No information available
Insoluble in water
No information available

Partition Coefficient No information available No information available **Autoignition Temperature** No information available **Decomposition Temperature Explosive Properties** No information available No information available **Explosive Limits** No information available Upper No information available Lower **Oxidising Properties** No information available **Kinematic Viscosity** No information available

Dynamic Viscosity 27 - 43 Pa.s @ 20 °C

9.2. Other information

Softening Point
Molecular Weight
Solvent content (%)
Solid content (%)
No information available
No information available
No information available
No information available

Density 1.56 g/cm³
Bulk Density No Data Available

VOC content (%)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Protect from moisture. Product cures with moisture.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Europe - EN Page 5/10

BOSTIK MSP 108 (WHITE)

Revision Date 04-May-2017

Supercedes Date: 04-May-2017

Version 1

Product Information

In vitro Bovine Corneal Opacity and Permeability tests (BCOP test; OECD 437) have been carried out on this product.

Inhalation No Data Available.

Eye contact The test item induced a mean In-vitro irritancy score ≤ 3, the test item was considered

as a test chemical not requiring classification for eye irritation or serious eye damage

(UN GHS No Category).

Skin ContactNo Data Available.IngestionNo Data Available.SensitisationNo Data Available.

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Not applicable.

Reproductive Toxicity No information available.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration Hazard No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 36,549.00 mg/kg

 ATEmix (dermal)
 19,421.42 mg/kg

 ATEmix (inhalation-vapour)
 198.00 mg/l

Unknown acute toxicity No information available.

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy-	LD 50 = 7120 -7236 mg/kg (Rat)	= 3360 μL/kg (Rabbit)	-
2768-02-7	OECD 401		
Bis(2,2,6,6-tetramethyl-4-piperidyl)	LD50 (rat)> 2000 mg/kg	LD50 (rat) > 3 170 mg/kg	= 500 mg/m ³ (Rat) 4 h
sebacate	OECD 423	OECD 402	- ' '
52829-07-9			

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Europe - EN Page 6/10

BOSTIK MSP 108 (WHITE) Revision Date 04-May-2017

Supercedes Date: 04-May-2017 Version 1

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Silane, ethenyltrimethoxy-	EC 50 (72h) > 957 mg/l	L50 (96h) = 191 mg/l	EC50(48hr) 168.7mg/l	
2768-02-7	(Desmodesmus subspicatus)	(Oncorhynchus mykiss)	(Daphnia magna)	
	EU Method C.3	•	- '	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Improper disposal or reuse of this container may be dangerous and illegal. **Contaminated Packaging**

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Hazard Class 14.4 Packing Group Not regulated 14.5 Environmental Hazard Not applicable None

14.6 Special Provisions

IMDG

14.1 UN/ID no Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Hazard Class Not regulated 14.4 Packing Group Not regulated

14.5 Marine Pollutant Np

Europe - EN Page 7/10

BOSTIK MSP 108 (WHITE)

Supercedes Date: 04-May-2017

Version 1

·

14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID

14.1UN/ID noNot regulated14.2Proper Shipping NameNot regulated14.3Hazard ClassNot regulated14.4Packing GroupNot regulated14.5Environmental HazardNot applicable

14.6 Special Provisions None

ICAO (air)

14.1UN/ID noNot regulated14.2Proper Shipping NameNot regulated14.3Hazard ClassNot regulated14.4Packing GroupNot regulated14.5Environmental HazardNot applicable

14.6 Special Provisions None

IATA

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard ClassNot regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	68515-48-0	52[a].

52

Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Europe - EN Page 8/10

BOSTIK MSP 108 (WHITE)

Revision Date 04-May-2017

Supercedes Date: 04-May-2017

Version 1

·

Persistent Organic Pollutants

Not applicable

National Regulations

France

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H332 - Harmful if inhaled

H226 - Flammable liquid and vapour

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 04-May-2017

Indication of changes

Revision Note SDS sections updated: 2, 3.

Training Advice No information available

Europe - EN Page 9/10

BOSTIK MSP 108 (WHITE)

Supercedes Date: 04-May-2017

Version 1

Additional information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - EN Page 10 / 10