

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK MASTIREX Supercedes Date: 15-Apr-2016

Revision Date 25-May-2017 Version 1.02

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NameBOSTIK MASTIREXPure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against Adhesives. None known.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik SA Immeuble "Le Jade" 253 Avenue du President Wilson 93211 La Plaine Saint Denis France Tel: +33 (0)1 55 99 90 00 Fax: +33 (0)1 55 99 90 01

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| Skin Corrosion/Irritation | Category 2 - (H315) |
|---------------------------|---------------------|
| Chronic aquatic toxicity | Category 3 - (H412) |
| Flammable Liquids | Category 2 - (H225) |

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Signal Word DANGER

BOSTIK MASTIREX

Supercedes Date: 15-Apr-2016

Hazard statements

H225 - Highly flammable liquid and vapour H315 - Causes skin irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P103 - Read label before use

P280 - Wear protective gloves and eye/face protection

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P273 - Avoid release to the environment

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P235 - Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

Special provisions concerning the labelling of certain mixtures

This product requires tactile warnings if supplied to the general public

2.3. Other Hazards

General Hazards

In use may form flammable/explosive vapour-air mixture.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

| Chemical Name | EC No | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH Registration Number |
|--|-----------|----------|----------|---|---------------------------------------|---------------------------------|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane | 921-024-6 | - | 10 - <20 | STOT SE 3 (H336) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Aquatic Chronic 2 (H411) Flam Liq. 2 (H225) | | 01-2119475514-35 -XXXX |
| Hexane | 203-777-6 | 110-54-3 | 0.1- <1 | Skin Irrit. 2 (H315) Repr. 2 (H361f) STOT SE 3 (H336) STOT RE 2 (H373) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 2 (H225) | | 01-2119480412-44 -XXXX |

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006

BOSTIK MASTIREX

Supercedes Date: 15-Apr-2016

(REACH), Article 59)

Section 4: FIRST AID MEASURES

| 4.1. Description of first aid measures | | |
|---|--|--|
| General Advice | If medical advice is needed, have product container or label at hand. | |
| Inhalation | Remove to fresh air. | |
| Skin Contact | Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. | |
| Eye contact | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor immediately. | |
| Ingestion | If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. | |
| Self-protection of the first aider | Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. | |
| 4.2 Most important symptoms and effects, both acute and delayed | | |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors

Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use CO2, dry chemical, or foam.

Unsuitable Extinguishing Media

Use water spray or fog; do not use straight streams

5.2. Special hazards arising from the substance or mixture

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

Water spray may reduce vapour; but may not prevent ignition in closed spaces.

For emergency responders

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected

BOSTIK MASTIREX

Supercedes Date: 15-Apr-2016

personnel.

6.2. Environmental precautions

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

6.3. Methods and material for containment and cleaning up

| Methods for Containment | Dyke far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). |
|----------------------------------|--|
| Methods for cleaning up | Use clean non-sparking tools to collect absorbed material. Dyke far ahead of liquid spill for later disposal. |
| 6.4. Reference to other sections | |
| Reference to other sections | See Section 12: ECOLOGICAL INFORMATION Section 7: HANDLING AND STORAGE |

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/lighting /equipment.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep only in the original container/package in a cool well-ventilated place.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

| Chemical Name | European Union |
|---------------|---------------------------|
| Hexane | TWA: 20 ppm |
| 110-54-3 | TWA: 72 mg/m ³ |

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

BOSTIK MASTIREX Supercedes Date: 15-Apr-2016

Personal Protective Equipment

Eye/Face ProtectionTight sealing safety goggles.Skin and Body ProtectionAntistatic footwear. Wear fire/flame resistant/retardant clothing. Gloves made of plastic
or rubber.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State Appearance Colour Odour Odour Threshold | Liquid Paste Off-white Hydrocarbons No information available | |
|--|--|------------------------------|
| <u>Property</u> pH Melting point/freezing point Boiling Point Flash Point | <u>Values</u> No information available No information available 63 °C / 145.4 °F -17 °C / 1.4 °F | Remarks • Method |
| Evaporation Rate Flammability (solid, gas) Flammability Limit in Air | No information available No information available | Not applicable for liquids |
| Upper Flammability Limit Lower Flammability Limit Vapour Pressure Vapour Density Relative Density Water Solubility Solubility in Other Solvents Partition Coefficient Autoignition Temperature Decomposition Temperature Explosive Properties Explosive Limits Upper Lower Oxidising Properties Kinematic Viscosity | 7.4 1.1 No information available No information available 1.33 - 1.37 Insoluble in water Organic solvents No information available > 22 mm2/s 150000 - 370000 mm2/s 2000000 - 5000000 mPa s | @ 40°C @ 23 °C @ 23 °C |
| 9.2. Other information Softening Point Molecular Weight Solvent content (%) Solid content (%) Density Bulk Density VOC content (%) | No information available No information available No information available 81 No Data Available No Data Available | |

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

BOSTIK MASTIREX Supercedes Date: 15-Apr-2016

Stable under recommended storage conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Keep away from heat, sparks and flames.

10.5. Incompatible materials

Strong acids and bases.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

| Inhalation Eye contact Skin Contact Ingestion Sensitisation | No Data Available. No Data Available. No Data Available. No Data Available. No Data Available. |
|---|--|
| Skin Corrosion/Irritation | Not applicable. |
| Serious eye damage/eye irritation | Not applicable. |
| Sensitisation | Not applicable. |
| Germ Cell Mutagenicity | Not applicable. |
| Carcinogenicity | Not applicable. |
| Reproductive Toxicity | No information available. |
| STOT - Single Exposure | No information available. |
| STOT - Repeated Exposure | No information available. |
| Target Organ Effects | Eyes, Respiratory system, Skin. |
| Aspiration Hazard | No information available. |
| Numerical measures of toxicity | |
| Acute Toxicity | |

BOSTIK MASTIREX Supercedes Date: 15-Apr-2016

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 31,085.00 mg/kg

31,085.00 mg/kg 15,543.00 mg/kg

Component Information

ATEmix (dermal)

Toxicity Data

No information available

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|------------------------|-----------------------------|----------------------|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane | LD50 >5840 mg/kg (Rat) | LD50 >2800-3100 mg/kg (Rat) | - |
| Hexane 110-54-3 | = 25 g/kg (Rat) | = 3000 mg/kg (Rabbit) | = 48000 ppm (Rat)4 h |

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life with long lasting effects

Component Information

Data obtained on the component(s) include

| Chemical Name | Algae/aquatic plants | Fish | Crustacea | M-Factor |
|--|--|--|---|----------|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, <5% n-hexane | EL50 (72h)= 26 mg/L (Pseudokirchneriella subcapitata) OECD 201 | LL50 (96h) =12 mg/L Fish (Oncorhynchus mykiss) OECD 203 | EL50 (48h) =3mg/L (Daphnia magna) OECD 202 | |
| Hexane 110-54-3 | - | LC50 96 h 2.1 - 2.98 mg/L (Pimephales promelas flow-through) | EC50 24 h > 1000 mg/L (Daphnia magna) | |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|--|---|
| Contaminated Packaging | Improper disposal or reuse of this container may be dangerous and illegal. |
| European Waste Catalogue | 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. |

| Section 14: TRANSPORTATION INFORMATION | | | |
|--|--|--|--|
| ADR 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class Hazard Labels 14.4 Packing Group Description 14.5 Environmental Hazard 14.6 Special Provisions Classification Code Tunnel restriction code Limited Quantity (LQ) ADR Hazard Id (Kemmler Number) | UN1133 Adhesives, Environmentally Hazardous 3 III UN1133, Adhesives, Environmentally Hazardous, 3, III, (D/E) yes 640E F1 (D/E) 5 L 30 | | |
| IMDG 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group Description 14.5 Marine Pollutant 14.6 Special Provisions Limited Quantity (LQ) EmS-No 14.7 Transport in bulk according t | UN1133 Adhesives 3 III UN1133, Adhesives, 3, III, (-17°C c.c.) Np 223, 955 5 L F-E, S-D to Annex II of MARPOL 73/78 and the IBC Code No information available | | |
| RID14.1 UN/ID no14.2 Proper Shipping Name14.3 Hazard Class14.4 Packing Group Description14.5 Environmental Hazard Classification Code14.6 Special Provisions Limited Quantity (LQ) | UN1133 Adhesives, Environmentally Hazardous 3 III UN1133, Adhesives, Environmentally Hazardous, 3, III yes F1 None 5 L | | |
| <u>ICAO (air)</u> 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group | UN1133 Adhesives 3 III | | |

| Description | UN1133, Adhesives, 3, III |
|---|---|
| 14.5 Environmental Hazard | yes |
| 14.6 Special Provisions | A3 |
| IATA 14.1 UN/ID no 14.2 Proper Shipping Name 14.3 Hazard Class 14.4 Packing Group Description 14.5 Environmental Hazard 14.6 Special Provisions Limited Quantity (LQ) ERG Code | UN1133 Adhesives 3 III UN1133, Adhesives, 3, III yes A3 10 L 3L |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National Regulations

France

BOSTIK MASTIREX Supercedes Date: 15-Apr-2016

Occupational Illnesses (R-463-3, France)

| Chemical Name | French RG number |
|---------------|------------------|
| Hexane | RG 59,RG 84 |
| 110-54-3 | |

<u>Germany</u>

Ordinance on Industrial Safety and Health - Germany - BetrSichV

Flammable liquid (R11), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 4

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

| Chemical Name | Netherlands |
|---------------|------------------------|
| Hexane | Fertility (Category 2) |
| 110-54-3 | |

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H361f - Suspected of damaging fertility

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H304 - May be fatal if swallowed and enters airways

H411 - Toxic to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapour

Legend

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWATWA (time-weighted average)SCeilingMaximum limit value*PBT Persistent, Bioaccumulative, and Toxic (PBT) ChemicalsSTOT (RE):Specific target organ toxicity - Repeated exposureSTOT (SE):Specific target organ toxicity - Single exposureEWC:European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

| Prepared By | Product Safety & Regulatory Affairs |
|-----------------------|-------------------------------------|
| Revision Date | 25-May-2017 |
| Indication of changes | |
| Revision Note | SDS sections updated: 3, 11. |

STEL (Short Term Exposure Limit) Skin designation

CTION STEL

BOSTIK MASTIREX Supercedes Date: 15-Apr-2016

Training Advice Provide adequate information, instruction, and training for operator

Additional information

No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet