

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
This SDS is for generic information purposes and does not reflect required country specific information for OEL

PU GUNFOAM ALL SEASONS Supercedes Date: 18-Feb-2016 Revision Date 04-Oct-2016

Version 2

_

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name PU GUNFOAM ALL SEASONS

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Building and construction work.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik BV De Voerman 8 PO Box 303

5215 MH's-Hertogenbosch, The Netherlands

Tel: +31 736 244 244 Fax: +31 736 244 344

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin Corrosion/Irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Effects on or via lactation	yes - (H362)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Narcotic effects.	
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Acute aquatic toxicity	Not classified for acute
Chronic aquatic toxicity	Category 4 - (H413)
Aerosols	Category 1 - (H222)
Aerosols	Category 1 - (H229)

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment

Europe - EN Page 1/12

PU GUNFOAM ALL SEASONS Supercedes Date: 18-Feb-2016 Revision Date 04-Oct-2016

Version 2

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Isocyanic acid, polymethylenepolyphenylene ester, Alkanes, C14-17, chloro



Signal Word DANGER

Hazard statements

H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H362 - May cause harm to breast-fed children

H373 - May cause damage to organs through prolonged or repeated exposure

H413 - May cause long lasting harmful effects to aquatic life

EUH204 - Contains isocyanates. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P103 - Read label before use

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Pressurized container: Do not pierce or burn, even after use

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P263 - Avoid contact during pregnancy/while nursing

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P314 - Get medical advice/attention if you feel unwell

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents/container to industrial incineration plant

Special provisions concerning the labelling of certain mixtures

This product requires tactile warnings if supplied to the general public

2.3. Other Hazards

General Hazards

No information available.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Europe - EN Page 2/12

PU GUNFOAM ALL SEASONS
Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture. Health hazard information is based on its components.

3.2 Mixtures

Chemical Name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Isocyanic acid, polymethylenepolyphenylen e ester	-	9016-87-9	40 - <80	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	Exempt
Alkanes, C14-17, chloro	287-477-0	85535-85-9	10 - <20	Lact. (H362) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH066)	01-2119519269-33-XXXX
2-Propanol, 1-chloro-, phosphate (3:1)	237-158-7	13674-84-5	10 - <20	Acute Tox. 4 (H302)	01-2119480419-30-XXXX
Propane	200-827-9	74-98-6	5 - <10	Flam. Gas 1 (H220) Press. Gas	01-2119486944-21-XXXX
Isobutane	200-857-2	75-28-5	5 - <10	Flam. Gas 1 (H220) Press. Gas	01-2119485395-27-XXXX
Dimethyl ether	204-065-8	115-10-6	5 - <10	Flam. Gas 1 (H220) Press. Gas	01-2119472128-37-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Remove and isolate contaminated clothing and shoes. In case of accident or being

unwell, seek medical advice immediately (show directions for use or safety data sheet if

possible).

Inhalation Move victim to fresh air. If breathing is irregular or stopped, administer artificial

respiration. Administer oxygen if breathing is difficult.

Skin Contact In case of contact with liquefied gas, thaw frosted parts with lukewarm water.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If

symptoms persist, call a doctor.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. If symptoms persist, call a

doctor.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take

Europe - EN Page 3/12

PU GUNFOAM ALL SEASONS

Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

precautions to protect themselves.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Drowsiness. Dizziness. Symptoms may develop several hours following exposure;

medical observation therefore necessary for at least 48 hours.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Keep victim warm and quiet.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO2. Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Some may burn but none ignite readily. Ruptured cylinders may rocket.

Hazardous Combustion Products Carbon monoxide. Nitrogen oxides (NOx). Hydrogen chloride. Hydrogen cyanide.

5.3. Advice for firefighters

Caution! Container under pressure. Heating causes rise in pressure with risk of bursting. Cool container with water spray.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all possible sources of ignition in the surrounding area. Ensure adequate ventilation, especially in confined areas.

Ventilate the area.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Use water spray to reduce vapours or divert vapour cloud drift. Avoid allowing water runoff to contact spilled material. Prevent entry into waterways, sewers, basements or confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment If possible, turn leaking containers so that gas escapes rather than liquid. Allow

substance to evaporate.

Methods for cleaning upDo not direct water at spill or source of leak.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

Europe - EN Page 4/12

PU GUNFOAM ALL SEASONS

Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

·

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use. Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Recommended storage temperature. 10 - 35 °C. Observe local regulations / instructions for storage of pressurized containers.

7.3. Specific end use(s)

Other Information

Recommendation(s); Observe technical data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical Name	European Union
Dimethyl ether	TWA: 1000 ppm
115-10-6	TWA: 1920 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Tight sealing safety goggles. Face protection shield.

Hand Protection Gloves made of plastic or rubber. Ensure that the breakthrough time of the glove

material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is

any sign of damage to the glove material.

Skin and Body Protection Antistatic footwear. Wear fire/flame resistant/retardant clothing. Gloves made of plastic

or rubber. Suitable protective clothing. Apron.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of insufficient

ventilation, wear suitable respiratory equipment.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Foam
Colour Light green
Odour Characteristic

Europe - EN Page 5/12

PU GUNFOAM ALL SEASONS
Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

Odour Threshold No information available

Property Values Remarks • Method

 $\begin{array}{lll} \textbf{pH} & \textbf{No information available} \\ \textbf{Melting point/freezing point} & \textbf{No information available} \\ \textbf{Boiling Point} & < 35 \ ^{\circ}\text{C} \ / \ 95 \ ^{\circ}\text{F} \\ \textbf{Flash Point} & < 0 \ ^{\circ}\text{C} \ / \ < 32 \ ^{\circ}\text{F} \\ \textbf{Evaporation Rate} & \textbf{No information available} \\ \end{array}$

Flammability (solid, gas) No information available Flammability Limit in Air

Upper Flammability Limit 16
Lower Flammability Limit 3

Vapour Pressure 590

Vapour Density No information available No information available **Specific Gravity Water Solubility** No information available Solubility in Other Solvents No information available **Partition Coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available **Explosive Properties** No information available No information available **Explosive Limits** Upper No information available

Upper No information available
Lower No information available
Oxidising Properties No information available
Kinematic Viscosity No information available

Dynamic Viscosity No information available

9.2. Other information

Softening Point
Molecular Weight
Solvent content (%)
Solid content (%)
No information available
No information available
No information available

Density 0.985 g/cm³ **Bulk Density** No Data Available

VOC content (%) 18.35 %

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heating causes rise in pressure with risk of bursting.

10.5. Incompatible materials

Europe - EN Page 6/12

PU GUNFOAM ALL SEASONS

Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

•

Strong oxidising agents. Acid anhydrides. Strong acids.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrogen chloride. Hydrogen cyanide. Nitrogen oxides (NOx).

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information

Harmful by inhalation.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.

Sensitisation May cause sensitisation by skin contact. May cause sensitisation by inhalation.

Skin Corrosion/Irritation Irritating to skin.

Serious eye damage/eye irritation Irritating to eyes.

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Contains a known or suspected carcinogen.

Reproductive Toxicity May cause harm to breastfed babies.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Target Organ EffectsHeart, Central nervous system.

Aspiration Hazard No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,357.00 mg/kg
ATEmix (dermal) 7,688.00 mg/kg
ATEmix (inhalation-dust/mist) 3.00 mg/l

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity.

Component Information

Toxicity Data No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isocyanic acid,	= 49 g/kg (Rat)	> 9400 mg/kg (Rabbit)	= 490 mg/m ³ (Rat) 4 h
polymethylenepolyphenylene ester			
2-Propanol, 1-chloro-, phosphate	= 1500 mg/kg (Rat)	= 1230 mg/kg (Rabbit)	= 5 mg/L (Rat) 4 h
(3:1)			- ' '
Alkanes, C14-17, chloro	= 2000 mg/kg (Rat)	-	-

Europe - EN Page 7/12

PU GUNFOAM ALL SEASONS

Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

__

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Cured foam has no C14-C17 chloroalkanes leaching in water for a maximum 20%

C14-C17 chloroalkanes in mixture. Study: "Pulverized PU Foam HM23. Leaching study, Limit test" by Dr. Christine Jahns and sponsored by FEICA AISBL, 09.12.2014

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isocyanic acid,	-	CL50 (96h) >1000 mg/L Fish	-
polymethylenepolyphenylene ester		(Danio rerio)	
Alkanes, C14-17, chloro	-	LC50 48 h > 500 mg/L (Leuciscus	-
		idus static)	
2-Propanol, 1-chloro-, phosphate	EC50 72 h = 45 mg/L	LC50 96 h = 30 mg/L (Poecilia	EC50 48 h = 63 mg/L (Daphnia
(3:1)	(Desmodesmus subspicatus)	reticulata static)	magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

.

Chemical Name	EU - Endocrine Disrupters Candidate	EU - Endocrine Disruptors - Evaluated
	List	Substances
Alkanes, C14-17, chloro	Group III Chemical	

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

European Waste Catalogue 08 05 01* waste isocyanates

16 05 04* gases in pressure containers (including halons) containing dangerous

substances

Europe - EN Page 8/12

PU GUNFOAM ALL SEASONS

Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

·

Other Information Waste codes should be assigned by the user based on the application for which the

product was used.

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no UN1950

14.2 Proper Shipping Name Aerosols, Environmentally Hazardous

14.3 Hazard Class 2.1 Hazard Labels 2.1

14.4 Packing Group Not regulated

Description UN1950, Aerosols, 2.1, Environmentally Hazardous

14.5 Environmental Hazard yes

14.6 Special Provisions 190, 327, 344, 625

Classification Code 5F Tunnel restriction code (D) Limited Quantity (LQ) 1 L

IMDG

14.1 UN/ID no UN1950

14.2 Proper Shipping Name Aerosols (Alkanes, C14-17, chloro), Marine Pollutant

14.3 Hazard Class 2.1

14.4 Packing Group Not regulated

Description UN1950, Aerosols (Alkanes, C14-17, chloro), 2.1, Marine Pollutant

14.5 Marine Pollutant

This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

14.6 Special Provisions 63,190, 277, 327, 344, 959

Limited Quantity (LQ) See SP277 EmS-No F-D, S-U

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID

14.1 UN/ID no UN1950

14.2 Proper Shipping Name Aerosols, Environmentally Hazardous

14.3 Hazard Class 2.1

14.4 Packing Group Not regulated

Description UN1950, Aerosols, 2.1, Environmentally Hazardous

14.5 Environmental Hazard yes
Classification Code 5F

14.6 Special Provisions None
Limited Quantity (LQ) 1 L

ICAO (air)

 14.1 UN/ID no
 UN1950

 14.2 Proper Shipping Name
 Aerosols

 14.3 Hazard Class
 2.1

14.4 Packing Group Not regulated

Description UN1950, Aerosols, 2.1

14.5 Environmental Hazard yes

14.6 Special Provisions A145, A167

<u>IATA</u>

14.1 UN/ID no UN1950

14.2 Proper Shipping Name Aerosols, flammable

14.3 Hazard Class 2.

14.4 Packing Group Not regulated

Description UN1950, Aerosols, flammable, 2.1

14.5 Environmental Hazard yes

14.6 Special Provisions A145, A167, A802

Limited Quantity (LQ) 30 kg G ERG Code 10L

Europe - EN Page 9/12

PU GUNFOAM ALL SEASONS Supercedes Date: 18-Feb-2016 Revision Date 04-Oct-2016

Version 2

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Dangerous substance category per Seveso Directive (2012/18/EU)

P3a - FLAMMABLE AEROSOLS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

France

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Isocyanic acid, polymethylenepolyphenylene ester	RG 62
9016-87-9	

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

Flammable liquid (R10), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 3

Netherlands

Europe - EN Page 10 / 12

PU GUNFOAM ALL SEASONS

Supercedes Date: 18-Feb-2016

Revision Date 04-Oct-2016

Version 2

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical Name	Netherlands
Alkanes, C14-17, chloro	Can be harmful via breastfeeding
85535-85-9	

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H362 - May cause harm to breast-fed children

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer if inhaled

H332 - Harmful if inhaled

EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
STOT (RE): Specific target organ toxicity - Repeated exposure

STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 04-Oct-2016

Indication of changes

Revision Note SDS sections updated: 2, 12, 14.

Training Advice

No information available

Additional information

No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaime

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation,

Europe - EN Page 11/12

Supercedes Date: 18-Feb-2016 Version 2

Revision Date 04-Oct-2016

PU GUNFOAM ALL SEASONS

disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - EN Page 12/12