

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK PU GUNFOAM B3 GG Supercedes Date: 17-Feb-2016 Revision Date 19-Jan-2017

Version 1.01

\_\_\_\_\_

## 1.1. Product Identifier

Product Name BOSTIK PU GUNFOAM B3 GG

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use**Building and construction work.

Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

## **Company Name**

Bostik BV De Voerman 8 PO Box 303

5215 MH's-Hertogenbosch, The Netherlands

Tel: +31 736 244 244 Fax: +31 736 244 344

E-mail address SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

Emergency Telephone No information available

## Section 2: HAZARD IDENTIFICATION

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin Corrosion/Irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Effects on or via lactation	yes - (H362)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Narcotic effects.	
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Chronic aquatic toxicity	Category 4 - (H413)
Aerosols	Category 1 - (H222)
Aerosols	Category 1 - (H229)

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment

### 2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Europe - EN Page 1/12

BOSTIK PU GUNFOAM B3 GG Supercedes Date: 17-Feb-2016 Revision Date 19-Jan-2017 Version 1.01

\_\_\_

Contains Isocyanic acid, polymethylenepolyphenylene ester, Alkanes, C14-17, chloro



### Signal Word DANGER

#### **Hazard statements**

H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H362 - May cause harm to breast-fed children

H373 - May cause damage to organs through prolonged or repeated exposure

H413 - May cause long lasting harmful effects to aquatic life

EUH204 - Contains isocyanates. May produce an allergic reaction

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P263 - Avoid contact during pregnancy/while nursing

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves and eye/face protection

P211 - Do not spray on an open flame or other ignition source

P251 - Pressurized container: Do not pierce or burn, even after use

P273 - Avoid release to the environment

P271 - Use only outdoors or in a well-ventilated area

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P405 - Store locked up

P501 - Dispose of contents/container to industrial incineration plant

## Special provisions concerning the labelling of certain mixtures

This product requires tactile warnings if supplied to the general public

Persons already sensitised to diisocyanates may develop allergic reactions when using this product

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. Type A according to standard EN 14387) is used

## 2.3. Other Hazards

### **General Hazards**

No information available.

### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Europe - EN Page 2/12

Supercedes Date: 17-Feb-2016 Version 1.01

Revision Date 19-Jan-2017

\_\_\_\_\_

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

**BOSTIK PU GUNFOAM B3 GG** 

Mixture

#### 3.2 Mixtures

Chemical Name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Isocyanic acid, polymethylenepolyphenylen e ester	ı	9016-87-9	40 - <80	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	Skin Irrit. 2 :: C>=5% Eye Irrit. 2 :: C>=5% Resp. Sens. 1 ::	Exempt(P)
Alkanes, C14-17, chloro	287-477-0	85535-85-9	10 - <20	Lact. (H362) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH066)		01-2119519269-33 -XXXX
Propane	200-827-9	74-98-6	10 - <20	Flam. Gas 1 (H220) Press. Gas		01-2119486944-21 -XXXX
Isobutane	200-857-2	75-28-5	10 - <20	Flam. Gas 1 (H220) Press. Gas		01-2119485395-27 -XXXX
Dimethyl ether	204-065-8	115-10-6	10 - <20	Flam. Gas 1 (H220) Press. Gas		01-2119472128-37 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

**General Advice** Remove and isolate contaminated clothing and shoes. In case of accident or being

unwell, seek medical advice immediately (show directions for use or safety data sheet if

possible).

**Inhalation** Move victim to fresh air. If breathing is irregular or stopped, administer artificial

respiration. Administer oxygen if breathing is difficult. Call a doctor or poison control

centre immediately.

Skin Contact Remove and isolate contaminated clothing and shoes. Wash off immediately with soap

and plenty of water. In the case of skin irritation or allergic reactions see a doctor.

Europe - EN Page 3/12

BOSTIK PU GUNFOAM B3 GG Revision Date 19-Jan-2017

Supercedes Date: 17-Feb-2016 Version 1.01

Eye contact Rinse immediately with ple

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Keep eye wide open while rinsing. If symptoms persist, call a doctor.

**Ingestion** Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. If symptoms persist, call a doctor.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take

precautions to protect themselves.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. MAY CAUSE

ALLERGIC SKIN REACTION.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Keep victim warm and quiet. Effects of exposure (inhalation, ingestion or skin contact) to

substance may be delayed.

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

## Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO2. Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

### **Unsuitable Extinguishing Media**

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Some may burn but none ignite readily. Ruptured cylinders may rocket.

**Hazardous Combustion Products** Carbon monoxide. Nitrogen oxides (NOx). Hydrogen chloride. Hydrogen cyanide.

Carbon dioxide (CO2).

### 5.3. Advice for firefighters

Caution! Container under pressure. Heating causes rise in pressure with risk of bursting. Cool container with water spray.

## Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

### **Personal Precautions**

Remove all possible sources of ignition in the surrounding area. Ensure adequate ventilation, especially in confined areas.

Ventilate the area.

### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Use water spray to reduce vapours or divert vapour cloud drift. Avoid allowing water runoff to contact spilled material. Prevent entry into waterways, sewers, basements or confined areas.

### 6.3. Methods and material for containment and cleaning up

Methods for Containment If possible, turn leaking containers so that gas escapes rather than liquid. Allow

substance to evaporate.

Europe - EN Page 4/12

**BOSTIK PU GUNFOAM B3 GG** Revision Date 19-Jan-2017

Supercedes Date: 17-Feb-2016 Version 1.01

Do not direct water at spill or source of leak. Methods for cleaning up

6.4. Reference to other sections

Section 7: HANDLING AND STORAGE Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

# Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.

### **General Hygiene Considerations**

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Recommended storage temperature. 10 - 35 °C. Observe local regulations / instructions for storage of pressurized containers. Keep from freezing.

#### 7.3. Specific end use(s)

### Other Information

Recommendation(s). Observe technical data sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical Name	European Union
Dimethyl ether	TWA: 1000 ppm
115-10-6	TWA: 1920 mg/m <sup>3</sup>

No information available **Derived No Effect Level (DNEL)** 

Predicted No Effect Concentration No information available.

(PNEC)

## 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/Face Protection** Tight sealing safety goggles. Face protection shield.

**Hand Protection** Gloves made of plastic or rubber. Ensure that the breakthrough time of the glove

material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is

any sign of damage to the glove material.

Antistatic footwear. Wear fire/flame resistant/retardant clothing. Gloves made of plastic Skin and Body Protection

or rubber. Suitable protective clothing. Apron.

**Respiratory Protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Europe - EN Page 5/12

Supercedes Date: 17-Feb-2016 Version 1.01

kPa

Revision Date 19-Jan-2017

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance Aerosol Foam
Colour Light yellow
Odour Characteristic

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point/freezing point No information available
Boiling Point No information available
Flash Point No information available
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

**BOSTIK PU GUNFOAM B3 GG** 

Upper Flammability Limit 16
Lower Flammability Limit 3

Vapour Pressure550Vapour DensityNo information availableSpecific GravityNo information available

Water Solubility No information available Solubility in Other Solvents No information available **Partition Coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available No information available **Explosive Properties** No information available **Explosive Limits** Upper No information available Lower No information available **Oxidising Properties** No information available **Kinematic Viscosity** No information available

Dynamic Viscosity No information available

9.2. Other information

Softening Point
Molecular Weight
Solvent content (%)
Solid content (%)
No information available
No information available
No information available
No information available

Density

0.986 g/cm³

Bulk Density

No Data Available

VOC content (%)

# Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical stability

Stable under normal conditions.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

Europe - EN Page 6/12

BOSTIK PU GUNFOAM B3 GG Revision Date 19-Jan-2017

Supercedes Date: 17-Feb-2016 Version 1.01

ne under normal processing

None under normal processing.

### 10.4. Conditions to avoid

Heating causes rise in pressure with risk of bursting.

### 10.5. Incompatible materials

Strong oxidising agents. Acid anhydrides. Strong acids.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrogen cyanide. Hydrogen chloride. Nitrogen oxides (NOx).

# Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

#### **Product Information**

Harmful by inhalation.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.

**Sensitisation** May cause sensitisation by inhalation. May cause sensitisation by skin contact.

**Skin Corrosion/Irritation** Irritating to skin.

Serious eye damage/eye irritation Irritating to eyes.

**Sensitisation** Not applicable.

Germ Cell Mutagenicity Not applicable.

**Carcinogenicity** Contains a known or suspected carcinogen.

**Reproductive Toxicity** No information available.

**STOT - Single Exposure** No information available.

**STOT - Repeated Exposure** No information available.

Target Organ Effects Heart, Central nervous system.

**Aspiration Hazard** No information available.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 10,050.00 mg/kg

ATEmix (inhalation-dust/mist) 3.00 mg/l

**Unknown acute toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity.

**Component Information** 

Toxicity Data No information available

Europe - EN Page 7/12

BOSTIK PU GUNFOAM B3 GG
Supercedes Date: 17-Feb-2016
Revision Date 19-Jan-2017
Version 1.01

\_\_\_\_\_

\_\_\_

	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Г	Isocyanic acid,	LD 50 > 10000 mg/kg ( Rat )	LD 50 > 9400 mg/kg (Rabbit)	=1.5 mg/m³ (Rat) 4 h
p	olymethylenepolyphenylene ester			
ľ	9016-87-9			
Γ	Alkanes, C14-17, chloro	= 2000 mg/kg (Rat)	-	-
	85535-85-9			

# Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity** Cured foam has no C14-C17 chloroalkanes leaching in water for a maximum 20%

C14-C17 chloroalkanes in mixture. Study: "Pulverized PU Foam HM23. Leaching study, Limit test" by Dr. Christine Jahns and sponsored by FEICA AISBL, 09.12.2014

### **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Isocyanic acid,	-	CL50 (96h) >1000 mg/L Fish	-	
polymethylenepolyphenylen		(Danio rerio)		
e ester				
9016-87-9				
Alkanes, C14-17, chloro	-	LC50 48 h > 500 mg/L	-	
85535-85-9		(Leuciscus idus static)		

## 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other Adverse Effects

No information available

## **Endocrine Disruptor Information**

.

Chemical Name	EU - Endocrine Disrupters Candidate	EU - Endocrine Disruptors - Evaluated
	List	Substances
Alkanes, C14-17, chloro	Group III Chemical	
85535-85-9	•	

# Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Europe - EN Page 8/12

BOSTIK PU GUNFOAM B3 GG
Supercedes Date: 17-Feb-2016
Revision Date 19-Jan-2017
Version 1.01

·

\_\_\_

Waste from Residues/Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Improper disposal or reuse of this container may be dangerous and illegal.

**European Waste Catalogue** 08 05 01\* waste isocyanates

16 05 04\* gases in pressure containers (including halons) containing dangerous

substances

Other Information Waste codes should be assigned by the user based on the application for which the

product was used.

## Section 14: TRANSPORTATION INFORMATION

**ADR** 

**14.1 UN/ID no** UN1950

**14.2 Proper Shipping Name** Aerosols, Environmentally Hazardous

14.3 Hazard Class 2.2 Hazard Labels 2.2

14.4 Packing Group Not regulated

**Description** UN1950, Aerosols, Environmentally Hazardous, 2.2, (E)

14.5 Environmental Hazard yes

**14.6 Special Provisions** 327, 625, 344, 190

Classification Code 5A Tunnel restriction code (E) Limited Quantity (LQ) 1 L

**IMDG** 

**14.1 UN/ID no** UN1950

**14.2 Proper Shipping Name** Aerosols, Marine Pollutant

14.3 Hazard Class 2

**14.4 Packing Group** Not regulated

**Description** UN1950, Aerosols, Marine Pollutant, 2

14.5 Marine Pollutant

This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

**14.6 Special Provisions** 63,190, 277, 327, 344, 959

Limited Quantity (LQ) See SP277 EmS-No F-D, S-U

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID

**14.1 UN/ID no** UN1950

**14.2 Proper Shipping Name** Aerosols, Environmentally Hazardous

**14.3 Hazard Class** 2.2

**14.4 Packing Group** Not regulated

**Description** UN1950, Aerosols, Environmentally Hazardous, 2.2

14.5 Environmental Hazard yes
Classification Code 5A
14.6 Special Provisions None
Limited Quantity (LQ) 1 L

ICAO (air)

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard ClassNot regulated14.4 Packing GroupNot regulated

14.5 Environmental Hazard yes 14.6 Special Provisions None

IATA

**14.1 UN/ID no** UN1950

**14.2 Proper Shipping Name** Aerosols, flammable

Europe - EN Page 9/12

BOSTIK PU GUNFOAM B3 GG
Supercedes Date: 17-Feb-2016
Revision Date 19-Jan-2017
Version 1.01

•

14.3 Hazard Class 2.1

14.4 Packing Group Not regulated

**Description** UN1950, Aerosols, flammable, 2.1

14.5 Environmental Hazard yes

**14.6 Special Provisions** A145, A167, A802

Limited Quantity (LQ) 30 kg G ERG Code 10L

# Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

# EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

# **Persistent Organic Pollutants**

Not applicable

### **National Regulations**

### **France**

### Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Isocyanic acid, polymethylenepolyphenylene ester	RG 62
9016-87-9	

### **Germany**

### Ordinance on Industrial Safety and Health - Germany - BetrSichV

Europe - EN Page 10 / 12

Supercedes Date: 17-Feb-2016 Version 1.01

Revision Date 19-Jan-2017

\_\_\_\_\_

Flammable liquid (R10), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 3

## **Netherlands**

# List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical Name	Netherlands
Alkanes, C14-17, chloro	Can be harmful via breastfeeding
85535-85-9	_

### 15.2. Chemical safety assessment

**BOSTIK PU GUNFOAM B3 GG** 

No information available

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H362 - May cause harm to breast-fed children

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer if inhaled

H332 - Harmful if inhaled

EUH066 - Repeated exposure may cause skin dryness or cracking

#### Leaend

SVHC: Substances of Very High Concern for Authorisation:

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 19-Jan-2017

Indication of changes

**Revision Note** SDS sections updated, 1, 2, 3, 11, 12.

Training Advice

No information available

Additional information

No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Europe - EN Page 11/12

BOSTIK PU GUNFOAM B3 GG
Supercedes Date: 17-Feb-2016
Revision Date 19-Jan-2017
Version 1.01

\_\_\_\_\_

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Europe - EN Page 12/12