

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK SIL 50 WHITE
Supercedes Date: 08-Nov-2016

Revision Date 25-May-2017
Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name BOSTIK SIL 50 WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Espana par Compositor Stravinsky, 12-18 Poligone Industrial Can Jardi 08191 Rubi (Barcelona), Spain

Tel: +34 93 586 02 00 Fax: +34 93 586 02 01

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word

No signal word

EUH208 - Contains 3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-. May produce an allergic reaction

EUH210 - Safety data sheet available on request

Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use

P102 - Keep out of reach of children

P101 - If medical advice is needed, have product container or label at hand

2.3. Other Hazards

Europe - EN Page 1/9

BOSTIK SIL 50 WHITE Revision Date 25-May-2017

Version 2

General Hazards

No information available.

PBT and vPvB assessment

Supercedes Date: 08-Nov-2016

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Distillates, petroleum, hydrotreated middle	265-148-2	64742-46-7	20 - 25	Asp. Tox. 1 (H304)		01-2119827000-58 -XXXX
Petroleum distillates, hydrotreated light	265-149-8	64742-47-8	5 - <10	Asp. Tox. 1 (H304)		01-2119484819-18 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a doctor.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

doctor.

Ingestion Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Europe - EN Page 2/9

BOSTIK SIL 50 WHITE Revision Date 25-May-2017

Version 2

Unsuitable Extinguishing Media

Supercedes Date: 08-Nov-2016

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

See Section 12 for additional Ecological Information. Do not allow into any sewer, on the ground or into any body of water.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Europe - EN Page 3/9

BOSTIK SIL 50 WHITE Revision Date 25-May-2017

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Supercedes Date: 08-Nov-2016

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Wear chemical splash goggles and face shield when eye and face contact is possible

due to splashing or spraying of material.

Hand Protection Gloves made of plastic or rubber. Ensure that the breakthrough time of the glove

material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the

Remarks • Method

Version 2

thickness as well as the temperature.

Skin and Body Protection Suitable protective clothing.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Viscous Paste
Colour White
Odour Acetic acid

Odour Threshold No information available

<u>Property</u> <u>Values</u>

pH No information available
Melting point/freezing point No information available
Boiling Point No information available
Flash Point No information available
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit No information available Lower Flammability Limit No information available **Vapour Pressure** No information available **Vapour Density** No information available **Relative Density** No information available Water Solubility No information available Solubility in Other Solvents No information available **Partition Coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available No information available **Explosive Properties** No information available **Explosive Limits** Upper No information available No information available Lower

Oxidising Properties No information available Kinematic Viscosity > 20.6

Dynamic Viscosity No information available

9.2. Other information

Softening Point
Molecular Weight
Solvent content (%)
No information available
No information available
No information available

Europe - EN Page 4/9

BOSTIK SIL 50 WHITE Revision Date 25-May-2017

Version 2

Solid content (%) No information available

Density

O.96 g/cm³

Bulk Density

No Data Available

VOC content (%)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

Supercedes Date: 08-Nov-2016

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.SensitisationNo Data Available.

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Not applicable.

Europe - EN Page 5/9

BOSTIK SIL 50 WHITE
Supercedes Date: 08-Nov-2016
Revision Date 25-May-2017
Version 2

Reproductive Toxicity No information available.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Aspiration Hazard No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 23,803.00 mg/kg **ATEmix (dermal)** 7,280.00 mg/kg

Component Information

Toxicity Data No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates, petroleum, hydrotreated middle	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat) 4 h
64742-46-7			
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Distillates, petroleum,	-	LC50 96 h = 35 mg/L	-	
hydrotreated middle		(Pimephales promelas		
64742-46-7		flow-through) LC50 96 h >		
		10000 mg/L (Pimephales		
		promelas static)		
Petroleum distillates,	-	LC50 96 h = 45 mg/L	LC50 96 h = 4720 mg/L	
hydrotreated light		(Pimephales promelas	(Den-dronereides heteropoda	
64742-47-8		flow-through) LC50 96 h = 2.2)	
		mg/L (Lepomis macrochirus	·	
		static) LC50 96 h = 2.4 mg/L		
		(Oncorhynchus mykiss static)		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Europe - EN Page 6/9

BOSTIK SIL 50 WHITE Revision Date 25-May-2017 Supercedes Date: 08-Nov-2016 Version 2

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other Adverse Effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

European Waste Catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Section 14: TRANSPORTATION INFORMATION

ADR_

Products

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marino Pollutant	Nn

14.5 Marine Pollutant None 14.6 Special Provisions

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

<u>RID</u>

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated
Environmental Hazard	Not applicable
	UN/ID no Proper Shipping Name Hazard Class Packing Group Environmental Hazard

14.6 Special Provisions None

ICAO (air)

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

14.6 Special Provisions None

Europe - EN Page 7/9

BOSTIK SIL 50 WHITE
Supercedes Date: 08-Nov-2016

Revision Date 25-May-2017
Version 2

IATA

14.1 UN/ID noNot regulated14.2 Proper Shipping NameNot regulated14.3 Hazard ClassNot regulated14.4 Packing GroupNot regulated14.5 Environmental HazardNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

<u>France</u>

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Petroleum distillates, hydrotreated light	RG 84
64742-47-8	

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) WGK 2

Europe - EN Page 8/9

BOSTIK SIL 50 WHITE Revision Date 25-May-2017

Version 2

STEL (Short Term Exposure Limit)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

15.2. Chemical safety assessment

Supercedes Date: 08-Nov-2016

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H302 - Harmful if swallowed

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H304 - May be fatal if swallowed and enters airways

Legend

SVHC: Substances of Very High Concern for Authorisation:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 25-May-2017

Indication of changes

Revision Note SDS sections updated: 2.

Training Advice No information available

Additional information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - EN Page 9/9