



DECLARATION OF PERFORMANCE

according to Annex III of the Regulation (EU) No 305/2011
and the Delegated Regulation (EU) No 574/2014

Product name:
SL C940 XL

DoP-No. 13813-19-17

1. Unequivocal classification of the product type:

EN 13813: CT-C25-F6-B1,0

3. Intended use:

Cement based screed material for indoor use

3. Manufacturer:

Bostik GmbH, An der Bundesstrasse 16, D-33829 Borgholzhausen

4. System(s) of assessment and verification) for the constancy of performance:

**System 3 plus system 4
System 3 for reaction-to-fire**

5.1. Harmonized Standard (hEN):

EN 13813:2002

Notified Bodies:

**A notified testing laboratory, the MPA Braunschweig, NB 0761,
has performed the determination of the product-type on the basis
of Initial Type Testing (ITT) under system 3 and has issued
a corresponding test report.**

**In addition to the above, the manufacturer, Bostik GmbH, has issued a
complementary ITT-report, dated March 28, 2014 under system 4.**

**Another Notified Body, the MPA-NRW, NB 0432, has tested the reaction-to-fire
under system 3 and has issued a corresponding reaction-to-fire test report
and a classification report corresponding, class A1/ A1_{fi}.**

5.2. European Technical Assessment (ETA):

irrelevant

Notified Body:

irrelevant

6. Declared performance:

Essential Characteristic	Performance	Harmonised technical specification
Reaction-to-fire	Class A1/A1 _{fl}	EN 13813:2002
Release of corrosive substances	CT	
Water permeability	NPD	
Water vapour permeability	NPD	
Compressive strength	C25	
Flexural strength	F6	
Tensile adhesion strength on concrete	B1,0	
Sound insulation	NPD	
Sound absorption	NPD	
Thermal resistance	NPD	
Chemical resistance	NPD	
Dangerous substances	NPD	

7. The performance of the a. m. product is in conformity with the performance declared in section 6. This declaration of performance is issued under the sole responsibility of the manufacturer identified under point 3.

Signed for and on behalf of Bostik GmbH by Company Management

Borgholzhausen, October 18, 2019

Managing Director (MD)