

ASA CONFLEX CFX101 Revision Number 1 Revision Date 13-Nov-2017 Supersedes Date: 28-Jun-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Pure substance/mixture ASA CONFLEX CFX101 Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useAdhesives.Uses advised againstNo information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412

1.4. Emergency telephone number

Emergency Telephone	24 Hr: 0800 243 622
	+64 4 917 9888
	Poison Centre : 0800 764 766

E-mail address

SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 1 (8.3A)
Skin sensitization	Category 1 (6.5B)
STOT - Single Exposure	Category 3 (^f)

ERMA Group

HSR002544

2.2. Label Elements



Signal Word

DANGER

Hazard statements

H317 - May cause an allergic skin reaction

H315 - Causes skin irritation

H335 - May cause respiratory irritation

H318 - Causes serious eye damage

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

ASA CONFLEX CFX101 Revision Number 1

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P271 - Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P362 - Take off contaminated clothing and wash before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

EYES

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

• Product dust may be irritating to eyes, skin and respiratory system

• When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

• Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Cement, portland, chemicals	65997-15-1	20- <40
Calcium formate	544-17-2	1 - <3

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.		
Inhalation	Remove to fresh air. If symptoms persist, call a physician.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Brush off loose particles from skin.		
Eye contact	If symptoms persist, call a physician. In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.		
Ingestion	Do NOT induce vomiting. Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.		
Self-Protection of the First Aider	Use personal protective equipment as required.		
4.2. Most important symptoms and	4.2. Most important symptoms and effects, both acute and delayed		

ASA CONFLEX CFX101	Revision Date 13-Nov-2017		
Revision Number 1	Supersedes Date: 28-Jun-2017		
Symptoms	None known.		
4.3. Indication of any immediate m	edical attention and special treatment needed		
Note to physicians	May cause sensitization of susceptible persons. Treat symptomatically.		
4.4. Reference to Other Sections			
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.		
Section 5: FIRE-FIGHTING N	MEASURES		
5.1. Extinguishing media			
Suitable Extinguishing Media	Use extinguishing agent suitable for type of surrounding fire.		
Unsuitable Extinguishing Media	No information available.		
5.2. Special hazards arising from t	he substance or mixture		
Specific Hazards Arising from the Chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors.		
Hazardous Combustion Products	Carbon oxides.		
5.3. Advice for firefighters			
Special Protective Equipment for Fire-fighters	Wear self-contained breathing apparatus and protective suit.		
Section 6: ACCIDENTAL RELEASE MEASURES			
6.1. Personal precautions, protective equipment and emergency procedures			
Personal Precautions	Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.		
For emergency responders	Sweep up to prevent slipping hazard.		
6.2. Environmental precautions			
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.		
6.3. Methods and material for cont	ainment and cleaning up		
Methods for Containment	Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal. Protect from moisture.		
Methods for cleaning up	Avoid creating dust. Sweep up and shovel into suitable containers for disposal.		
6.4. Reference to other sections			
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS		

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

ASA CONFLEX CFX101 Revision Number 1	Revision Date 13-Nov-2017 Supersedes Date: 28-Jun-2017
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
General Hygiene Considerations	When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.
Storage Conditions	Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from moisture.
Incompatible Materials	No information available
7.3. Specific end use(s)	
Other Information	No information available.
7.4. References to Other Sections	-
Reference to other sections	Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical Name	New Zealand	Australia	European Union	
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m ³	10 mg/m³ TWA	-	
·				
Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	
Cement, portland, chemicals	TWA: 1 mg/m ³ particulate matter	IDLH: 5000 mg/m ³	TWA: 15 mg/m ³ total dust	
65997-15-1	containing no asbestos and <1%	TWA: 10 mg/m ³ total dust	TWA: 5 mg/m ³ respirable fraction	
	crystalline silica, respirable particulate matter	TWA: 5 mg/m ³ respirable dust	TWA: 50 mppcf <1% Crystalline silica	
Derived No Effect Level (DNEI Predicted No Effect Concentra (PNEC)				
OTHER INFORMATION	No information available	No information available		
8.2. Exposure controls				
Engineering Controls	Ensure adequate ventilati	Ensure adequate ventilation, especially in confined areas.		
PPE - Personal Protection Equipment				
Eye/Face Protection	Wear safety classes with	side shields (or goggles).		
Skin and Body Protection	Wear suitable protective of	suitable protective clothing. No special technical protective measures are sary under normal conditions.		
Hand Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does no				
Respiratory Protection General Hygiene Considerations	No protective equipment required in insufficiently v or for short periods of wo Do not eat, drink or smok	depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and		
wash before reuse. Environmental Exposure Controls Do not allow into any sewer, on the ground		ver, on the ground or into any bo	ody of water.	

ASA CONFLEX CFX101 Revision Number 1

Revision Date 13-Nov-2017 Supersedes Date: 28-Jun-2017

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance			
Color			
Odor			
Odor Threshold			

Property pН Melting point / freezing point Boiling point / boiling range **Flash Point Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air **Upper flammability limit:** Lower flammability limit: Vapor Pressure Vapor Density **Relative Density** Water Solubility **Solubility in Other Solvents Partition Coefficient Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties**

9.2. Other information Softening Point Molecular Weight Solvent content (%) Solid content (%) Density Bulk Density VOC Powder Gray No information available No information available

Values 11 - 13 No information available No information available

No information available No information available No information available 100 No information available No information available Remarks • Method pH (as aqueous solution)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity

None under normal use conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible Materials No information available.

ASA CONFLEX CFX101 Revision Number 1

10.6. Hazardous decomposition products

Hazardous decomposition	None under normal use conditions.
products	

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

 Product Information
 Product does not present an acute toxicity hazard based on known or supplied information.

 Inhalation
 No data available.

 Eye contact
 No data available.

 Skin Contact
 No data available.

 Ingestion
 No data available.

Numerical measures of toxicity

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 1.221 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 1.221 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 3.2306 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rat)	LD50 >2000 mg/Kg	-
Calcium formate 544-17-2	= 2650 mg/kg(Rat)	LD50 > 2000 mg/kg (rat) OECD 402	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Eyes, Lungs, Lymphatic System, Respiratory system, Skin.
Aspiration hazard	No information available.
Carcinogenicity	No information available.
IARC (International Agency for	Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to F

IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

None known.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Calcium formate	RC50 (72h) > 1000 mg/l	LC50 96 h >= 1000 mg/L	EC50 (48h) > 1000 mg/l (Daphnia

ASA CONFLEX CFX101 Revision Number 1

Revision Date 13-Nov-2017 Supersedes Date: 28-Jun-2017

544-17-2	(Pseudokirchnerella subcapitata)	(Brachydanio rerio static)	magna)
			EPA-660/3-75-009

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORTATION INFORMATION

IMDG	Not regulated
IATA	Not regulated
ADR	Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Chronic Hazard Star Legend

* = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet No information available

Key Literature References and Sources for Data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	13-Nov-2017
Revision Note	Not applicable.
Training Advice	No information available

ASA CONFLEX CFX101 Revision Number 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet