

ASA CONFLEX GOLD Revision Number 1

Revision Date 24-Apr-2017 Supersedes Date: 28-Jun-2017

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name ASA CONFLEX GOLD

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

## Section 2: HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 1 (8.3A)
Skin sensitization	Category 1 (6.5B)
STOT - Single Exposure	Category 3 (f)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group HSR002544

#### 2.2. Label Elements



Signal Word DANGER

**Hazard statements** 

H317 - May cause an allergic skin reaction

H315 - Causes skin irritation

H335 - May cause respiratory irritation H318 - Causes serious eye damage

**Precautionary Statements - Prevention** 

ASA CONFLEX GOLD

Revision Number 1

Revision Date 24-Apr-2017

Supersedes Date: 28-Jun-2017

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P271 - Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

P321 - Specific treatment (see supplemental first aid instructions on this label)

#### Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

#### Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P362 - Take off contaminated clothing and wash before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

#### FYFS

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

- Product dust may be irritating to eyes, skin and respiratory system
- When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers
- Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Cement, portland, chemicals	65997-15-1	20- <40
Calcium formate	544-17-2	1 - <3

<sup>\*\*\*</sup> Any remaining ingredients are not hazardous

## **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** If symptoms persist, call a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation

persists, call a physician. Brush off loose particles from skin.

Eye contact If symptoms persist, call a physician. In case of eye contact, remove contact lens and

rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion Do NOT induce vomiting. Rinse mouth. If swallowed, seek medical advice immediately

and show this container or label.

**Self-Protection of the First Aider** Use personal protective equipment as required.

## 4.2. Most important symptoms and effects, both acute and delayed

**ASA CONFLEX GOLD** Revision Date 24-Apr-2017 **Revision Number 1** Supersedes Date: 28-Jun-2017

**Symptoms** None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons. Treat symptomatically.

4.4. Reference to Other Sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: Reference to other sections

TOXICOLOGY INFORMATION.

### Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable Extinguishing Media** No information available.

5.2. Special hazards arising from the substance or mixture

Chemical

Specific Hazards Arising from the Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Hazardous Combustion** 

**Products** 

Carbon oxides.

5.3. Advice for firefighters

Special Protective Equipment for

Wear self-contained breathing apparatus and protective suit.

Fire-fighters

### Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective **Personal Precautions** 

gloves/protective clothing and eye/face protection.

For emergency responders Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into **Environmental Precautions** 

> surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

**Methods for Containment** Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Protect from moisture.

Methods for cleaning up Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

ASA CONFLEX GOLD

Revision Number 1

Revision Date 24-Apr-2017

Supersedes Date: 28-Jun-2017

\_\_\_\_\_

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid generation

of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Regular cleaning of equipment, work area and clothing is recommended.

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive

moisture. Keep the packing dry and well sealed to prevent contamination and absorption

of humidity. Protect from moisture.

Incompatible Materials No information available

7.3. Specific end use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### **Exposure Limits**

Chemical Name	New Zealand	Australia	European Union
Cement, portland, chemicals	TWA: 10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> TWA	-
65997-15-1	_	_	

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cement, portland, chemicals	TWA: 1 mg/m³ particulate matter	IDLH: 5000 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust
65997-15-1	containing no asbestos and <1%	TWA: 10 mg/m³ total dust	TWA: 5 mg/m³ respirable fraction
	crystalline silica, respirable	TWA: 5 mg/m <sup>3</sup> respirable dust	TWA: 50 mppcf <1% Crystalline
	particulate matter	,	silica

Derived No Effect Level (DNEL) No information available

**Predicted No Effect Concentration** No information available

(PNEC)

OTHER INFORMATION No information available

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**PPE - Personal Protection Equipment** 

**Respiratory Protection** 

General Hygiene Considerations

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

**Hand Protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask

required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

ASA CONFLEX GOLD

Revision Number 1

Revision Date 24-Apr-2017

Supersedes Date: 28-Jun-2017

Remarks • Method

pH (as aqueous solution)

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

AppearancePowderColorWhiteOdorOdorlessOdor ThresholdNot applicable

Property Values
pH 11 - 13

Melting point / freezing point
Boiling point / boiling range
Flash Point
Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

Vapor Pressure

Vapor Density

Relative Density

No information available
No information available
No information available
No information available

Water Solubility Cement based products react and

solidify in contact with water

Solubility in Other Solvents No information available **Partition Coefficient** No information available **Autoignition Temperature** No information available **Decomposition Temperature** No information available **Kinematic Viscosity** No information available **Dynamic Viscosity** No information available No information available **Explosive Properties Oxidizing Properties** No information available

9.2. Other information

Softening Point
Molecular Weight
No information available
No information available
No information available

Solid content (%)

Density
No information available
No information available

VOC < g/L

### Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

**ASA CONFLEX GOLD** Revision Date 24-Apr-2017 **Revision Number 1** Supersedes Date: 28-Jun-2017

No information available. **Incompatible Materials** 

10.6. Hazardous decomposition products

**Hazardous decomposition** 

None under normal use conditions.

products

### Section 11: TOXICOLOGY INFORMATION

## 11.1. Information on toxicological effects

## **Acute Toxicity**

**Product Information** Product does not present an acute toxicity hazard based on known or supplied

information.

Inhalation No data available. No data available. Eye contact **Skin Contact** No data available. Ingestion No data available.

#### Numerical measures of toxicity

#### Unknown acute toxicity

2.299 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

2.299 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

3.829 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

3.829 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

6.4282 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

- 1					
	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
	Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rat)	LD50 >2000 mg/Kg	-	
	Calcium formate 544-17-2	= 2650 mg/kg (Rat)	LD50 > 2000 mg/kg (rat) OECD 402	-	

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation No information available. No information available. Serious Eye Damage/Eye Irritation Sensitization No information available. **Germ Cell Mutagenicity** No information available. No information available. **Reproductive Toxicity STOT - Single Exposure** No information available. **STOT - Repeated Exposure** No information available.

**Target Organ Effects** Eyes, Lymphatic System, Respiratory system, Skin, Lungs.

No information available. **Aspiration hazard** No information available. Carcinogenicity

IARC (International Agency for

Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 1 - Carcinogenic to Humans

## Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

#### **Ecotoxicity**

#### **Product Information**

None known.

### Component Information

Data obtained on the component(s) include

ASA CONFLEX GOLD

Revision Number 1

Revision Date 24-Apr-2017

Supersedes Date: 28-Jun-2017

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Calcium formate	RC50 (72h) > 1000 mg/l	LC50 96 h >= 1000 mg/L	EC50 (48h) > 1000 mg/l (Daphnia
544-17-2	(Pseudokirchnerella subcapitata)	(Brachydanio rerio static)	magna)
			EPA-660/3-75-009

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other adverse effects

No information available.

### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

## Section 14: TRANSPORTATION INFORMATION

IMDGNot regulatedIATANot regulatedADRNot regulated

## Section 15: REGULATORY INFORMATION

### **National Regulations**

## Section 16: OTHER INFORMATION

Chronic Hazard Star Legend \*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

#### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 24-Apr-2017

Revision Note Not applicable.

Page 7/8

ASA CONFLEX GOLD

Revision Number 1

Revision Number 1

Revision Date 24-Apr-2017

Supersedes Date: 28-Jun-2017

**Training Advice** 

No information available

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**